

**COUGH PLUS BRONCHIAL-** antimonium tartaricum, arum triphyllum, badiaga, baptisia tinctoria, bryonia (alba), drosera (rotundifolia), echinacea (angustifolia), eupatorium perfoliatum, kali bromatum, lung suis, phosphorus, pulsatilla (pratensis), spongia tosta, sticta pulmonaria, sulphur iodatum, urtica urens spray  
**Liddell Laboratories, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **Drug Facts:**

### **ACTIVE INGREDIENTS:**

**(in each spray):** 5.88% of Antimonium Tartaricum 200C, Arum Triphyllum 30C, Badiaga 12X, Baptisia Tinctoria 3X, Bryonia (Alba) 200C, Drosera (Rotundifolia) 30X, Echinacea (Angustifolia) 3X, Eupatorium Perfoliatum 200C, Kali Bromatum 6X, Lung Suis 6X, Phosphorus 30C, Pulsatilla (Pratensis) 30C, Silicea 12X, Spongia Tosta 12X, Sticta Pulmonaria 200C, Sulphur Iodatum 200C, Urtica Urens 200C.

### **USES:**

May temporarily relieve these symptoms associated with cough and bronchial congestion:

- coughing
- mucous buildup
- chest tightness
- chest soreness\*\*

\*\*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

### **WARNINGS:**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.

**Stop use and ask a doctor if** cough persists for more than one (1) week, tends to recur, or if it is accompanied by fever, rash or by persistent headache. A persistent cough may be a sign of a serious condition.

**Keep out of reach of children.** In case of overdose, get medical help or call a Poison Control Center right away.

**If pregnant or breast feeding,** ask a doctor before using product.

Do not use if TAMPER EVIDENT seal around neck of bottle is missing or broken.

### *Other information*

Store at room temperature.

### **KEEP OUT OF REACH OF CHILDREN:**

**Keep out of reach of children.** In case of overdose, get medical help or call a Poison Control Center right away.

### **DIRECTIONS:**

Adults and children over 12 Spray twice under the tongue three times per day. For severe symptoms, dosage may be taken up to six times the first day.

Children 12 and under Consult a doctor prior to use.

### **INDICATIONS:**

May temporarily relieve these symptoms associated with cough and bronchial congestion:

- coughing
- mucous buildup
- chest tightness
- chest soreness\*\*

\*\*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

### **INACTIVE INGREDIENTS:**

Organic alcohol 20% v/v, Purified water

### **QUESTIONS:**

DIST. BY LIDDELL LABORATORIES INC.  
WOODBINE, IA 51579  
WWW.LIDDELL.NET

1-800-460-7733

### **PACKAGE LABEL DISPLAY:**

ORAL SPRAYS

**LIDDELL**

LABORATORIES

EST. 1994

## 06 CB

### Cough + Bronchial

May relieve cough + bronchial  
symptoms: coughing, mucous  
buildup, chest tightness +  
chest soreness.

### HOMEOPATHIC

#### DOCTOR FORMULATED


Readily absorbed. Safe.  
No known side effects. Easy to use.

1.0 FL OZ. (30 ml)

**INDICATIONS** May temporarily relieve cough + bronchial symptoms: coughing, mucus build-up, chest tightness and chest soreness.\*\*

**DIRECTIONS** Adults & children over 12: Spray twice under the tongue three times per day. For severe symptoms, dosage may be taken up to six times the first day. *Children 12 and under:* Consult a doctor prior to use.

**WARNINGS** See box. Do not use if TAMPER EVIDENT seal around neck of bottle is missing or broken.



**ACTIVE INGREDIENTS (in each spray)** 5.88% of Antimon tart 200C, Arum triph 30C, Badiaga 12X, Baptisia 3X, Bryonia 200C, Drosera 30X, Echinacea 3X, Eupatorium perf 200C, Kali brom 6X, Lung suis 6X, Phos 30C, Pulsatilla 30C, Silicea 12X, Spongia 12X, Sticta 200C, Sulphur iod 200C, Urtica ur 200C. **INACTIVE INGREDIENTS** Organic alcohol 20% v/v, Purified water.

\*\*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DIST. BY LIDDELL LABORATORIES INC.  
WOODBINE, IA 51579  
WWW.LIDDELL.NET 1-800-460-7733

LOT: XXXXXX EXP: MM/YY

**Drug Facts**  
(continued)

**Directions** Children 12 and under: Consult a doctor prior to use.

**Other information**  
Store at room temperature.

**Inactive ingredients**  
Organic alcohol 20% v/v, Purified water.

**Questions or comments?**  
1-800-460-7733  
www.liddell.net

ESTABLISHED 1994  
**LIDDELL**  
LABORATORIES™

Do not use if **TAMPER EVIDENT** seal around neck of bottle is missing or broken.

\*Homeopathic guide at [www.liddell.net](http://www.liddell.net)

**CB™**  
Cough + Bronchial

Liddell's Cough + Bronchial may help make your day a little easier as it may assist your body's natural defenses to temporarily relieve coughing and mucus buildup.

ORAL SPRAYS  
**LIDDELL**®  
LABORATORIES™

EST. 1994

06

**CB™**

**Cough + Bronchial**

May relieve cough + bronchial symptoms: coughing, mucus buildup, chest tightness + chest soreness.

**HOMEOPATHIC**

**DOCTOR FORMULATED**  
Readily absorbed. Safe.  
No known side effects. Easy to use.

1.0 FL. OZ. (30 ml) 20% organic alcohol

**SPRAY YOUR WAY TO HEALTH®**

Oral sprays, a Liddell® innovation, are the modern and better way to deliver medication. Here's why:

- FAST ABSORPTION
- EASY TO SWALLOW
- ACCURATE-DOSE SPRAY PUMP
- CONVENIENT
- NO KNOWN NEGATIVE SIDE EFFECTS
- NO KNOWN CONTRAINDICATIONS
- NO KNOWN DRUG INTERACTIONS

**Money Back Guarantee**  
No questions asked!  
For details, visit: [www.liddell.net](http://www.liddell.net)

*\*\*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.*

DIST. BY  
LIDDELL LABORATORIES INC.  
201 APPLE BLVD.  
WOODBINE, IA 51579  
[WWW.LIDDELL.NET](http://WWW.LIDDELL.NET)  
1-800-460-7733

**MADE IN THE USA**



**Drug Facts**

**Active ingredients Purposes**  
(in each spray)  
5.88% of Antimon tart 200C, Arum triph 30C, Badiaga 12X, Baptisia 3X, Bryonia 200C, Drosera 30X, Echinacea 3X, Eupatorium perf 200C, Kali brom 6X, Lung suis 6X, Phos 30C, Pulsatilla 30C, Silicea 12X, Spongia 12X, Sticta 200C, Sulfur iod 200C, Urtica ur 200C.  
(Symptom relief for cough and bronchial congestion\*\*)

**Uses** May temporarily relieve these symptoms associated with cough and bronchial congestion:

- coughing
- chest tightness
- mucus buildup
- chest soreness\*\*

**Warnings**  
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

**Stop use and ask a doctor** if cough persists for more than one (1) week, tends to recur, or if it is accompanied by fever, rash or by persistent headache. A persistent cough may be a sign of a serious condition.

**Keep out of reach of children.** In case of overdose, get medical help or call a Poison Control Center right away.

**If pregnant or breast feeding,** ask a doctor before using product.

**Directions**

|                             |                                                                                                                           |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------|
| Adults and children over 12 | Spray twice under the tongue three times per day. For severe symptoms, dosage may be taken up to six times the first day. |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------|

## COUGH PLUS BRONCHIAL

antimonium tartaricum, arum triphyllum, badiaga, baptisia tinctoria, bryonia (alba), drosera (rotundifolia), echinacea (angustifolia), eupatorium perfoliatum, kali bromatum, lung suis, phosphorus, pulsatilla (pratensis), spongia tosta, sticta pulmonaria, sulphur iodatum, urtica urens spray

### Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:50845-0246 |
| <b>Route of Administration</b> | ORAL           |                           |                |

### Active Ingredient/Active Moiety

| Ingredient Name                                                                                 | Basis of Strength           | Strength           |
|-------------------------------------------------------------------------------------------------|-----------------------------|--------------------|
| <b>ANTIMONY POTASSIUM TARTRATE</b> (UNII: DL6OZ476V3) (ANTIMONY CATION (3+) - UNII:069647RPT5)  | ANTIMONY POTASSIUM TARTRATE | 200 [hp_C] in 1 mL |
| <b>ARISAEMA TRIPHYLLUM ROOT</b> (UNII: DM64K844DM) (ARISAEMA TRIPHYLLUM ROOT - UNII:DM64K844DM) | ARISAEMA TRIPHYLLUM ROOT    | 30 [hp_C] in 1 mL  |
| <b>SPONGILLA LACUSTRIS</b> (UNII: 6SZ0G98BHM) (SPONGILLA LACUSTRIS - UNII:6SZ0G98BHM)           | SPONGILLA LACUSTRIS         | 12 [hp_X] in 1 mL  |
| <b>BAPTISIA TINCTORIA ROOT</b> (UNII: 5EF0HW5WU) (BAPTISIA TINCTORIA ROOT - UNII:5EF0HW5WU)     | BAPTISIA TINCTORIA ROOT     | 3 [hp_X] in 1 mL   |

|                                                                                                                           |                                       |                       |
|---------------------------------------------------------------------------------------------------------------------------|---------------------------------------|-----------------------|
| <b>BRYONIA ALBA ROOT</b> (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)                                         | BRYONIA ALBA ROOT                     | 200 [hp_C]<br>in 1 mL |
| <b>DROSEROTAUNDIFOLIA</b> (UNII: QR44N9XPJQ) (DROSEROTAUNDIFOLIA - UNII:QR44N9XPJQ)                                       | DROSEROTAUNDIFOLIA                    | 3 [hp_X]<br>in 1 mL   |
| <b>ECHINACEA ANGUSTIFOLIA</b> (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)                               | ECHINACEA ANGUSTIFOLIA                | 3 [hp_X]<br>in 1 mL   |
| <b>EUPATORIUM PERFOLIATUM FLOWERING TOP</b> (UNII: 1W0775VX6E) (EUPATORIUM PERFOLIATUM FLOWERING TOP - UNII:1W0775VX6E)   | EUPATORIUM PERFOLIATUM FLOWERING TOP  | 200 [hp_C]<br>in 1 mL |
| <b>POTASSIUM BROMIDE</b> (UNII: OSD78555ZM) (BROMIDE ION - UNII:952902IX06)                                               | POTASSIUM BROMIDE                     | 6 [hp_X]<br>in 1 mL   |
| <b>SUS SCROFA LUNG</b> (UNII: 7GL3G1COB3) (SUS SCROFA LUNG - UNII:7GL3G1COB3)                                             | SUS SCROFA LUNG                       | 6 [hp_X]<br>in 1 mL   |
| <b>PHOSPHORUS</b> (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)                                                       | PHOSPHORUS                            | 30 [hp_C]<br>in 1 mL  |
| <b>ANEMONE PRATENSIS</b> (UNII: 8E272251DI) (ANEMONE PRATENSIS - UNII:8E272251DI)                                         | ANEMONE PRATENSIS                     | 30 [hp_C]<br>in 1 mL  |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)                                             | SILICON DIOXIDE                       | 12 [hp_X]<br>in 1 mL  |
| <b>SPONGIA OFFICINALIS SKELETON, ROASTED</b> (UNII: 1PIP394IID) (SPONGIA OFFICINALIS SKELETON, ROASTED - UNII:1PIP394IID) | SPONGIA OFFICINALIS SKELETON, ROASTED | 12 [hp_X]<br>in 1 mL  |
| <b>LOBARIA PULMONARIA</b> (UNII: D1YM0P5Z2T) (LOBARIA PULMONARIA - UNII:D1YM0P5Z2T)                                       | LOBARIA PULMONARIA                    | 200 [hp_C]<br>in 1 mL |
| <b>SULFUR IODIDE</b> (UNII: L6L8KA2AA0) (SULFUR IODIDE - UNII:L6L8KA2AA0)                                                 | SULFUR IODIDE                         | 200 [hp_C]<br>in 1 mL |
| <b>URTICA URENS</b> (UNII: IHN2NQ5OF9) (URTICA URENS - UNII:IHN2NQ5OF9)                                                   | URTICA URENS                          | 200 [hp_C]<br>in 1 mL |

## Inactive Ingredients

| Ingredient Name                   | Strength |
|-----------------------------------|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)   |          |
| <b>ALCOHOL</b> (UNII: 3K9958V90M) |          |

## Packaging

| # | Item Code        | Package Description                                         | Marketing Start Date | Marketing End Date |
|---|------------------|-------------------------------------------------------------|----------------------|--------------------|
| 1 | NDC:50845-0246-1 | 30 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product | 04/09/2019           |                    |

## Marketing Information

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|------------------------------------------|----------------------|--------------------|
| unapproved homeopathic |                                          | 04/09/2019           |                    |

**Labeler** - Liddell Laboratories, Inc. (832264241)

**Registrant** - Apotheca Company (844330915)

| Establishment    |         |           |                                                                                              |
|------------------|---------|-----------|----------------------------------------------------------------------------------------------|
| Name             | Address | ID/FEI    | Business Operations                                                                          |
| Apotheca Company |         | 844330915 | manufacture(50845-0246) , api manufacture(50845-0246) , label(50845-0246) , pack(50845-0246) |

Revised: 4/2022

Liddell Laboratories, Inc.