TRICLARA- benzalkonium chloride liquid Nightingale Pharmaceuticals, Inc.

TriClara Antiseptic Cold Sore Treatment

Drug Facts

Active Ingredient

Benzalkonium Chloride (0.13%)

Purpose

Antiseptic - First Aid

Uses

- treatment of cold sore / fever blister
- effective relief of symptoms of cold sore / fever blister
- protects against infections in sores, burns, cuts and scrapes

Warnings

- For external use only: Do not use in or around eyes or ears. Consult a physician before using on puncture wounds, serious burns or animal bites.
- Allergy alert: Do not use if you are allergic to any ingredients in this product.

Stop use and consult a doctor if the condition persists or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact poison control at 1-800-222-1222.

Directions

- clean the affected area with soap and water and thoroughly dry the area.
- for best results apply a small quantity with a rubbing motion 8 times (once every 2 hours while awake) daily at onset of symptoms until cleared.
- wash hands after applying.
- do not share this product with others.
- retain these directions for help with use.
- for use on children under 12 years: ask a doctor.

Other information

- Store at 15 to 25°C (59 to 77°F), in a dry place, away from heat, humidity and direct sunlight
- Discard 30 days after removeal from vauumed pouch.

Inactive ingredients

glycerin, water, N-acetyl cysteine, sodium hydroxide (for pH), ascorbic acid

TriClara ® ON & GONE

New

Antiseptic Cold Sore Treatment

0.13% Benzalkonium Chloride

FAST

CLEAR

EFFECTIVE

BETTER APPEARANCE + SOOTHING RELIEF

Cold Sore / Fever Blister Antiseptic

NET WT 3.5G / .12 OZ

Distributed by:

Nightingale Pharmaceuticals, Inc.

Santee, CA 92071

www.triclara.com

RETAIN CARTON FOR COMPLETE PRODUCT INFORMAITON



Antiseptic Cold Sore Treatment

0.13% Benzalkonium Chloride

FAST

CLEAR

BETTER APPEARANCE + SOOTHING RELIEF

TriClara®
0.13% Benzalkonium Chloride
Cold Sore/Fever Blister Antiseptic

NET WT 3.5G/.12 OZ



Drug Facts

Active Ingredient Purpose

Benzalkonium Chloride (0.13%) Antiseptic - First Aid

Uses

- · treatment of cold sore/fever blister
- · effective relief of symptoms of cold sore/fever blister
- · protects against infections in sores, burns, cuts and scrapes

Warnings

- For external use only: Do not use in or around eyes or ears. Consult a physician before using on puncture wounds, serious burns or animal bites.
- . Allergy alert: Do not use if you are allergic to any ingredients in this product.
- . Stop use and consult a doctor if the condition persists or gets worse,

Keep out of reach of children. If swallowed, get medical help or contact poison control at 1-800-222-1222.

Directions

- clean the affected area with soap and water and thoroughly dry the area.
- for best results apply a small quantity with a rubbing motion 8 times (once every 2 hours while awake) daily at onset of symptoms until cleared.
- · wash hands after applying.
- · do not share this product with others.
- · retain these directions for help with use.
- . for use on children under 12 years: ask a doctor.

Other information

Store at 15 to 25°C (59
to 77°F), in a dry place,
away from heat, humidity
and direct sunlight.
 Discard 30 days
after removal from vacuumed pouch.

Inactive ingredients

glycerin, water, N-acetyl cysteine, sodium hydroxide (for pH), ascorbic acid.

RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION

Distributed by:
Nightingale Pharmaceuticals, Inc.
Santee, CA 92071
www.triclara.com



TRICLARA

benzalkonium chloride liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:72518-001

Route of Administration

TOPICAL

Active Ingredient/Active Moiety

•		
Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZ ALKONIUM CHLORIDE	0.13 g in 100 g

Inactive Ingredients Ingredient Name Strength WATER (UNII: 059QF0KO0R)

ACETYLCYSTEINE (UNII: WYQ7N0BPYC) GLYCERIN (UNII: PDC6A3C0OX)

SODIUM HYDROXIDE (UNII: 55X04QC32I) ASCORBIC ACID (UNII: PQ6CK8PD0R)

Packaging Marketing Start Marketing End Item Code Package Description Date Date NDC:72518-001- 3.5 g in 1 BOTTLE; Type 0: Not a Combination Product 05/14/2019

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	05/14/2019	

Labeler - Nightingale Pharmaceuticals, Inc. (081338827)

Revised: 12/2023 Nightingale Pharmaceuticals, Inc.