

LBEL EFFET PARFAIT FILLING EFFECT FOUNDATION SPF 10 - CLAIRE 1-octinoxate liquid
LBEL EFFET PARFAIT FILLING EFFECT FOUNDATION SPF 10 - CLAIRE 2-octinoxate liquid
LBEL EFFET PARFAIT FILLING EFFECT FOUNDATION SPF 10 - CLAIRE 3-octinoxate liquid
LBEL EFFET PARFAIT FILLING EFFECT FOUNDATION SPF 10 - CLAIRE 4-octinoxate liquid
LBEL EFFET PARFAIT FILLING EFFECT FOUNDATION SPF 10 - MEDIUM 5-octinoxate liquid
LBEL EFFET PARFAIT FILLING EFFECT FOUNDATION SPF 10 - MEDIUM 6-octinoxate liquid
LBEL EFFET PARFAIT FILLING EFFECT FOUNDATION SPF 10 - MEDIUM 7-octinoxate liquid
LBEL EFFET PARFAIT FILLING EFFECT FOUNDATION SPF 10 - OBSCURE 8-octinoxate liquid
LBEL EFFET PARFAIT FILLING EFFECT FOUNDATION SPF 10 - OBSCURE 9-octinoxate liquid
Ventura Corporation LTD.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

L'BEL EFFET PARFAIT filling effect foundation SPF 10

Active Ingredients

Octinoxate 7.0 %

Purpose

sunscreen

Uses

- Helps prevent sunburn.
- Higher SPF gives more sunburn protection.
- Provides minimal protection against sunburn.

Warnings

- **For external use only.**
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash or irritation develops and lasts.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally before sun exposure and as needed.

Other information

- Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreen may reduce the risk of skin aging, skin cancer, and other harmful effects of the sun.
- Apply to the forehead, nose, chin and both cheeks. Blend with circular motion and spread softly without stretching the skin.

Inactive ingredients

Aqua (water), cyclomethicone, cyclopentasiloxane, cyclohexasiloxane, sodium chloride, peg/ppg-18/18 dimethicone, dimethicone, nylon-12 fluorescent brightener 230 salt, dimethiconol, diazolidinyl urea, methicone, cetearyl dimethicone crosspolymer, methylparaben, parfum (fragrance), propylparaben, polyvinylalcohol crosspolymer, sodium hyaluronate

May contain: CI 77891 (titanium dioxide), CI 77492 (iron oxides), CI 77491 (iron oxides), CI 77499 (iron oxides).

PR: Distributed by Ventura Corporation, Ltd. San Juan, Puerto Rico 00926.

PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - CLAIRE 1**L'BEL**

EFFET
PARFAIT

filling effect
foundation SPF 10

30 ml e (1 fl.oz.)

Drug Facts (continued)	
Active Ingredients Ocinloxate 7.0 %	Purposesunscreen
Uses ■ Helps prevent sunburn. ■ Higher SPF gives more sunburn protection. ■ Provides minimal protection against sunburn.	
Warnings For external use only. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash or irritation develops and lasts. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ Apply liberally before sun exposure and as needed.	
Other Information ■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreen may reduce the risk of skin aging, skin cancer, and other harmful effects of the sun. ■ Apply to the forehead, nose, chin and both cheeks. Blend with circular motion and spread softly without stretching the skin.	
Inactive Ingredients Aqua (water), cyclomethicone, cyclopentasiloxane, cyclohexasiloxane, sodium chloride, peg/ppg-18/18 dimethicone, dimethicone, nylon-12 fluorescent brightener 230	

Drug Facts (continued)
salt, dimethiconol, diazolidinyl urea, methicone, celearyl dimethicone crosspolymer, methylparaben, parfum (fragrance), propylparaben, polyvinylalcohol crosspolymer, sodium hyaluronate. May contain: CI 77891 (titanium dioxide), CI 77492 (iron oxides), CI 77491 (iron oxides), CI 77499 (iron oxides).

US: Distributed by Ventura International, Ltd. San Francisco, CA 94111. Made in Colombia. PR: Distributed by Ventura Corporation, Ltd. San Juan, Puerto Rico 00956. Made in Colombia. www.lbel.com

L'BEL

EFFET
PARFAIT

filling effect
foundation SPF 10

30 ml e (1 fl.oz.)

PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - CLAIRE 2

L'BEL

EFFET

PARFAIT

filling effect

foundation SPF 10

30 ml e (1 fl.oz.)

Drug Facts (continued)	
Active Ingredients Ocinloxate 7.0 %	Purposesunscreen
Uses ■ Helps prevent sunburn. ■ Higher SPF gives more sunburn protection. ■ Provides minimal protection against sunburn.	
Warnings For external use only. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash or irritation develops and lasts. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ Apply liberally before sun exposure and as needed.	
Other Information ■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreen may reduce the risk of skin aging, skin cancer, and other harmful effects of the sun. ■ Apply to the forehead, nose, chin and both cheeks. Blend with circular motion and spread softly without stretching the skin.	
Inactive Ingredients Aqua (water), cyclomethicone, cyclopentasiloxane, cyclohexasiloxane, sodium chloride, peg/ppg-18/18 dimethicone, dimethicone, nylon-12 fluorescent brightener 230	

Drug Facts (continued)
salt, dimethiconol, diazolidinyl urea, methicone, celearyl dimethicone crosspolymer, methylparaben, parfum (fragrance), propylparaben, polyvinylalcohol crosspolymer, sodium hyaluronate. May contain: CI 77891 (titanium dioxide), CI 77492 (iron oxides), CI 77497 (iron oxides), CI 77499 (iron oxides).

US: Distributed by Ventura International, Ltd. San Francisco, CA 94111. Made in Colombia. PR: Distributed by Ventura Corporation, Ltd. San Juan, Puerto Rico 00956. Made in Colombia. www.lbel.com

L'BEL

EFFET
PARFAIT

filling effect
foundation SPF 10

30 ml e (1 fl.oz.)

PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - CLAIRE 3

L'BEL

EFFET

PARFAIT

filling effect

foundation SPF 10

30 ml e (1 fl.oz.)

Drug Facts (continued)	
Active Ingredients Ocinloxate 7.0 %	Purposesunscreen
Uses ■ Helps prevent sunburn. ■ Higher SPF gives more sunburn protection. ■ Provides minimal protection against sunburn.	
Warnings For external use only. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash or irritation develops and lasts. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ Apply liberally before sun exposure and as needed.	
Other Information ■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreen may reduce the risk of skin aging, skin cancer, and other harmful effects of the sun. ■ Apply to the forehead, nose, chin and both cheeks. Blend with circular motion and spread softly without stretching the skin.	
Inactive Ingredients Aqua (water), cyclomethicone, cyclopentasiloxane, cyclohexasiloxane, sodium chloride, peg/ppg-18/18 dimethicone, dimethicone, nylon-12 fluorescent brightener 230	

Drug Facts (continued)
salt, dimethiconol, diazolidinyl urea, methicone, celearyl dimethicone crosspolymer, methylparaben, parfum (fragrance), propylparaben, polyvinylalcohol crosspolymer, sodium hyaluronate. May contain: CI 77891 (titanium dioxide), CI 77492 (iron oxides), CI 77491 (iron oxides), CI 77499 (iron oxides).

US: Distributed by Ventura International, Ltd. San Francisco, CA 94111. Made in Colombia. PR: Distributed by Ventura Corporation, Ltd. San Juan, Puerto Rico 00956. Made in Colombia. www.lbel.com

L'BEL

EFFET
PARFAIT

filling effect
foundation SPF 10

30 ml e (1 fl.oz.)

PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - CLAIRE 4

L'BEL

EFFET

PARFAIT

filling effect

foundation SPF 10

30 ml e (1 fl.oz.)

Drug Facts (continued)	
Active Ingredients Cinoxate 7.0 %	Purposesunscreen
Uses ■ Helps prevent sunburn. ■ Higher SPF gives more sunburn protection. ■ Provides minimal protection against sunburn.	
Warnings For external use only. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash or irritation develops and lasts. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ Apply liberally before sun exposure and as needed.	
Other Information ■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreen may reduce the risk of skin aging, skin cancer, and other harmful effects of the sun. ■ Apply to the forehead, nose, chin and both cheeks. Blend with circular motion and spread softly without stretching the skin.	
Inactive Ingredients Aqua (water), cyclomethicone, cyclopentasiloxane, cyclohexasiloxane, sodium chloride, peg/ppg-18/18 dimethicone, dimethicone, nylon-12 fluorescent brightener 230	

Drug Facts (continued)
salt, dimethiconol, diazolidinyl urea, methicone, cetearyl dimethicone crosspolymer, methylparaben, parfum (fragrance), propylparaben, polyvinylalcohol crosspolymer, sodium hyaluronate. May contain: CI 77891 (titanium dioxide), CI 77492 (iron oxides), CI 77491 (iron oxides), CI 77499 (iron oxides).

US: Distributed by Ventura International, Ltd. San Francisco, CA 94111. Made in Colombia. PR: Distributed by Ventura Corporation, Ltd. San Juan, Puerto Rico 00956. Made in Colombia. www.lbel.com

L'BEL

EFFET
PARFAIT

filling effect
foundation SPF 10

30 ml e (1 fl.oz.)

PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - MEDIUM 5

L'BEL

EFFET

PARFAIT

filling effect

foundation SPF 10

30 ml e (1 fl.oz.)

Drug Facts (continued)	
Active Ingredients Ocinloxate 7.0 %	Purposesunscreen
Uses ■ Helps prevent sunburn. ■ Higher SPF gives more sunburn protection. ■ Provides minimal protection against sunburn.	
Warnings For external use only. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash or irritation develops and lasts. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ Apply liberally before sun exposure and as needed.	
Other Information ■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreen may reduce the risk of skin aging, skin cancer, and other harmful effects of the sun. ■ Apply to the forehead, nose, chin and both cheeks. Blend with circular motion and spread softly without stretching the skin.	
Inactive Ingredients Aqua (water), cyclomethicone, cyclopentasiloxane, cyclohexasiloxane, sodium chloride, peg/ppg-18/18 dimethicone, dimethicone, nylon-12 fluorescent brightener 230	

Drug Facts (continued)
salt, dimethiconol, diazolidinyl urea, methicone, celearyl dimethicone crosspolymer, methylparaben, parfum (fragrance), propylparaben, polyvinylalcohol crosspolymer, sodium hyaluronate. May contain: CI 77891 (titanium dioxide), CI 77492 (iron oxides), CI 77491 (iron oxides), CI 77499 (iron oxides).

US: Distributed by Ventura International, Ltd. San Francisco, CA 94111. Made in Colombia. PR: Distributed by Ventura Corporation, Ltd. San Juan, Puerto Rico 00956. Made in Colombia. www.lbel.com

L'BEL

EFFET
PARFAIT

filling effect
foundation SPF 10

30 ml e (1 fl.oz.)

PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - MEDIUM 6

L'BEL

EFFET

PARFAIT

filling effect

foundation SPF 10

30 ml e (1 fl.oz.)

Drug Facts (continued)	
Active Ingredients Ocinloxate 7.0 %	Purposesunscreen
Uses ■ Helps prevent sunburn. ■ Higher SPF gives more sunburn protection. ■ Provides minimal protection against sunburn.	
Warnings For external use only. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash or irritation develops and lasts. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ Apply liberally before sun exposure and as needed.	
Other Information ■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreen may reduce the risk of skin aging, skin cancer, and other harmful effects of the sun. ■ Apply to the forehead, nose, chin and both cheeks. Blend with circular motion and spread softly without stretching the skin.	
Inactive Ingredients Aqua (water), cyclomethicone, cyclopentasiloxane, cyclohexasiloxane, sodium chloride, peg/ppg-18/18 dimethicone, dimethicone, nylon-12 fluorescent brightener 230	

Drug Facts (continued)
salt, dimethiconol, diazolidinyl urea, methicone, cetearyl dimethicone crosspolymer, methylparaben, parfum (fragrance), propylparaben, polyvinylalcohol crosspolymer, sodium hyaluronate. May contain: CI 77891 (titanium dioxide), CI 77492 (iron oxides), CI 77491 (iron oxides), CI 77499 (iron oxides).

US: Distributed by Ventura International, Ltd. San Francisco, CA 94111. Made in Colombia. PR: Distributed by Ventura Corporation, Ltd. San Juan, Puerto Rico 00956. Made in Colombia. www.lbel.com

L'BEL

EFFET
PARFAIT

filling effect
foundation SPF 10

30 ml e (1 fl.oz.)

PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - MEDIUM 7

L'BEL

EFFET

PARFAIT

filling effect

foundation SPF 10

30 ml e (1 fl.oz.)

Drug Facts (continued)	
Active Ingredients Cinoxate 7.0 %	Purposesunscreen
Uses ■ Helps prevent sunburn. ■ Higher SPF gives more sunburn protection. ■ Provides minimal protection against sunburn.	
Warnings For external use only. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash or irritation develops and lasts. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ Apply liberally before sun exposure and as needed.	
Other Information ■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreen may reduce the risk of skin aging, skin cancer, and other harmful effects of the sun. ■ Apply to the forehead, nose, chin and both cheeks. Blend with circular motion and spread softly without stretching the skin.	
Inactive Ingredients Aqua (water), cyclomethicone, cyclopentasiloxane, cyclohexasiloxane, sodium chloride, peg/ppg-18/18 dimethicone, dimethicone, nylon-12 fluorescent brightener 230	

Drug Facts (continued)
salt, dimethiconol, diazolidinyl urea, methicone, cetearyl dimethicone crosspolymer, methylparaben, parfum (fragrance), propylparaben, polyvinylalcohol crosspolymer, sodium hyaluronate. May contain: CI 77891 (titanium dioxide), CI 77492 (iron oxides), CI 77497 (iron oxides), CI 77499 (iron oxides).

US: Distributed by Ventura International, Ltd. San Francisco, CA 94111. Made in Colombia. PR: Distributed by Ventura Corporation, Ltd. San Juan, Puerto Rico 00956. Made in Colombia. www.lbel.com

L'BEL

EFFET
PARFAIT

filling effect
foundation SPF 10

30 ml e (1 fl.oz.)

PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - OBSCURE 8

L'BEL

EFFET

PARFAIT

filling effect

foundation SPF 10

30 ml e (1 fl.oz.)

Drug Facts (continued)	
Active Ingredients Cinoxate 7.0 %	Purposesunscreen
Uses ■ Helps prevent sunburn. ■ Higher SPF gives more sunburn protection. ■ Provides minimal protection against sunburn.	
Warnings For external use only. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash or irritation develops and lasts. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ Apply liberally before sun exposure and as needed.	
Other Information ■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreen may reduce the risk of skin aging, skin cancer, and other harmful effects of the sun. ■ Apply to the forehead, nose, chin and both cheeks. Blend with circular motion and spread softly without stretching the skin.	
Inactive Ingredients Aqua (water), cyclomethicone, cyclopentasiloxane, cyclohexasiloxane, sodium chloride, peg/ppg-18/18 dimethicone, dimethicone, nylon-12 fluorescent brightener 230	

Drug Facts (continued)
salt, dimethiconol, diazolidinyl urea, methicone, celearyl dimethicone crosspolymer, methylparaben, parfum (fragrance), propylparaben, polyvinylalcohol crosspolymer, sodium hyaluronate. May contain: CI 77891 (titanium dioxide), CI 77492 (iron oxides), CI 77491 (iron oxides), CI 77499 (iron oxides).

US: Distributed by Ventura International, Ltd. San Francisco, CA 94111. Made in Colombia. PR: Distributed by Ventura Corporation, Ltd. San Juan, Puerto Rico 00956. Made in Colombia. www.lbel.com

L'BEL

EFFET
PARFAIT

filling effect
foundation SPF 10

30 ml e (1 fl.oz.)

PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - OBSCURE 9

L'BEL

EFFET

PARFAIT

filling effect

foundation SPF 10

30 ml e (1 fl.oz.)

Drug Facts (continued)	
Active Ingredients Cinoxate 7.0 %	Purposesunscreen
Uses ■ Helps prevent sunburn. ■ Higher SPF gives more sunburn protection. ■ Provides minimal protection against sunburn.	
Warnings For external use only. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash or irritation develops and lasts. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ Apply liberally before sun exposure and as needed.	
Other Information ■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreen may reduce the risk of skin aging, skin cancer, and other harmful effects of the sun. ■ Apply to the forehead, nose, chin and both cheeks. Blend with circular motion and spread softly without stretching the skin.	
Inactive Ingredients Aqua (water), cyclomethicone, cyclopentasiloxane, cyclohexasiloxane, sodium chloride, peg/ppg-18/18 dimethicone, dimethicone, nylon-12 fluorescent brightener 230	

Drug Facts (continued)
salt, dimethiconol, diazolidinyl urea, methicone, celearyl dimethicone crosspolymer, methylparaben, parfum (fragrance), propylparaben, polyvinylalcohol crosspolymer, sodium hyaluronate. May contain: CI 77891 (titanium dioxide), CI 77492 (iron oxides), CI 77497 (iron oxides), CI 77499 (iron oxides).

US: Distributed by Ventura International, Ltd. San Francisco, CA 94111. Made in Colombia. PR: Distributed by Ventura Corporation, Ltd. San Juan, Puerto Rico 00956. Made in Colombia. www.lbel.com

L'BEL

EFFET
PARFAIT

filling effect
foundation SPF 10

30 ml e (1 fl.oz.)

LBEL EFFET PARFAIT FILLING EFFECT FOUNDATION SPF 10 - CLAIRE 1

octinoxate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-560
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
cyclomethicone (UNII: NMQ347994Z)	
cyclomethicone 5 (UNII: 0THT5PCI0R)	
cyclomethicone 6 (UNII: XHK3U310BA)	
sodium chloride (UNII: 451W47IQ8X)	
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)	
dimethicone (UNII: 92RU3N3Y1O)	
diazolidinyl urea (UNII: H5RIZ3MPW4)	
methylparaben (UNII: A2I8C7HI9T)	
propylparaben (UNII: Z8IX2SC1OH)	
hyaluronate sodium (UNII: YSE9PPT4TH)	
titanium dioxide (UNII: 15FIX9V2JP)	
ferric oxide yellow (UNII: EX438O2MRT)	
ferric oxide red (UNII: 1K09F3G675)	
ferrosoferric oxide (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-560-02	1 in 1 BOX		
1	NDC:13537-560-01	30 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	05/07/2013	

LBEL EFFET PARFAIT FILLING EFFECT FOUNDATION SPF 10 - CLAIRE 2

octinoxate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-561
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
cyclomethicone (UNII: NMQ347994Z)	
cyclomethicone 5 (UNII: 0THT5PCI0R)	
cyclomethicone 6 (UNII: XHK3U310BA)	
sodium chloride (UNII: 451W47IQ8X)	
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)	
dimethicone (UNII: 92RU3N3Y1O)	
diazolidinyl urea (UNII: H5RIZ3MPW4)	
methylparaben (UNII: A2I8C7HI9T)	
propylparaben (UNII: Z8IX2SC1OH)	
hyaluronate sodium (UNII: YSE9PPT4TH)	
titanium dioxide (UNII: 15FIX9V2JP)	
ferric oxide yellow (UNII: EX438O2MRT)	
ferric oxide red (UNII: 1K09F3G675)	
ferrosoferric oxide (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-561-02	1 in 1 BOX		
1	NDC:13537-561-01	30 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	05/07/2013	

LBEL EFFET PARFAIT FILLING EFFECT FOUNDATION SPF 10 - CLAIRE 3

octinoxate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-562
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
cyclomethicone (UNII: NMQ347994Z)	
cyclomethicone 5 (UNII: 0THT5PCI0R)	
cyclomethicone 6 (UNII: XHK3U310BA)	
sodium chloride (UNII: 451W47IQ8X)	
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)	
dimethicone (UNII: 92RU3N3Y1O)	
diazolidinyl urea (UNII: H5RIZ3MPW4)	
methylparaben (UNII: A2B8C7H9T)	
propylparaben (UNII: Z8IX2SC1OH)	
hyaluronate sodium (UNII: YSE9PPT4TH)	
titanium dioxide (UNII: 15FIX9V2JP)	
ferric oxide yellow (UNII: EX438O2MRT)	
ferric oxide red (UNII: 1K09F3G675)	
ferrosoferric oxide (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-562-02	1 in 1 BOX		
1	NDC:13537-562-01	30 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	05/07/2013	

LBEL EFFET PARFAIT FILLING EFFECT FOUNDATION SPF 10 - CLAIRE 4

octinoxate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-563
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength		
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL		
Inactive Ingredients				
Ingredient Name	Strength			
water (UNII: 059QF0K00R)				
cyclomethicone (UNII: NMQ347994Z)				
cyclomethicone 5 (UNII: 0THT5PCI0R)				
cyclomethicone 6 (UNII: XHK3U310BA)				
sodium chloride (UNII: 451W47IQ8X)				
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)				
dimethicone (UNII: 92RU3N3Y1O)				
diazolidinyl urea (UNII: H5RIZ3MPW4)				
methylparaben (UNII: A2I8C7HI9T)				
propylparaben (UNII: Z8IX2SC1OH)				
hyaluronate sodium (UNII: YSE9PPT4TH)				
titanium dioxide (UNII: 15FIX9V2JP)				
ferric oxide yellow (UNII: EX438O2MRT)				
ferric oxide red (UNII: 1K09F3G675)				
ferrosoferric oxide (UNII: XM0M87F357)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-563-02	1 in 1 BOX		
1	NDC:13537-563-01	30 mL in 1 BOTTLE		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH NOT FINAL	part352	05/07/2013		

LBEL EFFET PARFAIT FILLING EFFECT FOUNDATION SPF 10 - MEDIUM 5
octinoxate liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-564
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL	

Inactive Ingredients				
Ingredient Name				Strength
water (UNII: 059QF0KO0R)				
cyclomethicone (UNII: NMQ347994Z)				
cyclomethicone 5 (UNII: 0THT5PC10R)				
cyclomethicone 6 (UNII: XHK3U310BA)				
sodium chloride (UNII: 451W471Q8X)				
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)				
dimethicone (UNII: 92RU3N3Y1O)				
diazolidinyl urea (UNII: H5RIZ3MPW4)				
methylparaben (UNII: A218C7H9T)				
propylparaben (UNII: Z8IX2SC1OH)				
hyaluronate sodium (UNII: YSE9PPT4TH)				
titanium dioxide (UNII: 15FIX9V2JP)				
ferric oxide yellow (UNII: EX438O2MRT)				
ferric oxide red (UNII: 1K09F3G675)				
ferrosoferric oxide (UNII: XM0M87F357)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-564-02	1 in 1 BOX		
1	NDC:13537-564-01	30 mL in 1 BOTTLE		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH NOT FINAL	part352	05/07/2013		

LBEL EFFET PARFAIT FILLING EFFECT FOUNDATION SPF 10 - MEDIUM 6				
octinoxate liquid				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-565	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)		Octinoxate	0.07 g in 1 mL	
Inactive Ingredients				
Ingredient Name				Strength
water (UNII: 059QF0KO0R)				

cyclomethicone (UNII: NMQ347994Z)
cyclomethicone 5 (UNII: 0THT5PCI0R)
cyclomethicone 6 (UNII: XHK3U310BA)
sodium chloride (UNII: 451W47IQ8X)
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)
dimethicone (UNII: 92RU3N3Y1O)
diazolidinyl urea (UNII: H5RIZ3MPW4)
methylparaben (UNII: A2I8C7HI9T)
propylparaben (UNII: Z8IX2SC1OH)
hyaluronate sodium (UNII: YSE9PPT4TH)
titanium dioxide (UNII: 15FIX9V2JP)
ferric oxide yellow (UNII: EX438O2MRT)
ferric oxide red (UNII: 1K09F3G675)
ferrosoferric oxide (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-565-02	1 in 1 BOX		
1	NDC:13537-565-01	30 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	05/07/2013	

LBEL EFFET PARFAIT FILLING EFFECT FOUNDATION SPF 10 - MEDIUM 7

octinoxate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-566
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
cyclomethicone (UNII: NMQ347994Z)	
cyclomethicone 5 (UNII: 0THT5PCI0R)	
cyclomethicone 6 (UNII: XHK3U310BA)	
sodium chloride (UNII: 451W47IQ8X)	

peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)	
dimethicone (UNII: 92RU3N3Y1O)	
diazolidinyl urea (UNII: H5RIZ3MPW4)	
methylparaben (UNII: A2I8C7HI9T)	
propylparaben (UNII: Z8IX2SC1OH)	
hyaluronate sodium (UNII: YSE9PPT4TH)	
titanium dioxide (UNII: 15FIX9V2JP)	
ferric oxide yellow (UNII: EX438O2MRT)	
ferric oxide red (UNII: 1K09F3G675)	
ferrosoferric oxide (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-566-02	1 in 1 BOX		
1	NDC:13537-566-01	30 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	05/07/2013	

LBEL EFFET PARFAIT FILLING EFFECT FOUNDATION SPF 10 - OBSCURE 8

octinoxate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-567
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
cyclomethicone (UNII: NMQ347994Z)	
cyclomethicone 5 (UNII: 0THT5PCI0R)	
cyclomethicone 6 (UNII: XHK3U310BA)	
sodium chloride (UNII: 451W47IQ8X)	
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)	
dimethicone (UNII: 92RU3N3Y1O)	
diazolidinyl urea (UNII: H5RIZ3MPW4)	
methylparaben (UNII: A2I8C7HI9T)	

propylparaben (UNII: Z8IX2SC1OH)	
hyaluronate sodium (UNII: YSE9PPT4TH)	
titanium dioxide (UNII: 15FIX9V2JP)	
ferric oxide yellow (UNII: EX438O2MRT)	
ferric oxide red (UNII: 1K09F3G675)	
ferrosoferric oxide (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-567-02	1 in 1 BOX		
1	NDC:13537-567-01	30 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	05/07/2013	

LBEL EFFET PARFAIT FILLING EFFECT FOUNDATION SPF 10 - OBSCURE 9

octinoxate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-568
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
cyclomethicone (UNII: NMQ347994Z)	
cyclomethicone 5 (UNII: 0THT5PCI0R)	
cyclomethicone 6 (UNII: XHK3U310BA)	
sodium chloride (UNII: 451W47IQ8X)	
peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794)	
dimethicone (UNII: 92RU3N3Y1O)	
diazolidinyl urea (UNII: H5RIZ3MPW4)	
methylparaben (UNII: A218C7HI9T)	
propylparaben (UNII: Z8IX2SC1OH)	
hyaluronate sodium (UNII: YSE9PPT4TH)	
titanium dioxide (UNII: 15FIX9V2JP)	

ferric oxide yellow (UNII: EX438O2MRT)	
ferric oxide red (UNII: 1K09F3G675)	
ferrosoferric oxide (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-568-02	1 in 1 BOX		
1	NDC:13537-568-01	30 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	05/07/2013	

Labeler - Ventura Corporation LTD. (602751344)

Establishment

Name	Address	ID/FEI	Business Operations
Bel Star S.A. (Colombia)		880160197	MANUFACTURE(13537-560, 13537-561, 13537-562, 13537-563, 13537-564, 13537-565, 13537-566, 13537-567, 13537-568)

Revised: 5/2013

Ventura Corporation LTD.