ANTACID - ANTI-GAS RELIEF- calcium carbonate tablet, chewable Kroger

Calcium carbonate 750 mg Simethicone 80 mg

Active ingredient (in each chewable tablet)

Calcium carbonate 750 mg

Simethicone 80 mg

Purposes

Antacid

Anti-gas

Uses Relieves

- Heartburn
- Sour stomach
- Acid indigestion
- Upset stomach due to these symptoms
- Bloating, pressure or stuffed feeling commonly referred to as gas

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.

Do not take more than 5 chewable tablets in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

When using this product constipation may occur

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

Adults and children 12 years and older chew and swallow 1 to 2 chewable tablets every 2-4 hours as needed. Do not exceed 5 chewable tablets in 24 hours.

Children under 12 years consult a doctor.

Other information

- Each chewable tablet contains: calcium 300 mg
- Contains Soy
- Store between 20° to 25°C (68° to 77°F) in a dry place

Inactive ingredients: Acacia gum, beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, FD&C blue no. 1 aluminum lake, FD&C blue no. 2 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 6 aluminum lake, hydrogenated

coconut oil, modified corn starch, natural and artificial flavors, phosphoric acid, pregelatinized corn starch, propylene glycol, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, sucrose and titanium dioxide.

Questions? 1-800-632-6900



ANTACID - ANTI-GA	S RELIEF					
calcium carbonate tablet, ch	-					
· · · ·						
Product Information						
Product Type	HUMAN OTC DRUG	ltem Code (Sou	Item Code (Source) ND		DC:30142-039	
Route of Administration	ORAL					
Active Ingredient/Activ	Molohy					
Active Ingredient/Active	emolety			_		
In	Basis of Strength		Strength			
DIMETHICONE (UNII: 92RU3N3Y	DIMETHICO	NE	80 mg			
CALCIUM CARBONATE (UNII: HO UNII:2M83C4R6ZB)	CALCIUM CA	ARBONATE	750 mg			
Inactivo Ingradiante						
Inactive Ingredients	ngredient Name			<u> </u>		
	Strength					
SUCROSE (UNII: C151H8M554)						
Product Characteristics	5					
Color pink	Mauve)	Score	no score			
Shape ROUN	ID	Size	e 14mm			
Flavor BERR	Y	Imprint Code		DR		

	ntains				
Pa	ackaging				
¥	ltem Code	Package	Description	Marketing Start Date	Marketing End Date
L	NDC:30142-039- 32	32 in 1 BOTTLE; Type Product	0: Not a Combination	01/28/2019	
	32	FIOUUCI			
			D	R	
		DR		DR	
	arketing I	nformation		DR	
4	arketing I Marketing Category	nformation No.	umber or Monograph		Marketing End Date

Labeler - Kroger (006999528)

Registrant - Bestco Inc. (002149136)

Establishment							
Name	Address	ID/FEI	Business Operations				
Bestco Inc.		002149136	manufacture(30142-039)				

Revised: 10/2023

Kroger