

**ANTI-DIARRHEAL- loperamide hydrochloride capsule, liquid filled
Dolgenercorp, Inc. (DOLLAR GENERAL & REXALL)**

Drug Facts

Active Ingredient (in each capsule)

Loperamide HCl 2 mg

Purpose

Anti- diarrheal

Use

controls symptoms of diarrhea, including Traveler's Diarrhea

Warnings

Allergy alert: Do not use if you have ever had a rash or other allergic reaction to loperamide HCl.

Heart alert: Taking more than directed can cause serious heart problems or death.

Do not use

- if you have bloody or black stool
- in children under 12 years of age

Ask a doctor before use if you have

- fever
- mucus in the stool
- a history of liver disease

Ask a doctor or pharmacist before use if you are

taking antibiotics

When using this product

tiredness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery.

Stop use and ask doctor if

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging. These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **drink plenty of clear fluids to help prevent dehydration caused by diarrhea**
- **not for use in children under 12 years of age**
- adults and children 12 years of age and over: 2 softgels after the first loose stool; 1 softgel after each subsequent loose stool; but no more than 4 softgels in 24 hours

Other information

- store at 20°-25°C (68°-77° F). Protect from light.
- avoid excessive heat above 40°C (104°F).
- do not use if carton or blister unit is open or torn
- see side panel for lot number and expiration date

Inactive Ingredients

butylated hydroxyanisole, edible ink, FD&C Blue #1, gelatin, glycerin, glyceryl caprylate, polyoxyl 40 hydrogenated castor oil, purified water

Questions or comments?

Call 1-888-309-9030

Principal Display Panel

Compare to the active ingredient of Imodium® A-D*

Anti-Diarrheal

Liquid Softgels**

Loperamide HCl Soft Gelatin Capsules 2 mg

- Controls the symptoms of diarrhea
- Suitable for adults and children 12 years and over

Softgels**

**each liquid-filled capsule contains 2 mg Loperamide HCl

THIS PRODUCT IS PACKAGED IN A CHILD RESISTANT AND TAMPER EVIDENT PACKAGE. USE ONLY IF BLISTERS ARE INTACT.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

*This product is not manufactured or distributed by McNeil Consumer & Specialty Pharmaceuticals, distributor of Imodium® A-D.

DISTRIBUTED BY DOLGENCORP, LLC

100 MISSION RIDGE

GOODLETTSVILLE, TN 37072

Product Label

<p>Drug Facts</p> <p>Active ingredient (in each capsule) Loperamide HCl 2 mg.....Anti-diarrheal</p> <p>Purpose</p>	<p>Use Controls symptoms of diarrhea, including Travelers' Diarrhea.</p>	<p>Warnings</p> <p>Allergy alert: Do not use if you have ever had a rash or other allergic reaction to loperamide HCl.</p> <p>Heart alert: Taking more than directed can cause serious heart problems or death.</p> <p>Do not use</p> <ul style="list-style-type: none"> if you have bloody or black stool in children under 12 years of age <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> fever mucus in the stool a history of liver disease <p>Ask a doctor or pharmacist before use if you are taking antibiotics.</p> <p>When using this product tiredness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery.</p> <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> symptoms get worse diarrhea lasts for more than 2 days you get abdominal swelling or bulging. These may be signs of a serious condition.
<p>Drug Facts (continued)</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p>	<p>Directions</p> <ul style="list-style-type: none"> drink plenty of clear fluids to help prevent dehydration caused by diarrhea not for use in children under 12 years of age adults and children 12 years of age and over: 2 softgels after the first loose stool; 1 softgel after each subsequent loose stool; but no more than 4 softgels in 24 hours 	<p>Other information</p> <ul style="list-style-type: none"> store at 20°-25°C (68°-77°F). Protect from light. avoid excessive heat above 40°C (104°F) do not use if carton or blister unit is open or torn see side panel for lot number and expiration date <p>Inactive ingredients butylated hydroxyanisole, edible ink, FD&C blue #1, gelatin, glycerin, glyceryl caprylate, polyoxy 40 hydrogenated castor oil, purified water</p>
<p>Questions or comments? Call 1-888-309-9030</p>		
<p>*This product is not manufactured or distributed by McNeil Consumer & Specialty Pharmaceuticals, distributor of Imodium® A-D.</p>		

Anti-Diarrheal Liquid Softgels**

Loperamide HCl Soft Gelatin Capsules 2 mg



Compare to the active ingredient of Imodium® A-D*

Anti-Diarrheal Liquid Softgels**

Loperamide HCl Soft Gelatin Capsules 2 mg

- Controls the symptoms of diarrhea

MA CHILD-RESISTANT AND TAMPER EVIDENT PACKAGE. USE ONLY IF BLISTERS ARE INTACT. SEE CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

• Suitable for adults and children
12 years and over

2
mg



24 Softgels**

Actual Softgel Size

**Each Liquid-filled capsule
contains 2 mg Loperamide HCl

THIS PRODUCT IS PACKAGED IN
KEEP OUT

Lot No.:
Exp. Date:

DISTRIBUTED BY DOLGENCORP, LLC
100 MISSION RIDGE
GOODLETTSVILLE, TN 37072

REV # 9/16
PLD-F45J FC003590

100%
Satisfaction
Guaranteed!
(888) 309-9030



DOLLAR GENERAL Anti-Diarrheal

ANTI-DIARRHEAL

loperamide hydrochloride capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:559 10-520
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII:6X9OC3H4II)	LOPERAMIDE HYDROCHLORIDE	2 mg

Inactive Ingredients

Ingredient Name	Strength
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOCAPRYLATE (UNII: TM2TZD4G4A)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
WATER (UNII: 059QF0K00R)	

Product Characteristics

Color	BLUE	Score	no score
Shape	CAPSULE	Size	10mm
Flavor		Imprint Code	P13
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:559 10-520-24	2 in 1 CARTON	11/10/20 11	12/30/2022
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021855	11/10/20 11	12/30/2022

Labeler - Dolgencorp, Inc. (DOLLAR GENERAL & REXALL) (068331990)

Revised: 12/2020

Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)