

**ASPERCREME WITH LIDOCAINE NO-MESS APPLICATOR- lidocaine hydrochloride liquid
Chattem, Inc.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Aspercreme with Lidocaine No-Mess Applicator

ASPERCREME with LIDOCAINE

NO-MESS APPLICATOR

Drug Facts

Active ingredient

Lidocaine HCl 4%

Purpose

Topical anesthetic

Use

temporarily relieves minor pain

Warnings

For external use only

Do not use

- on large areas of the body or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

When using this product

- use only as directed. Read and follow all directions and warnings on this carton.
- do not allow contact with the eyes
- do not bandage or apply local heat (such as heating pads) to area of use
- do not use at the same time as other topical analgesics

Stop use and ask a doctor if

- condition worsens
- redness is present
- irritation develops

- symptoms persist for more than 7 days or clear up and occur again within a few days

Flammable

- keep away from fire or flame

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children and pets.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions**adults and children over 12 years:**

- apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period

children 12 years or younger: ask a doctor

Inactive ingredients

acrylates/C10-30 alkyl acrylate crosspolymer, alcohol denat. (15%), aloe barbadensis leaf juice, aminomethyl propanol, C30-45 alkyl cetearyl dimethicone crosspolymer, caprylyl methicone, cetearyl alcohol, ceteth-20 phosphate, dicetyl phosphate, dimethicone, disodium EDTA, ethylhexylglycerin, glyceryl stearate, hydroxyethyl acrylate/sodium acryloyldimethyl taurate copolymer, isohexadecane, methylparaben, polysorbate 60, steareth-2, steareth-21, water

Child-resistant packaging. Close cap tightly after use.

Principal Display Panel

Odor free

Aspercreme

Lidocaine

Pain relieving Liquid

2.5 fl oz (73 mL)



ASPERCREME WITH LIDOCAINE NO-MESS APPLICATOR

lidocaine hydrochloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-0581
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	4 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
CARBOMER INTERPOLYMER TYPE A (55000 CPS) (UNII: 59TL3WG5CO)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETETH-20 PHOSPHATE (UNII: 921FTA1500)	

DIHEXADECYL PHOSPHATE (UNII: 2V6E5WN99N)
DIMETHICONE (UNII: 92RU3N3Y1O)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (45000 MPA.S AT 1%) (UNII: 86FQE96TZ4)
ISOHEXADECANE (UNII: 918X1OUF1E)
METHYLPARABEN (UNII: A2I8C7HI9T)
POLYSORBATE 60 (UNII: CAL22UVI4M)
ALCOHOL (UNII: 3K9958V90M)
STEARETH-2 (UNII: V56DFE46J5)
STEARETH-21 (UNII: 53J3F32P58)
WATER (UNII: 059QF0KO0R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0581-0	1 in 1 CARTON	03/01/2017	
1		73 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	03/01/2017	

Labeler - Chattem, Inc. (003336013)

Revised: 6/2021

Chattem, Inc.