

MEIJER TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment

Meijer Distribution Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

meijer™
Triple Antibiotic

Drug Facts

Active ingredients (each gram contains)	Purpose
Bacitracin zinc 400 units	First aid antibiotic
Neomycin sulfate 3.5 mg	First aid antibiotic
Polymyxin B sulfate 5,000 units	First aid antibiotic

Uses

first aid to help prevent infection in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition persists or gets worse
- you need to use longer than 1 week
- a rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area and dry thoroughly
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- To open: unscrew cap, pull tab to remove foil seal
- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

Inactive ingredient

white petrolatum

Questions?

Call 1-866-923-4914

**DIST. BY MEIJER
DISTRIBUTION, INC.
2929 WALKER AVE NW
GRAND RAPIDS, MI 49544**

PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton

meijer™

Compare to NEOSPORIN®
active ingredient*

Original Strength**Triple Antibiotic Ointment**

Bacitracin Zinc • Neomycin Sulfate • Polymyxin B Sulfate

NET WT 1 OZ (28.4 g)

meijer

Compare to NEOSPORIN® active ingredient

HELPS PREVENT INFECTION
IN MINOR CUTS,
SCRAPES, AND BURNS

Original Strength First Aid Antibiotic

LPK-5536-2
0211-2
M67

meijer

Original Strength

Triple Antibiotic Ointment

Bacitracin Zinc • Neomycin Sulfate • Polymyxin B Sulfate

meijer

Compare to NEOSPORIN® active ingredient

Original Strength

Triple Antibiotic Ointment

Bacitracin Zinc • Neomycin Sulfate • Polymyxin B Sulfate

NET WT 1 OZ (28.4 g)

T51



NO COPY / NO COLOR
THIS FLAP FOR LOT #
AND EXP DATE PRINT



DIST. BY MEIJER
DISTRIBUTION, INC.
2929 WALKER AVE NW
GRAND RAPIDS, MI 49544
www.meijer.com
Made in Canada.

This product is not
manufactured or
distributed by
Johnson & Johnson
Corporation,
owner of the
registered trademark
Neosporin®

Drug Facts

Active ingredients (each gram contains)
Bacitracin zinc 400 units.....First aid antibiotic
Neomycin sulfate 3.5 mg.....First aid antibiotic
Polymyxin B sulfate 5,000 units.....First aid antibiotic

Uses first aid to help prevent infection in minor • cuts • scrapes • burns

Warnings For external use only.
Do not use • in the eyes
• over large areas of the body

Ask a doctor before use if you have
• deep or puncture wounds • animal bites • serious burns
Stop use and ask a doctor if • condition persists or gets worse
• you need to use longer than 1 week
• a rash or other allergic reaction develops

Directions
Center right away.
Clean the affected area and dry thoroughly
• apply a small amount of this product (an amount equal to the surface area of the tip of a
finger) on the area 1 to 3 times daily
• may be covered with a sterile bandage

Other information
• To open: unscrew cap, pull tab to remove foil seal
• store at 20° to 25°C (68° to 77°F)
• see carton or tube crimp for lot number and expiration date

Inactive ingredient white petrolatum

Questions? Call 1-866-923-4914

MEIJER TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-500	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
Bacitracin zinc (UNII: 89 Y4M234ES) (Bacitracin - UNII:58 H6RWO52I)		Bacitracin	400 [iU] in 1 g	
Neomycin sulfate (UNII: 057Y626693) (Neomycin - UNII:I16 QD7X297)		Neomycin	3.5 mg in 1 g	
Polymyxin B sulfate (UNII: 19371312D4) (Polymyxin B - UNII:J2VZ07J96K)		Polymyxin B	5000 [iU] in 1 g	
Inactive Ingredients				
Ingredient Name			Strength	
petrolatum (UNII: 4T6 H12BN9U)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-500-02	1 in 1 CARTON		
1		28.4 g in 1 TUBE		
2	NDC:41250-500-03	1 in 1 CARTON		
2		60 g in 1 TUBE		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part333B	12/14/1995		

Labeler - Meijer Distribution Inc (006959555)

Registrant - Taro Pharmaceuticals U.S.A., Inc. (145186370)

Establishment

Name	Address	ID/FEI	Business Operations
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(41250-500)