# MENS MINOXIDIL HAIR REGROWTH- minoxidil Topiderm, Inc

-----

### Mens Minoxidil Hair Regrowth System

**Drug Facts** 

### **Active ingredient**

Minoxidil 5% w/v

### **Purpose**

Hair regrowth treatment for men

#### Use

to regrow hair on the scalp (vertex only, see picture on side of carton)

### Warnings

For external use only. For use by men only.

Flammable: Keep away from fire or flame

#### Do not use if

- you are a woman
- your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. 5% minoxidil topical solution is not intended for frontal baldness or receding hairline
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children
- your scalp is red, inflamed, irritated or painful
- you use other medicines on the scalp

# Ask a doctor before use if you have heart disease

# When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.

• the amount of hair regrowth is different for each person. This product will not work for all men.

### Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs

you do not see hair regrowth in 4 months

## May be harmful if used when pregnant or breast-feeding.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

#### Other information

- see hair loss pictures on opposite side
- before use, read all information on carton and enclosed leaflet
- keep the insert. It contains important information.
- hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with 5% minoxidil topical solution for men
- in clinical studies of mostly white men aged 18-49 years with moderate degrees of hair loss, 5% minoxidil topical solution for men provided more hair regrowth than 2% minoxidil topical solution
- store at controlled room temperature 20° to 25°C (68° to 77°F).

# **Inactive ingredients**


Alcohol, Propylene Glycol, Purified Water

#### PRINCIPAL DISPLAY PANEL - Kit Carton

MINOXIDIL HAIR REGROWTH SYSTEM

CLINICALLY PROVEN TO HELP REGROW HAIR

KIT CONTENTS: STRENGTHENING SHAMPOO, REJUVENATING CONDITIONER, MINOXIDIL TOPICAL SOLUTION USP (2 MONTH SUPPLY)



# PRINCIPAL DISPLAY PANEL - 2-60 ml Bottle Dropcard

MEN'S MINOXIDIL HAIR REGROWTH SYSTEM

5% MINOXODIL TOPICAL SOLUTION, USP

Reactivates hair follicles to stimulate regrowth

Clinically proven to help regrow hair

**Topical Solution** 

Unscented

Minoxidil Topical Solution 5% is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown). Not intended for frontal baldness or a receding hairline. Minoxidil Topical Solution 5% has been shown to regrow hair in men with the following degrees of thinning hair of hair loss

If men have more hair loss or hair loss in a place different than shown above, Minoxidil Topical Solution 5% may not work.

Two month supply Two 60 ml (2 fl oz) bottles



5% MINOXODIL TOPICAL SOLUTION, USP

Reactivates hair follicles to stimulate regrowth

Clinically proven to help regrow hair

**Topical Solution** 

Unscented

Minoxidil Topical Solution 5% is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown). Not intended for frontal baldness or a receding hairline. Minoxidil Topical Solution 5% has been shown to regrow hair in men with the following degrees of thinning hair of hair loss







If men have more hair loss or hair loss in a place different than shown above, Minoxidil Topical Solution 5% may not work.

> Two month supply Two 60 ml (2 fl oz) bottles

For Best Results: Apply Directly to Scalp. Use Twice Daily.



#### This Package Contains:

Two-60 ml (2 fl oz) Bottles of Minoxidil Men's Hair Regrowth Solution (two-month supply) with child-resistant dropper applicator.

#### Drug Facts

Active ingredient

Purpose

Minoxidil5%w/v

...... Hall regrowth treatment for me

Use to regrow hair on the scalp (vertex only, see picture on side of carton)

#### Warnings

For external use only. For use by men only

Flammable: Keep away from fire or flame

Do not use if: • you are a woman • your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. 5% minoxidil topical solution is not intended for frontal baldness or receding hairline • you have no family history of hair loss • your hair loss is sudden and/or patchy • you do not know the reason for your hair loss • you are under 18 years of age. Do not use on babies and children • your scalp is red, inflamed, irritated or painful • you use other medicines on the scalp

#### Ask a doctor before use if you have heart diseas

#### When using this product

• do not apply on other parts of the body • avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water • some people have experienced changes in hair color and/or texture • it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results. • the amount of hair regrowth is different for each person. This product will not work for all men.

#### Stop use and ask a doctor if

- · chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- · your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs

you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center rightaway.

Directions • apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area • using more or more often will not improve results • continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

Other information • see hair loss pictures on opposite side
• before use, read all information on carton and enclosed leaflet • keep the
insert. It contains important information. • hair regrowth has not been shown
to last longer than 48 weeks in large clinical trials with continuous treatment
with 5% minoxidil topical solution for men • in clinical studies of mostly white
men aged 18-49 years with moderate degrees of hair loss, 5% minoxidil topical solution
for men provided more hair regrowth than 2% minoxidil topical solution

store at controlled room temperature 20° to 25°C (68° to 77°F).

Inactive ingredients Alcohol, Propylene Glycol, Purified Water

CDTX1065 R0221

## PRINCIPAL DISPLAY PANEL - 200 ml Bottle Label-Shampoo

COMPLIMENTS OF TOPIX PHARMACEUTICALS, INC

Strengthening Basil Root Shampoo

HAIR GROWTH SYSTEM

Clean | Volumize | Strengthen

Net 6.7 fl. oz. (200 ml)

Available Custom Branded 800.445.2595 c.service@topixpharm.com COMPLIMENTS OF



# Strengthening Basil Root Shampoo

HAIR GROWTH SYSTEM

Clean | Volumize | Strengthen

Net 6.7 fl. oz. (200 ml)

Available
Custom Branded
800,445,2595
c.service@topixpharm.com

#### DIRECTIONS

Apply to wet hair, then massage into scalp, through hair, and down to the ends. Rinse thoroughly. Repeat if necessary or recommended by your physician. For best results, follow with the rejuvenating conditioner. Can be used daily.

#### INGREDIENTS

Purified Water, Cocamidopropyl Betaine, Sodium Lauroyl Sarcosinate, Sodium Cocoyl Isethionate, Sodium Lauryl Sulfoacetate, Glycerin. Panthenol. Propylene Tocopheryl Acetate, Dioscorea Villosa (Wild Yam) Root Extract, Ocimum Basilicum (Basil) Root Extract, Trifolium Pratense (Clover) Flower Extract, Eriobotrya Japonica (Loquat) Leaf Extract, Pisum Sativum (Pea) Sprout Extract, Ximenia Americana Seed Oil, Potassium Sorbate, Sphinganine, Citric Acid, Esculin, Glycol Distearate, Laureth-9, Amodimethicone, C11-15 Pareth-7, Dipropylene Glycol, Dextran, Decyl Glucoside, Polyquaternium-10, Polyquaternium-7, Polysilicone-29, PEG-55 Propylene Glycol Oleate, Menthone Glycerin Acetal, Trideceth-12, Acetyl Tetrapeptide-3, Butylene Glycol, Benzyl Alcohol, Carbomer, Sodium Benzoate, Sodium Hydroxide, BHT, Disodium EDTA, Phenoxyethanol.

R0121 Made in U.S.A. 1040

#### PRINCIPAL DISPLAY PANEL - 200 ml Bottle Label-Conditioner

COMPLIMENTS OF TOPIX PHARMACEUTICALS, INC

Rejuvenating Basil Root Conditioner

HAIR GROWTH SYSTEM

Condition | Volumize | Rejuvenate

Net 6.7 fl. oz. (200 ml)

Available Custom Branded 800.445.2595 c.service@topixpharm.com

COMPLIMENTS OF



# Rejuvenating Basil Root Conditioner

HAIR GROWTH SYSTEM

Condition | Volumize | Rejuvenate

Net 6.7 fl. oz. (200 ml)

Available
Custom Branded
800.445.2595
c.service@topixpharm.com

#### DIRECTIONS

Apply a small amount to wet hair. Work product in thoroughly from mid-shaft to ends. Rinse hair thoroughly. For best results, follow with the hair growth serum.

#### INGREDIENTS

Purified Water, Stearalkonium Chloride, Cetearyl Alcohol, Stearyl Alcohol, Ocimum Basilicum (Basil) Root Extract, Trifolium Pratense (Clover) Flower Extract, Eriobotrya Japonica (Loquat) Leaf Extract, Pisum Sativum (Pea) Sprout Extract, Camelia Sinensis (Green Tea) Leaf Extract, Ximenia Americana Seed Oil, Potassium Sorbate, Sphinganine, Cetearth-21, Citric Acid, Resveratrol, Silybin, Caffeine, Esculin, Dextran, PEG-40 Hydrogenated Castor Oil, Cyclopentasiloxane, Acetyl Tetrapeptide-3, Butylene Glycol, Lecithin, Zinc PCA, Copper PCA, Sodium Chloride, Sodium Benzoate, Disodium EDTA, Phenoxyethanol.

R0121 Made in U.S.A. 1050

## **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:51326-165

# **Packaging**

7	tem Code	Package Description	Marketing Start Date	<b>Marketing End Date</b>
:	NDC:51326-165-01	1 in 1 CARTON	06/16/2023	

# **Quantity of Parts**

Qualities of Fares		
Part #	Package Quantity	Total Product Quantity
Part 1	2 BOTTLE	120 mL
Part 2	1 BOTTLE	200 mL
Part 3	1 BOTTLE	200 mL

# Part 1 of 3

## MENS MINOXIDIL HAIR GROWTH SYSTEM

minoxidil solution

## **Product Information**

Item Code (Source)	NDC:51326-160
Route of Administration	TOPICAL

# **Active Ingredient/Active Moiety**

Ingredient Name	<b>Basis of Strength</b>	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	50 mg in 1 mL

# **Inactive Ingredients**

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	

# **Packaging**

# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:51326-160-	60 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076239	03/23/2021	

# Part 2 of 3

## STRENGTHENING BASIL ROOT

shampoos (non-coloring) shampoo

## **Product Information**

**Route of Administration** TOPICAL

Other Ingredients		
Ingredient Kind	Ingredient Name	Quantity
INGR	WATER (UNII: 059QF0KO0R)	
INGR	COCAMIDOPROPYL BETAINE (UNII: 50CF3011KX)	
INGR	SODIUM LAUROYL SARCOSINATE (UNII: 632GS99618)	
INGR	SODIUM COCOYL ISETHIONATE (UNII: 518XTE8493)	
INGR	SODIUM LAURYL SULFOACETATE (UNII: D0Y70F2B9J)	
INGR	GLYCERIN (UNII: PDC6A3C0OX)	
INGR	PANTHENOL (UNII: WV9CM0O67Z)	
INGR	PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
INGR	.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
INGR	DIOSCOREA VILLOSA TUBER (UNII: IWY3IWX2G8)	
INGR	TRIFOLIUM PRATENSE FLOWER (UNII: 4JS0838828)	
INGR	POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
INGR	SPHINGANINE (UNII: YT0ZSD64HM)	
INGR	CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
INGR	ESCULIN (UNII: 1Y1L18LQAF)	
INGR	GLYCOL DISTEARATE (UNII: 13W7MDN21W)	
INGR	POLIDOCANOL (UNII: 0AWH8BFG9A)	
INGR	C11-15 ALKETH-7 (UNII: 261HPE0IS3)	
INGR	DIPROPYLENE GLYCOL (UNII: E107L85C40)	
INGR	DECYL GLUCOSIDE (UNII: Z17H97EA6Y)	
INGR	POLYQUATERNIUM-10 (400 MPA.S AT 2%) (UNII: HB1401PQFS)	
INGR	POLYQUATERNIUM-7 (70/30 ACRYLAMIDE/DADMAC; 1600000 MW) (UNII: 0L414VCS5Y)	
INGR	PEG-55 PROPYLENE GLYCOL OLEATE (UNII: 7RDE7PJS40)	
INGR	MENTHONE 1,2-GLYCEROL KETAL, (+/-)- (UNII: 7QQ1EE6RCP)	
INGR	TRIDECETH-12 (UNII: YFY3KG5Y7O)	
INGR	ACETYL TETRAPEPTIDE-3 (UNII: D1HW9N9QBX)	
INGR	BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	

INGR BENZYL ALCOHOL (UNII: LKG8494WBH)  INGR CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)  INGR SODIUM BENZOATE (UNII: 0J245FE5EU)  INGR SODIUM HYDROXIDE (UNII: 55X04QC32I)  INGR BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)  INGR EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)  INGR PHENOXYETHANOL (UNII: HIE492ZZ3T)  INGR BASIL (UNII: 2U0KZ P0FDW)  INGR LOQUAT (UNII: DM9CY56A36)  INGR PEA (UNII: W4X7H8GYFM)  INGR AMODIMETHICONE (1300 CST) (UNII: 3V7U636DWN)  INGR DEXTRAN 110 (UNII: 05Q25F6XJ3)		
INGR SODIUM BENZOATE (UNII: OJ245FE5EU) INGR SODIUM HYDROXIDE (UNII: 55X04QC32I) INGR BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) INGR EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM) INGR PHENOXYETHANOL (UNII: HIE492ZZ3T) INGR BASIL (UNII: 2U0KZP0FDW) INGR LOQUAT (UNII: DM9CY56A36) INGR PEA (UNII: W4X7H8GYFM) INGR AMODIMETHICONE (1300 CST) (UNII: 3V7U636DWN)	INGR	BENZYL ALCOHOL (UNII: LKG8494WBH)
INGR SODIUM HYDROXIDE (UNII: 55X04QC32I) INGR BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) INGR EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM) INGR PHENOXYETHANOL (UNII: HIE492ZZ3T) INGR BASIL (UNII: 2U0KZP0FDW) INGR LOQUAT (UNII: DM9CY56A36) INGR PEA (UNII: W4X7H8GYFM) INGR AMODIMETHICONE (1300 CST) (UNII: 3V7U636DWN)	INGR	CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)
INGR BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) INGR EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM) INGR PHENOXYETHANOL (UNII: HIE492ZZ3T) INGR BASIL (UNII: 2U0KZP0FDW) INGR LOQUAT (UNII: DM9CY56A36) INGR PEA (UNII: W4X7H8GYFM) INGR AMODIMETHICONE (1300 CST) (UNII: 3V7U636DWN)	INGR	SODIUM BENZOATE (UNII: OJ245FE5EU)
INGR EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM) INGR PHENOXYETHANOL (UNII: HIE492ZZ3T) INGR BASIL (UNII: 2U0KZP0FDW) INGR LOQUAT (UNII: DM9CY56A36) INGR PEA (UNII: W4X7H8GYFM) INGR AMODIMETHICONE (1300 CST) (UNII: 3V7U636DWN)	INGR	SODIUM HYDROXIDE (UNII: 55X04QC32I)
INGR PHENOXYETHANOL (UNII: HIE492ZZ3T)  INGR BASIL (UNII: 2U0KZP0FDW)  INGR LOQUAT (UNII: DM9CY56A36)  INGR PEA (UNII: W4X7H8GYFM)  INGR AMODIMETHICONE (1300 CST) (UNII: 3V7U636DWN)	INGR	BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
INGR BASIL (UNII: 2U0KZ P0FDW) INGR LOQUAT (UNII: DM9CY56A36) INGR PEA (UNII: W4X7H8GYFM) INGR AMODIMETHICONE (1300 CST) (UNII: 3V7U636DWN)	INGR	EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
INGR LOQUAT (UNII: DM9CY56A36) INGR PEA (UNII: W4X7H8GYFM) INGR AMODIMETHICONE (1300 CST) (UNII: 3V7U636DWN)	INGR	PHENOXYETHANOL (UNII: HIE492ZZ3T)
INGR PEA (UNII: W4X7H8GYFM) INGR AMODIMETHICONE (1300 CST) (UNII: 3V7U636DWN)	INGR	BASIL (UNII: 2U0KZ P0FDW)
INGR AMODIMETHICONE (1300 CST) (UNII: 3V7U636DWN)	INGR	LOQUAT (UNII: DM9CY56A36)
The state of the s	INGR	PEA (UNII: W4X7H8GYFM)
INGR <b>DEXTRAN 110</b> (UNII: 05Q25F6XJ3)	INGR	AMODIMETHICONE (1300 CST) (UNII: 3V7U636DWN)
	INGR	<b>DEXTRAN 110</b> (UNII: 05Q25F6XJ3)

l	Pa	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
	1		200 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
COSMETIC		03/23/2021		

# Part 3 of 3

# **REJUVENATING BASIL ROOT CONDITIONER**

shampoos (non-coloring) shampoo

### **Product Information**

**Route of Administration** TOPICAL

Other Ingredien	Other Ingredients		
Ingredient Kind	Ingredient Name	Quantity	
INGR	WATER (UNII: 059QF0KO0R)		
INGR	STEARALKONIUM CHLORIDE (UNII: 00U026BB88)		
INGR	CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)		
INGR	STEARYL ALCOHOL (UNII: 2KR89I4H1Y)		
INGR	TRIFOLIUM PRATENSE FLOWER (UNII: 4JS0838828)		
INGR	POTASSIUM SORBATE (UNII: 1VPU26JZZ4)		
INGR	SPHINGANINE (UNII: YT0ZSD64HM)		
INGR	CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)		

INGR	RESVERATROL (UNII: Q369O8926L)	
INGR	SILIBININ (UNII: 4RKY41TBTF)	
INGR	CAFFEINE (UNII: 3G6A5W338E)	
INGR	ESCULIN (UNII: 1Y1L18LQAF)	
INGR	POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
INGR	CYCLOMETHICONE 5 (UNII: OTHT5PCIOR)	
INGR	ACETYL TETRAPEPTIDE-3 (UNII: D1HW9N9QBX)	
INGR	BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
INGR	ZINC PIDOLATE (UNII: C32PQ86DH4)	
INGR	COPPER PIDOLATE (UNII: 497G7G1SL1)	
INGR	SODIUM CHLORIDE (UNII: 451W47IQ8X)	
INGR	SODIUM BENZOATE (UNII: OJ245FE5EU)	
INGR	EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
INGR	PHENOXYETHANOL (UNII: HIE492ZZ3T)	
INGR	BASIL (UNII: 2U0KZ P0FDW)	
INGR	LOQUAT (UNII: DM9CY56A36)	
INGR	PEA (UNII: W4X7H8GYFM)	
INGR	TEA LEAF OIL (UNII: VC855RRT77)	
INGR	<b>DEXTRAN 110</b> (UNII: 05Q25F6XJ3)	
INGR	LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1		200 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
COSMETIC		03/23/2021			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA076239	06/16/2023		

# Labeler - Topiderm, Inc (049121643)

# Registrant - Topiderm, Inc. (049121643)

Establishment					
Name	Address	ID/FEI	Business Operations		
Topix Pharmaceuticals, Inc.		117745066	PACK(51326-165)		

Revised: 6/2023 Topiderm, Inc