

## **ACID CONTROLLER- famotidine tablet, film coated H E B**

### **HEB Acid Controller Drug Facts**

#### **Active ingredient (in each tablet)**

Famotidine 10 mg

#### **Purpose**

Acid reducer

#### **Uses**

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

#### **Warnings**

**Allergy alert:** Do not use if you are allergic to famotidine or other acid reducers

#### **Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

#### **Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating, or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

#### **Ask a doctor or pharmacist before use if you are**

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

#### **Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- adults and children 12 years and over:
- to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
- to **prevent** symptoms, swallow 1 tablet with a glass of water at any time from **15 to 60 minutes before** eating food or drinking beverages that cause heartburn
- do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

**Other information**

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20°-25°C (68°-77°F)
- protect from moisture

**Inactive ingredients**

carnauba wax, hypromellose, iron oxide red, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, pregelatinized starch, talc, titanium dioxide, triacetin

**Questions or comments?**

**1-800-719-9260**

**Principal Display Panel**

Compare to Pepcid® AC active ingredient

See New Warnings

Original Strength

Acid Controller

Famotidine Tablets, 10 mg

Acid Reducer

Just One Tablet Prevents & Relieves Heartburn Due to Acid Indigestion

actual size

60 TABLETS



ACTUAL SIZE



- Tips for Managing Heartburn**
- Do not lie flat or bend over after eating
  - Do not wear tight-fitting clothing around the stomach
  - Do not eat before bedtime
  - Raise the head of your bed
  - Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables
  - Eat slowly and avoid big meals
  - If overweight, lose weight
  - Quit smoking

Compare to **Pepcid® AC** active ingredient\*

NDC 37808-301-72

See New Warnings



Original Strength

# Acid Controller

Famotidine Tablets, 10 mg

**Acid Reducer**

Just One Tablet Prevents & Relieves Heartburn Due to Acid Indigestion



actual size

**60 TABLETS**

14172 1J 06

**CODE AREA**

14841-2002

0 41220 53813 3

**H-E-B**

# Acid Controller

Famotidine Tablets, 10 mg  
Acid Reducer

JUST ONE TABLET prevents and relieves heartburn due to acid in digestion brought on by eating and drinking certain foods and beverages.

<p><b>Drug Facts</b></p> <p><b>Active ingredient (in each tablet)</b> Famotidine 10 mg.....Acid reducer</p> <p><b>Purpose</b></p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>relieves heartburn associated with acid indigestion and sour stomach</li> <li>prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages</li> </ul> <p><b>Warnings</b></p> <p><b>Allergy alert:</b> Do not use if you are allergic to famotidine or other acid reducers</p> <p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.</li> <li>with other acid reducers</li> </ul> <p><b>Ask a doctor before use if you have</b></p> <ul style="list-style-type: none"> <li>had heartburn over 3 months. This may be a sign of a more serious condition.</li> </ul>	<p><b>Drug Facts (continued)</b></p> <ul style="list-style-type: none"> <li>heartburn with lightheadedness, sweating, or dizziness</li> <li>chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness</li> <li>frequent chest pain</li> <li>frequent wheezing, particularly with heartburn</li> <li>unexplained weight loss</li> <li>nausea or vomiting</li> <li>stomach pain</li> <li>kidney disease</li> </ul> <p><b>Ask a doctor or pharmacist before use if you are taking a prescription drug.</b> Acid reducers may interact with certain prescription drugs.</p> <p><b>Stop use and ask a doctor if</b></p> <ul style="list-style-type: none"> <li>your heartburn continues or worsens</li> <li>you need to take this product for more than 14 days</li> </ul> <p><b>If pregnant or breast-feeding, ask a health professional before use.</b></p> <p><b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)</p>
--	---

DO NOT USE IF PRINTED FOIL UNDER CAP IS BROKEN OR MISSING

MADE WITH PRIDE & CARE FOR H-E-B®  
SAN ANTONIO, TX 78204

**H-E-B**

If you aren't completely pleased with this product, we'll be happy to replace it or refund your money. You have our word on it.

**100% GUARANTEE promise**

<p><b>Drug Facts (continued)</b></p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>adults and children 12 years and over: <ul style="list-style-type: none"> <li>to relieve symptoms, swallow 1 tablet with a glass of water. Do not chew.</li> <li>to prevent symptoms, swallow 1 tablet with a glass of water at any time from <b>15 to 60 minutes</b> before eating food or drinking beverages that cause heartburn</li> <li>do not use more than 2 tablets in 24 hours</li> </ul> </li> <li>children under 12 years: ask a doctor</li> </ul> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>read the directions and warnings before use</li> <li>keep the carton. It contains important information.</li> </ul>	<p><b>Drug Facts (continued)</b></p> <ul style="list-style-type: none"> <li>store at 20°-25°C (68°-77°F)</li> <li>protect from moisture</li> </ul> <p><b>Inactive ingredients</b> carnauba wax, hypromellose, iron oxid red, iron oxid yellow, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, pregelatinized starch, talc, titanium dioxide, triacetin</p> <p><b>Questions or comments? 1-800-719-9260</b></p> <p>*This product is not manufactured or distributed by Johnson &amp; Johnson Consumer Inc., distributor of Pepcid® AC.</p> <p><b>GLUTEN FREE</b></p>
---	---

## ACID CONTROLLER

famotidine tablet, film coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-301
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	10 mg

Inactive Ingredients	
Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

<b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TRIACETIN</b> (UNII: XHX3C3X673)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	

### Product Characteristics

<b>Color</b>	PINK	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	8mm
<b>Flavor</b>		<b>Imprint Code</b>	L141
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-301-65	30 in 1 CARTON	10/23/2015	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:37808-301-72	1 in 1 CARTON	10/23/2015	
2		60 in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075400	10/23/2015	

**Labeler** - HEB (007924756)