

**ADVANCED ANTI-WRINKLE THERAPY CICATRICURE- avobenzone 3%, octinoxate 7.5%, octisalate 5%, octocrylene 2.7%, oxybenzone 4% cream  
Genomma Lab**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

Avobenzone 3%, Octinoxate 7.5%, Octisalate 5%, Octocrylene 2.7%, Oxybenzone 4%.

Sunscreen

### **Uses**

• helps prevent sunburn • if used as directed with other sun protection measures (see Directions ), decreases the risk of skin cancer and early skin aging caused by the sun

### **Warnings**

#### **For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

**For sunscreen use:** • apply generously and evenly 15 minutes before sun exposure. Reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating. **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF factor of 15 or higher and other skin protection measures including:

- limit time in the sun, especially from 10am to 2pm
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

### **Inactive ingredients**

Water, Glycerin, Dimethicone, Ethylhexyl Methoxycrylene, Neopentyl Glycol Diheptanoate, Glyceryl Stearate, Butylene Glycol, Isostearyl Neopentanoate, PPG-2 Isoceteth-20 Acetate, Polymethyl Methacrylate, Acrylamide/Sodium Acryloyldimethyltaurate Copolymer, Bakuchiol, Retinyl Palmitate, Tocopheryl Acetate, Bisabolol, Cetearyl Alcohol, Sorbitan Oleate, Retinol, Hydroxypinacolone Retinoate, Myristoyl Nanapeptide-3, Palmitoyl Oligopeptide, Palmitoyl Tetrapeptide-7, Tocopherol, Sodium Ascorbate, Sodium Hyaluronate, Caprylic/Capric Triglyceride, Dimethicone Crosspolymer, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Behenyl Alcohol, Sodium Lactate, Ethylhexylglycerin, Isohexadecane, Polysorbate 80, Polysorbate 20, Dimethyl Isosorbide, Xanthan Gum, Carbomer, Disodium EDTA, Sodium Hydroxide, Pentylene Glycol, Chlorphenesin, Phenoxyethanol, Caprylyl Glycol, Citric Acid, Potassium Sorbate, Fragrance.

# Cicatricure®

**ADVANCED ANTI-WRINKLE THERAPY**  
Terapia Avanzada Anti-Arrugas

**BROAD SPECTRUM SPF 30**  
AMPLIO ESPECTRO FPS 30

With Sunscreen / Con Pantalla Solar

**Wrinkle & Age Defying Moisturizer**

[ Hidratante para Arrugas  
& Envejecimiento de la Piel ]

- Visibly diminishes the appearance of wrinkles
- Nourishes skin, enhancing firmness & elasticity
- Protects from damaging UV rays
- Disminuye visiblemente arrugas y líneas de expresión
- Nutre la piel, mejorando la firmeza y elasticidad
- Proteje del daño de los rayos UV



**Net Wt. 1.5 oz (42g)**



\*Actual size

**Drug Facts**

**Active ingredients Purpose**

Avobenzone 3% Sunscreen  
Octinoxate 7.5% Sunscreen  
Octisalate 5% Sunscreen  
Octocrylene 2.7% Sunscreen  
Oxybenzone 4% Sunscreen

**Uses**

• helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only  
Do not use on damaged or broken skin  
When using this product keep out of eyes. Rinse with water to remove.  
Stop use and ask a doctor if rash occurs  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use: • apply generously and evenly 15 minutes before sun exposure. Reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating. Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF factor of 15 or higher and other skin protection measures including:  
• limit time in the sun, especially from 10am to 2pm  
• wear long-sleeved shirts, pants, hats and sunglasses  
• children under 6 months of age: ask a doctor

**Other information**

• protect protect from excessive heat and direct sun  
• may stain some fabrics

**Inactive ingredients**

Water, Glycerin, Dimethicone, Ethylhexyl Methoxycinnelene, Neopentyl Glycol Diheptanoate, Glyceryl Stearate, Butylene Glycol, Isostearyl Neopentanoate, PPG-2 Isoceteth-20 Acetate, Polymethyl Methacrylate, Acrylamide/Sodium Acryloyldimethylsulfate Copolymer, Bakuchiol, Retinyl Palmitate, Tocopherol Acetate, Bisabolol, Cetearyl Alcohol, Sorbitan Oleate, Retinol, Hydroxypropylcellulose, Retinolate, Myristyl Nonapeptide-3, Palmitoyl Oligopeptide, Palmitoyl Tetrapeptide-7, Tocopherol, Sodium Ascorbate, Sodium Hyaluronate, Caprylic/Capric triglyceride, Dimethicone Crosspolymer, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Behenyl Alcohol, Sodium Lactate, Ethylhexylglycerin, Isohexadecane, Polysorbate 80, Polysorbate 20, Dimethyl Isosorbide, Xanthan Gum, Carbomer, Disodium EDTA, Sodium Hydroxide, Pentylene glycol, Chlorphenesin, Phenoxyethanol, Caprylyl Glycol, Citric Acid, Potassium Sorbate, Fragrance

**Questions**

Call toll free 1-877-99-GENOM (43666)  
Monday to Friday, 8am to 6pm, Central time

**Datos del medicamento**

**Principios activos Propósito**

Avobenzonea 3% Filtro solar  
Octinoxato 7.5% Filtro solar  
Octisalato 5% Filtro solar  
Octocrieno 2.7% Filtro solar  
Oxibenzona 4% Filtro solar

**Usos**

• ayuda a prevenir las quemaduras solares  
• si se usa según lo indicado con otras medidas de protección solar (ver Instrucciones), disminuye el riesgo de cáncer de piel y el envejecimiento prematuro de la piel debido al sol

**Precauciones**

Para uso externo únicamente  
No aplicar sobre la piel dañada o herida  
Al usar este producto evitar el contacto con la zona de los ojos. Enjuagar con agua para retirar  
Suspender el uso y consultar al médico si aparecen sarpullidos  
Mantener fuera del alcance de los niños. Si se traga, buscar ayuda médica o comunicarse con un centro de toxicología de inmediato.

**Instrucciones**

Para usar como filtro solar: • aplicar de forma uniforme y abundante 15 minutos antes de exponerse al sol • repetir la aplicación cada 2 horas • usar un filtro solar resistente al agua en caso de nadar o transpirar. Medidas de protección contra el sol: Pasar tiempo al sol aumenta el riesgo de cáncer de piel y envejecimiento prematuro. Para disminuir este riesgo, use regularmente un filtro solar con factor FPS 15 de amplio espectro o mayor y otras medidas de protección de la piel, por ejemplo: • limitar la exposición al sol, especialmente desde las 10:00 a.m. hasta las 2:00 p. m. • usar camisas de manga larga, pantalones, sombrero y anteojos de sol • bebés menores de 6 meses: consultar al médico

**Otra información**

• proteger del calor excesivo y los rayos directos del sol  
• puede manchar algunas telas

**Excipientes**


Agua, glicerina, dimeticona, etilhexilo de metoxifenileno, neopentil glicol diheptanoato, estearato de glicerilo, butilenglicol, neopentanoato de isosteirano, isocetilo-20 acetato PPG-2, metacrilato de polimetilo, acrilamida/copolimero de acrilóidimetilaurato sódico, bakuchiol, palmitato de retinilo, acetato de tocoferilo, bisabolol, alcohol cetosteirílico, oleato de sorbitano, retinol, hidroxipropilcelulosa, retinolato, miristil nonapeptido-3, palmitoil oligopeptido, palmitoil tetrapeptido-7, tocoferol, ascorbato de sodio, hialuronato de sodio, triglicérido caprílico/caprico, polímero entrecruzado de dimeticona, acrilato de metilmetilacrilato copolímero, alcohol behénico, lactato de sodio, etilhexilglicerina, isohexadecano, polisorbato 80, polisorbato 20, isorbido de dimetilo, goma xantánica, carbómero, EDTA disódico, hidróxido de sodio, pentilenglicol, clorfenesina, fenoxietanol, caprilil glicol, ácido cítrico, sorbato de potasio, fragancia

**Preguntas?**

Lláme sin costo al 1-877-99-GENOM (43666) de lunes a viernes, de 8:00 a. m. a 6:00 p.m., horario central

Distributed by / Distribuido por:  
Genomma Lab USA Inc.  
Houston, TX 77027

20C0FF34EWW11



## ADVANCED ANTI-WRINKLE THERAPY CICATRICURE

avobenzone 3%, octinoxate 7.5%, octisalate 5%, octocrylene 2.7%, oxybenzone 4% cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50066-021
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7.5 g in 100 g	
OCTISALATE (UNII: 4X49 Y0596 W) (OCTISALATE - UNII:4X49 Y0596 W)	OCTISALATE	5 g in 100 g	
OCTOCRYLENE (UNII: 5A68 WGF6 WM) (OCTOCRYLENE - UNII:5A68 WGF6 WM)	OCTOCRYLENE	2.7 g in 100 g	
OXYBENZONE (UNII: 950OS7VE0 Y) (OXYBENZONE - UNII:950OS7VE0 Y)	OXYBENZONE	4 g in 100 g	

Inactive Ingredients			
Ingredient Name	Strength		
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156 Q)			
PPG-2 ISO CETETH-20 ACETATE (UNII: B16C7YO419)			
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)			

BAKUCHIOL (UNII: OT12HJU3AR)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
LEVOMENOL (UNII: 24WE03BX2T)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
SORBITAN MONOOLEATE (UNII: 06XEA2VD56)	
RETINOL (UNII: G2SH0XKK91)	
HYDROXYPINACOLONE RETINOATE (UNII: NJ3V2F02E1)	
MYRISTOYL PENTAPEPTIDE-4 (UNII: PMA59A699X)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SODIUM ASCORBATE (UNII: S033EH8359)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
DOCOSANOL (UNII: 9G1OE216XY)	
SODIUM LACTATE (UNII: TU7HW0W0QT)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
DIMETHYL ISOSORBIDE (UNII: SA6A6V432S)	
XANTHAN GUM (UNII: TTV12P4NEE)	
POLYACRYLIC ACID (8000 MW) (UNII: 73861X4K5F)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
WATER (UNII: 059QF0K00R)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50066-021-01	1 in 1 CARTON	01/21/2019	
1		42 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/21/2019	

**Labeler** - Genomma Lab (832323534)

**Registrant** - Derma Care Research Labs, LLC (116817470)

**Establishment**

Name	Address	ID/FEI	Business Operations
Derma Care Research Labs, LLC		116817470	manufacture(50066-021)

Revised: 2/2019

Genomma Lab