

CD X-10 PRE-POST BASE- sodium chlorite concentrate **DeLaval**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

CD X-10 Pre-Post Base

ClO₂

Base

NPE FREE Formula

ACTIVE INGREDIENTS:

Sodium Chlorite 7.1%

KEEP OUT OF REACH OF CHILDREN

! DANGER

READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT

CD X-10 Pre-Post is a two-part Chlorine Dioxide system teat dip and can be effectively used to reduce the spread of mastitis causing organisms. **CD X-10 Pre-Post** is designed with an emollient package ideal for skin conditioning. Recommended for pre milking applications.

HAZARD STATEMENTS

Harmful if swallowed. Toxic if inhaled. Causes severe skin burns and eye damage. May cause damage to organs. May cause damage to organs through prolonged or repeated exposure: (Respiratory, Kidney, and Blood Systems). May cause damage to Renal system (Kidneys), and Blood system through prolonged or repeated exposure. Wash face, hands, and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Wear protective gloves/protective clothing/eye protection/face protection.

FIRST AID

Immediately call a **Poison Control Center** or doctor/physician

If in Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a **Poison Control Center** or doctor/physician.

If on Skin: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

If Inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a **Poison Control Center** or doctor/physician.

If Swallowed: Call a **Poison Control Center** or doctor/physician if you feel unwell. Rinse mouth. Do not induce vomiting.

STORAGE AND DISPOSAL

Thoroughly rinse all measuring devices and store out of reach of children. Avoid contamination of food or feed. Avoid freezing. Keep out of direct sunlight. Store locked up. Dispose of contents/container to an approved waste disposal plant. For product spills, only water should be used for cleanup. Immediately dilute the material with plenty of water. This product becomes a fire hazard if allowed to dry.

CHEMTREC EMERGENCY NUMBER 1-800-424-9300

Not for Human Use

Additional Information on Safety Data Sheet

DIRECTIONS

IMPORTANT THIS IS A TWO-PART CONCENTRATE - MUST BE MIXED PRIOR TO USE. MIX RATIO IS (48 Water: 1 Activator: 1 Base). In a clean container, add (48) parts water, then add (1) part **CD X-10 Pre-Post Activator**, next add (1) part **CD X-10 Pre-Post Base**. CREATES CHLORINE DIOXIDE. Reaches minimum Chlorine Dioxide levels within 15 minutes of mixing.

General Use

- Use a teat dip cup to apply. Clean dip cup just prior to use.
- If cow's teats are sore or chapped, consult a veterinarian before starting or continuing to use teat dip.
- If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for this product.
- If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.
- Teat Sprays can also be foamed or sprayed using recommended equipment.

Pre-Dipping Use

- Perform forestripping and inspect teats for clinical mastitis.
- Pre-wash teats thoroughly just prior milking with appropriate udder wash solution or pre-milking teat dip. Teats should then be dried with single-service towels.
- Just before each cow is milked, dip, foam, or spray, each teat full-length into the teat dip or foam cup containing product.
- Allow product to stand for 30 seconds.
- Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.

Post-Dipping Use

- Immediately after each milking, use product.
- Dip each teat full-length into the teat dip cup containing product. Allow to air dry. Do not wipe.
- If outside temperature is below freezing, allow to air dry on the teat before cow leaves the parlor.

Extended Use

- When a cow is being dried off, the teats should be dipped in product once a day for 3-4 days after the last milking.

- Dipping should be resumed at least twice daily one week before calving.

UN1908

Chlorite solution, 8, II

NET CONTENTS: US GAL (L)

LOT NO.:

EXP. DATE:


Manufactured for: **DeLaval, Inc.**

11100 N. Congress Avenue

Kansas City, MO 64153

Phone: 816-891-7700

© 2023, Made in USA



KEEP OUT OF REACH OF CHILDREN
READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT

DANGER
PELIGRO

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS
SI USTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO

0033
NDC 55756-003

CD X-10 Pre-Post is a two-part Chlorine Dioxide system teat dip and can be effectively used to reduce the spread of mastitis causing organisms. CD X-10 Pre-Post is designed with an emollient package ideal for skin conditioning. Recommended for pre milking applications.

HAZARD STATEMENTS
 Harmful if swallowed. Toxic if inhaled. Causes severe skin burns and eye damage. May cause damage to organs. May cause damage to organs through prolonged or repeated exposure: (Respiratory, Kidney, and Blood Systems). May cause damage to Renal system (Kidneys), and Blood system through prolonged or repeated exposure. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Wear protective gloves/protective clothing/eye protection/face protection.

FIRST AID
If in Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a **Poison Control Center** or doctor/physician.
If on Skin: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.
If Inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a **Poison Control Center** or doctor/physician.
If Swallowed: Call a **Poison Control Center** or doctor/physician if you feel unwell. Rinse mouth. Do not induce vomiting.

STORAGE AND DISPOSAL
 Thoroughly rinse all measuring devices and store out of reach of children. Avoid contamination of food or feed. Avoid freezing. Keep out of direct sunlight. Store locked up. Dispose of contents/container to an approved waste disposal plant. For product spills, only water should be used for cleanup. Immediately dilute the material with plenty of water. This product becomes a fire hazard if allowed to dry.

CHEMTREC EMERGENCY NUMBER 1-800-424-9300

Not For Human Use
Additional Information on Safety Data Sheet

DIRECTIONS
IMPORTANT THIS IS A TWO-PART CONCENTRATE - MUST BE MIXED PRIOR TO USE. MIX RATIO is (48 Water: 1 Activator: 1 Base). In a clean container, add (48) parts water, then add (1) part CD X-10 Pre-Post Activator, next add (1) part CD X-10 Pre-Post Base. CREATES CHLORINE DIOXIDE. Reaches minimum Chlorine Dioxide levels within 15 minutes of mixing.

General Use

- Use a teat dip cup to apply. Clean dip cup just prior to use.
- If cow's teats are sore or chapped, consult a veterinarian before starting or continuing to use teat dip.
- If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for this product.
- If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.
- Teat Sprays can also be foamed or sprayed using recommended equipment.

Pre-Dipping Use

- Perform forestripping and inspect teats for clinical mastitis.
- Pre-wash teats thoroughly just prior milking with appropriate udder wash solution or pre-milking teat dip. Teats should then be dried with single-service towels
- Just before each cow is milked, dip, foam, or spray, each teat full-length into the teat dip or foam cup containing product.

Post-Dipping Use

- Allow product to stand for 30 seconds.
- Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.
- Immediately after each milking, use product.
- Dip each teat full-length into the teat dip cup containing product. Allow to air dry. Do not wipe.
- If outside temperature is below freezing, allow to air dry on the teat before cow leaves the parlor.

Extended Use

- When a cow is being dried off, the teats should be dipped in product, once a day for 3-4 days after the last milking.
- Dipping should be resumed at least twice daily one week before calving.

Manufactured for: **DeLaval, Inc.**
 11100 N. Congress Avenue
 Kansas City, MO 64153
 Phone: 816-891-7700
 © 2023, Made in USA

NET CONTENTS: 55 US GAL. (208.2L)

LOT NO.:

EXP. DATE:

UN1908
Chlorite solution, 8, II

7 4320466 015688 >

Add image transcription here...

CD X-10 PRE-POST BASE
 sodium chlorite concentrate

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:55756-003
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM CHLORITE (UNII: G538EBV4VF) (CHLORITE ION - UNII:Z63H374SB6)	SODIUM CHLORITE	71 g in 1 L

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55756-003-01	208.2 L in 1 DRUM		
2	NDC:55756-003-27	1003 L in 1 TANK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		08/26/2021	

Labeler - DeLaval (173704867)

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		069288728	analysis, api manufacture, manufacture, label, pack

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		147528723	analysis, api manufacture, manufacture, label, pack

Establishment

Name	Address	ID/FEI	Business Operations
K Klean dba WestAgro, Inc.		002222368	analysis, api manufacture, manufacture, label, pack

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		095906480	api manufacture, manufacture, pack, label

