

TOPCARE HEMORRHOIDAL- cocoa butter, phenylephrine hcl suppository
Topco Associates LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Topco Associates LLC. Hemorrhoidal Suppositories Drug Facts

Active ingredients (in each suppository)

Cocoa butter 88.44%

Phenylephrine HCl 0.25%

Purposes

Protectant

Vasoconstrictor

Uses

- helps relieve the local itching and discomfort associated with hemorrhoids
- temporarily relieves burning and shrinks hemorrhoidal tissue
- temporarily provides a coating for relief of anorectal discomforts
- temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful

Warnings

For rectal use only

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug for high blood pressure or depression.

When using this product

do not exceed the recommended daily dosage unless directed by a doctor

Stop use and ask a doctor if

- bleeding occurs
- condition worsens or does not improve within 7 days

If pregnant or breast feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before insertion of this product.
- detach one suppository from the strip; remove the foil wrapper before inserting into the rectum as follows:
- hold suppository with rounded end up
- see illustrations: carefully separate foil tabs by inserting tip of fingernail at end marked "peel down"
- slowly and evenly peel apart (do not tear) foil by pulling tabs down both sides, to expose the suppository
- remove exposed suppository from wrapper
- insert one suppository into the rectum up to 4 times daily, especially at night, in the morning or after each bowel movement
- children under 12 years of age: ask a doctor

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

methylparaben, propylparaben, topical starch

Questions or comments?

1-888-423-0139

Package/Label Principal Display Panel

TopCare® health

COMPARE TO PREPARATION H® SUPPOSITORIES ACTIVE INGREDIENTS

NIGHTTIME RELIEF

Hemorrhoidal Suppositories

- Reduces Internal Swelling. Soothes and Protects
- Prompt Soothing Relief from Painful Burning, Itching and Discomfort
- Shrinks Swollen Hemorrhoidal Tissue
- Protects Irritated Tissue

12 SUPPOSITORIES

E-Z OPEN WRAPPER

NDC 36800-279-53

+TopCare[®]
health

COMPARE TO
PREPARATION H[®] SUPPOSITORIES
ACTIVE INGREDIENTS*

 NIGHTTIME RELIEF

Hemorrhoidal Suppositories

- Reduces Internal Swelling. Soothes and Protects
- Prompt Soothing Relief from Painful Burning, Itching and Discomfort
- Shrinks Swollen Hemorrhoidal Tissue
- Protects Irritated Tissue



12 SUPPOSITORIES

E-Z OPEN
WRAPPER

CODE AREA
No Varnish

+TopCare[®]
health

Hemorrhoidal Suppositories

DISTRIBUTED BY
TOPCO ASSOCIATES, LLC
ELK GROVE VILLAGE, IL 60007
©TOPCO PERA0122
QUESTIONS? 1-888-423-0139
topcare@topco.com
www.topcarebrand.com



Scan here for more
information or
call 1-888-423-0139



Drug Facts

Active ingredients (in each suppository)	Purposes
Cocoa butter 88.44%.....	Protectant
Phenylephrine HCl 0.25%.....	Vasoconstrictor

Uses

- helps relieve the local itching and discomfort associated with hemorrhoids
- temporarily relieves burning and shrinks hemorrhoidal tissue
- temporarily provides a coating for relief of anal rectal discomforts
- temporarily protects the inflamed, irritated anal rectal surface to help make bowel movements less painful

Warnings
For rectal use only

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are presently taking a prescription drug for high blood pressure or depression.

When using this product do not exceed the recommended daily dosage unless directed by a doctor

Stop use and ask a doctor if

- bleeding occurs
- condition worsens or does not improve within 7 days

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Drug Facts (continued)

Directions

- adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before insertion of this product.
- detach one suppository from the strip; remove the foil wrapper before inserting into the rectum as follows:
 - hold suppository with rounded end up
 - separate foil tabs by inserting tip of fingernail at end marked "peel down"
 - slowly and evenly peel apart (do not tear) foil by pulling tabs down both sides, to expose the suppository
 - remove exposed suppository from wrapper
- insert one suppository into the rectum up to 4 times daily, especially at night, in the morning or after each bowel movement
- children under 12 years of age: ask a doctor

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients methylparaben, propylparaben, tpicol starch

Questions or comments? 1-888-423-0139

Do not use if printed suppository wrapper is missing or damaged. Each suppository is individually wrapped.

*This product is not manufactured or distributed by Pfizer, distributor of Preparation H® Suppositories.
: 27953 88 C4



E-Z OPEN WRAPPER

This TopCare® product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.



TOPCARE HEMORRHOIDAL			
cocoa butter, phenylephrine hcl suppository			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-279
Route of Administration	RECTAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	COCOA BUTTER (UNII: 512OYT1CRR) (COCOA BUTTER - UNII:512OYT1CRR)	COCOA BUTTER	2211 mg
	PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	6.5 mg
Inactive Ingredients			
	Ingredient Name	Strength	
	METHYLPARABEN (UNII: A2I8C7HI9T)		
	PROPYLPARABEN (UNII: Z8IX2SC1OH)		

STARCH, CORN (UNII: O8232NY3SJ)

Product Characteristics

Color	YELLOW (light)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-279-62	24 in 1 CARTON	11/03/2014	03/05/2019
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:36800-279-53	12 in 1 CARTON	11/03/2014	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part346	11/03/2014	

Labeler - Topco Associates LLC (006935977)

Revised: 9/2022

Topco Associates LLC