

**ALLERGENA MOLD MIX- echinacea, baptisia tinctoria, hydrastis canadensis, myrrha, nasturtium aquaticum, phytolacca decandra, trigonella foenum-graecum, acremonium, alternaria tenuis, aspergillus mixture, aureobasidium, botrytis cinerea, chaetomium globosum, cladosporium cladosporioides, curvularia, drechslera, epicoccum nigrum, fusarium, mucor, neurospora, nigrospora, penicillium mixture, phoma herbarum, rhizopus, rhodotorula rubra, stemphylium, torula cerevisiae, trichoderma lignorum, trichophyton mentagrophytes liquid**  
**Meditrend, Inc. DBA Progena Professional Formulations**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Mold Mix**

**Active Ingredients:**Echinacea 3X HPUS; **Drainage Remedies:**Baptisia Tinctoria 3X HPUS, Hydrastis Canadensis 3X HPUS, Myrrha 3X HPUS, Nasturtium Aquaticum 3X HPUS, Phytolacca Decandra 3X HPUS, Trigonella Foenum-Graecum 3X; **Mold Mix Antigen 6X, 12X, 30X:**Acremonium, Alternaria Tenuis, Aspergillus Mixture, Aureobasidium, Botrytis Cinerea, Chaetomium Globosum, Cladosporium Cladosporioides, Curvularia, Drechslera, Epicoccum Nigrum, Fusarium, Mucor, Neurospora, Nigrospora, Penicillium Mixture, Phoma Herbarum, Rhizopus, Rhodotorula Rubra, Stemphylium, Torula Cerevisiae, Trichoderma Lignorum, Trichophyton Mentagrophytes.

**Purpose:**Relief from Sneezing, Runny Nose, Itchy Eyes and Sinus Congestion.

**Use:**This product is a Homeopathic Dilution formulated to support the body's immunity for the temporary relief of allergies.

**Keep Out of Reach of Children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Warnings:**

- Use Only as directed.
- **Stop use and ask a doctor if** symptoms worsen or do not improve after 5 days.
- **If pregnant or breast-feeding**, consult a health professional before use.

**Directions:**• **Shake Well Before Use.**• **Adults (12 and Older)**take 15 drops under the tongue three times daily.• **Children (11 and Younger)**take 6 drops under the tongue three times daily or as directed by your health care professional.• **Consult a Physician**for use in children under 12 years of age.

**Other Information: Do not use if TAMPER EVIDENT seal around neck of bottle is missing or broken.**

**Inactive Ingredients:**Demineralized water and 25% USP Ethanol.

**Manufactured for Progena Professional Formulations**

**4820 Eubank Blvd. NE, ABQ, NM 87111, [www.allergena.com](http://www.allergena.com)**

NDC 62713-811-01 Homeopathic

# ALLERGENA™

## Allergy Relief from Molds & Fungi

+ Drainage Remedies

# Mold Mix

NET 1FL OZ (30ml)  
25% USP Ethanol

### Drug Facts

**Active Ingredients:** Echinacea 3X HPUS; Drainage Remedies: Baptisia Tinctoria 3X HPUS, Hydrastis Canadensis 3X HPUS, Myrrha 3X HPUS, Nasturtium Aquaticum 3X HPUS, Phytolacca Decandra 3X HPUS, Trigonella Foenum-Graecum 3X; **Mold Mix Antigen 6X, 12X, 30X:** Acremonium, Alternaria Tenuis, Aspergillus Mixture, Aureobasidium, Botrytis Cinerea, Chaetomium Globosum, Cladosporium Cladosporioides, Curvularia, Drechslera, Epicoccum Nigrum, Fusarium, Mucor, Neurospora, Nigrospora, Penicillium Mixture, Phoma Herbarum, Rhizopus, Rhodotorula Rubra, Stemphylium, Torula Cerevisiae, Trichoderma Lignorum, Trichophyton Mentagrophytes. **Purpose:** Relief from Sneezing, Runny Nose, Itchy Eyes and Sinus Congestion.

**Use:** This product is a Homeopathic Dilution formulated to support the body's immunity for the temporary relief of allergies.

### Warnings:

- Use only as directed.
- Stop use and ask a doctor if symptoms worsen or do not improve after 5 days.
- If pregnant or breast-feeding, consult a health professional before use.
- Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions:** ■ Shake Well Before Use. ■ Adults (12 and Older) take 15 drops under the tongue three times daily. ■ Children (11 and Younger) take 6 drops under the tongue three times daily or as directed by your health care professional. ■ Consult a Physician for use in children under 12 years of age.

**Other Information:** Do not use if TAMPER EVIDENT seal around neck of bottle is missing or broken.

**Inactive Ingredients:** USP Purified Water and 25% USP Ethanol.

Manufactured for PROGENA Professional Formulations  
4820 Eubank Blvd. NE, APO., NM 87111 www.allergena.com

UPC

## ALLERGENA MOLD MIX

echinacea, baptisia tinctoria, hydrastis canadensis, myrrha, nasturtium aquaticum, phytolacca decandra, trigonella foenum-graecum, acremonium, alternaria tenuis, aspergillus mixture, aureobasidium, botrytis cinerea, chaetomium globosum, cladosporium cladosporioides, curvularia, drechslera, epicoccum nigrum, fusarium, mucor, neurospora, nigrospora, penicillium mixture, phoma herbarum, rhizopus, rhodotorula rubra, stemphylium, torula cerevisiae, trichoderma lignorum, trichophyton mentagrophytes liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:62713-811
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ECHINACEA, UNSPECIFIED (UNII: 4N9P6CC1DX) (ECHINACEA, UNSPECIFIED - UNII:4N9P6CC1DX)	ECHINACEA, UNSPECIFIED	3 [hp_X] in 1 mL
BAPTISIA TINCTORIA ROOT (UNII: 5EF0HWI5WU) (BAPTISIA TINCTORIA ROOT - UNII:5EF0HWI5WU)	BAPTISIA TINCTORIA ROOT	3 [hp_X] in 1 mL
GOLDENSEAL (UNII: ZW3Z11D0JV) (GOLDENSEAL - UNII:ZW3Z11D0JV)	GOLDENSEAL	3 [hp_X] in 1 mL
MYRRH (UNII: JC71GJ1F3L) (MYRRH - UNII:JC71GJ1F3L)	MYRRH	3 [hp_X] in 1 mL
NASTURTIUM OFFICINALE (UNII: YH89GMV676) (NASTURTIUM OFFICINALE - UNII:YH89GMV676)	NASTURTIUM OFFICINALE	3 [hp_X] in 1 mL
PHYTOLACCA AMERICANA ROOT (UNII: 11E6V8VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6V8VEG)	PHYTOLACCA AMERICANA ROOT	3 [hp_X] in 1 mL
FENUGREEK LEAF (UNII: 487R96K8Z) (FENUGREEK LEAF - UNII:487R96K8Z)	FENUGREEK LEAF	3 [hp_X] in 1 mL
ACREMONIUM STRICTUM (UNII: 3F36V0451W) (ACREMONIUM STRICTUM - UNII:3F36V0451W)	ACREMONIUM STRICTUM	30 [hp_X] in 1 mL
ALTERNARIA ALTERNATA (UNII: 52B29REC7H) (ALTERNARIA ALTERNATA - UNII:52B29REC7H)	ALTERNARIA ALTERNATA	30 [hp_X] in 1 mL

<b>ASPERGILLUS NIGER VAR. NIGER</b> (UNII: 9IOA40ANG6) (ASPERGILLUS NIGER VAR. NIGER - UNII:9IOA40ANG6)	ASPERGILLUS NIGER VAR. NIGER	30 [hp_X] in 1 mL
<b>AUREOBASIDIUM PULLULANS VAR. PULLUTANS</b> (UNII: D1A2NG69CK) (AUREOBASIDIUM PULLULANS VAR. PULLUTANS - UNII:D1A2NG69CK)	AUREOBASIDIUM PULLULANS VAR. PULLUTANS	30 [hp_X] in 1 mL
<b>BOTRYTIS CINEREA</b> (UNII: TBW53313S7) (BOTRYTIS CINEREA - UNII:TBW53313S7)	BOTRYTIS CINEREA	30 [hp_X] in 1 mL
<b>CHAETOMIUM GLOBOSUM</b> (UNII: 5016WB8B8A) (CHAETOMIUM GLOBOSUM - UNII:5016WB8B8A)	CHAETOMIUM GLOBOSUM	30 [hp_X] in 1 mL
<b>CLADOSPORIUM CLADOSPORIOIDES</b> (UNII: 4ZWY20GTGO) (CLADOSPORIUM CLADOSPORIOIDES - UNII:4ZWY20GTGO)	CLADOSPORIUM CLADOSPORIOIDES	30 [hp_X] in 1 mL
<b>COCHLIOBOLUS SPICIFER</b> (UNII: 91M9RWP3TD) (COCHLIOBOLUS SPICIFER - UNII:91M9RWP3TD)	COCHLIOBOLUS SPICIFER	30 [hp_X] in 1 mL
<b>EPICOCCUM NIGRUM</b> (UNII: 87U156LEN7) (EPICOCCUM NIGRUM - UNII:87U156LEN7)	EPICOCCUM NIGRUM	30 [hp_X] in 1 mL
<b>HAEMATONECTRIA HAEMATOCOCCA</b> (UNII: 7TLR512M4A) (HAEMATONECTRIA HAEMATOCOCCA - UNII:7TLR512M4A)	HAEMATONECTRIA HAEMATOCOCCA	30 [hp_X] in 1 mL
<b>MUCOR PLUMBEUS</b> (UNII: D7401PWY6E) (MUCOR PLUMBEUS - UNII:D7401PWY6E)	MUCOR PLUMBEUS	30 [hp_X] in 1 mL
<b>NEUROSPORA SITOPHILA</b> (UNII: I9D9Z5GCW5) (NEUROSPORA SITOPHILA - UNII:I9D9Z5GCW5)	NEUROSPORA SITOPHILA	30 [hp_X] in 1 mL
<b>KHUSKIA ORYZAE</b> (UNII: VK8C112WTS) (KHUSKIA ORYZAE - UNII:VK8C112WTS)	KHUSKIA ORYZAE	30 [hp_X] in 1 mL
<b>PENICILLIUM CHRYSOGENUM VAR. CHRYSOGENUM</b> (UNII: 3Y1PE1GCIG) (PENICILLIUM CHRYSOGENUM VAR. CHRYSOGENUM - UNII:3Y1PE1GCIG)	PENICILLIUM CHRYSOGENUM VAR. CHRYSOGENUM	30 [hp_X] in 1 mL
<b>PHOMA EXIGUA VAR. EXIGUA</b> (UNII: 8JAG41IE4M) (PHOMA EXIGUA VAR. EXIGUA - UNII:8JAG41IE4M)	PHOMA EXIGUA VAR. EXIGUA	30 [hp_X] in 1 mL
<b>RHIZOPUS STOLONIFER</b> (UNII: FEE198DK4Q) (RHIZOPUS STOLONIFER - UNII:FEE198DK4Q)	RHIZOPUS STOLONIFER	30 [hp_X] in 1 mL
<b>RHODOTORULA RUBRA</b> (UNII: 15W81V867R) (RHODOTORULA RUBRA - UNII:15W81V867R)	RHODOTORULA RUBRA	30 [hp_X] in 1 mL
<b>STEMPHYLIUM SARCINIFORME</b> (UNII: XQ14H1462M) (STEMPHYLIUM SARCINIFORME - UNII:XQ14H1462M)	STEMPHYLIUM SARCINIFORME	30 [hp_X] in 1 mL
<b>TRICHODERMA VIRIDE</b> (UNII: T8678F0P0Q) (TRICHODERMA VIRIDE - UNII:T8678F0P0Q)	TRICHODERMA VIRIDE	30 [hp_X] in 1 mL
<b>TRICHOPHYTON MENTAGROPHYTES</b> (UNII: 199I7J3JIV) (TRICHOPHYTON MENTAGROPHYTES - UNII:199I7J3JIV)	TRICHOPHYTON MENTAGROPHYTES	30 [hp_X] in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62713-811-01	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	01/01/1999	
2	NDC:62713-811-02	59 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	01/01/1999	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/01/1999	

**Labeler** - Meditrend, Inc. DBA Progena Professional Formulations (130104805)

Revised: 1/2020

Meditrend, Inc. DBA Progena Professional Formulations