

**EQUATE SUNSCREEN SPF 50 KIDS BROAD SPECTRUM- titanium dioxide, zinc oxide lotion**  
**WAL-MART STORES INC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Equate Sunscreen SPF 50 KIDS Broad Spectrum Lotion**

***Active Ingredients***

Titanium Dioxide 3.1%  
Zinc Oxide 4.0%

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

**For external use only**

**Do not use** • on damaged or broken skin.

**When using this product** • keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

- rash occurs.

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- apply liberally 15 minutes before sun exposure
- reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

### ***Other information***

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics/materials or surfaces

### ***Inactive Ingredients***

water, caprylic/capric triglyceride, isohexadecane, butyloctyl salicylate, octyldodecyl citrate crosspolymer, cetyl PEG/PPG-10/1 dimethicone, lauryl PEG-8 dimethicone, C30-38 olefin/isopropyl maleate/MA copolymer, sodium chloride, ethylhexyl methoxycrylene, dimethicone, caprylyl glycol, PEG-8, silica, triethoxycaprylylsilane, glycerin, sodium citrate, tocopheryl acetate, aloe barbadensis leaf juice, phenoxyethanol.

Equate Sunscreen SPF 50 KIDS Broad Spectrum Lotion

NDC 49035-868-11

# equate™

## Sunscreen

### Broad Spectrum SPF 50

- Water resistant (80 minutes)
- Pediatrician tested

SPF  
**50**

# KIDS

OXYBENZONE & PARABEN  
**FREE\***

8 FL OZ (237 mL)

SPF **50** **KIDS**  
Sunscreen  
Broad Spectrum SPF 50 Lotion

#### Drug Facts

Active ingredients	Purpose
Titanium Dioxide 3.1% Zinc Oxide 4.0%	Sunscreen

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

**Do not use** • on damaged or broken skin.

**When using this product** • keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** • rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

#### Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics/materials or surfaces

#### Inactive ingredients

water, caprylic/capric triglyceride, isohexadecane, butyloctyl salicylate, octyl(dodecyl citrate crosspolymer, cetyl PEG/PPG-10/1 dimethicone, lauryl PEG-8 dimethicone, C30-38 olefin/isopropyl maleate/MA copolymer, sodium chloride, ethylhexyl methoxycrylene, dimethicone, caprylyl glycol, PEG-8, silica, triethoxycaprylylsilane, glycerin, sodium citrate, tocopheryl acetate, aloe barbadensis leaf juice, phenoxyethanol

Satisfaction guaranteed -  
For questions or comments  
please call 1-888-287-1915.

DISTRIBUTED BY: Wal-Mart Stores, Inc.,  
Bentonville, AR 72716

Blended and Filled in the  
U.S.A. with Imported and  
Domestic Ingredients

Empty Before  
Recycling



PLASTIC  
BOTTLE

how2recycle.info



105346  
6 81131 00246 2

\*No parabens separately added  
to preserve this product

**equate™**

**Sunscreen**

**Broad  
Spectrum  
SPF 50**

- Water resistant (80 minutes)
- Pediatrician tested

SPF  
**50**

**KIDS**

OXYBENZONE  
& PARABEN  
FREE\*

**8 FL OZ (237 mL)**

**SPF 50 KIDS Sunscreen**  
Broad Spectrum SPF 50 Lotion

<b>Drug Facts</b>	
<b>Active Ingredients</b>	<b>Purpose</b>
Homosalate 15.0% Octinoxate 7.5% Octisalate 5.0% Titanium Dioxide 2.4%	Sunscreen
<b>Uses</b>	
• helps prevent sunburn • if used as directed with other sun protection measures (see <i>Directions</i> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b>	
For external use only	
Do not use • on damaged or broken skin.	
When using this product • keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if • rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
• apply liberally 15 minutes before sun exposure	
• reapply:	
• after 80 minutes of swimming or sweating	
• immediately after towel drying	
• at least every 2 hours	
• children under 6 months of age: ask a doctor	
• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:	
• limit time in the sun, especially from 10 a.m. - 2 p.m.	
• wear long-sleeve shirts, pants, hats, and sunglasses	
<b>Other information</b>	
• protect this product from excessive heat and direct sun	
• may stain or damage some fabrics/materials or surfaces	
<b>Inactive Ingredients</b>	
water, isohexadecane, azo-karite, cetyl PEG/PPG-10/1 dimethicone, dibutyl adipate, C30-38 olefin/isopropyl maleate/MA copolymer, PEG-8, glycerin, sodium citrate, sodium chloride, sage barbadensis leaf juice, tocopheryl acetate (vitamin E), sodium ascorbyl phosphate, retinyl palmitate, dimethicone, phenoxyethanol, caprylyl glycol, ethylhexylglycerin, disodium EDTA, alumina	

Satisfaction guaranteed -  
For questions or comments  
please call 1-888-287-1915.

DISTRIBUTED BY: Wal-Mart Stores, Inc.,  
Bentonville, AR 72716

Blended and Filled in the  
U.S.A. with Imported and  
Domestic Ingredients



\*No parabens separately added  
to preserve this product

**EQUATE SUNSCREEN SPF 50 KIDS BROAD SPECTRUM**

titanium dioxide, zinc oxide lotion

<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49035-868

Route of Administration TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	31 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	40 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>OCTYLDODECYL CITRATE CROSSPOLYMER</b> (UNII: X323T6QO4M)	
<b>POLYETHYLENE GLYCOL 4000</b> (UNII: 4R4HFI6D95)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>LAURYL PEG/PPG-18/18 METHICONE</b> (UNII: ZJ5S27D9NX)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>ETHYLHEXYL METHOXYCRYLENE</b> (UNII: S3KFG6Q5X8)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-868-11	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/23/2019	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/23/2019	

Labeler - WAL-MART STORES INC (051957769)

