

KINKAN COOL- diphenhydramine hydrochloride, menthol liniment
KINKANDO CO., LTD .

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients

Diphenhydramine Hydrochloride 2%

Menthol 1%

Purpose

Antihistamine

External Analgesic

Uses

Temporary relief of itching associate with insect bite

Warnings

For external use only

Flammable keep away from fire or flame

Do not use on

- wounds
- damaged skin

When using this product

- avoid contact with the eyes and mouth

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact. "a Poison Control Center right away."

Directions

Adults and children 6 years of age and older: Apply to affected area not more than 3 to 4 times daily. Children under 6 years of age: Do not use, consult a doctor.

Other Information

- Store at room temperature under 86°F (30°C)
- Flammable. keep away from fire or flame

Inactive ingredients

Glycerin
Geraniol-denatured Alcohol

Questions and comments

Call 1-310-661-7260 Mon.-Fri. (2p.m. - 3p.m. PST)

Principal Display Panel - 50 mL Bottle Label

NDC 51027-0330-2

KINKAN COOL Liniment

EXTERNAL
ANTIPRURITIC
LINIMENT

MANUFACTURED BY
KINKANDO CO., LTD.
350-2 KODAMACHOKYOEI,
HONJO-SHI, SAITAMA 367-0206,
JAPAN

DISTRIBUTED BY
PMAI
1700 W. WALNUT PARKWAY,
COMPTON, CA 90220

1.7 FL OZ (50mL)



**KINKAN
COOL Liniment**
EXTERNAL ANTIPRURITIC LINIMENT

Drug Facts

Active ingredients	Purpose
Diphenhydramine Hydrochloride 2%	Antihistamine
Menthol 1%	External Analgesic

Uses

Temporary relief of itching associate with insect bite

Warnings

For external use only

Flammable keep away from fire or flame

Do not use on ■wounds ■damaged skin

When using this product

■avoid contact with the eyes and mouth

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 6 years of age and older: Apply to affected area not more than 3 to 4 times daily. Children under 6 years of age: Do not use, consult a doctor.

Other Information

- Store at room temperature under 86° F (30° C)
- Flammable, keep away from fire or flame

Inactive ingredients

Glycerin
Geraniol-denatured Alcohol

Questions and comments

Call 1-310-661-7260
Mon.-Fri. (2p.m. - 3p.m. PST)

**キンカン
クール リニメント**
EXTERNAL ANTIPRURITIC LINIMENT

有効成分	目的
ジフェンヒドラミン 塩酸塩 2%	抗ヒスタミン剤
メントール 1%	外用鎮痛剤

適応

■虫刺されに伴うかゆみ止め

注意

- 外用剤です。
- 火気厳禁 火や炎を避けて下さい。
- 傷とか損傷された皮膚に使用しない。
- 目と口は避けて下さい。

使用中止して医者にご相談する事

- 症状が悪化したり、7日以上も症状が続いたりまた症状が良好になり、2~3日でぶり返した時
- 子供の届かない所に置いて下さい。もし飲んだ時は、専門家の援助をおおぎなさい。
- 毒物Control Centerに直ちに連絡下さい。

使用方法

- 大人と6才以上の子供。1日3~4回を限度として塗布して下さい。6才以下の子供については使用しないか医者にご相談すること。

その他の情報

- 30℃以下で保存

火気厳禁

火や炎を避けて下さい。

非有効成分

グリセリン
ゲラニオール変性アルコール



NDC 51027-0330-2

**KINKAN
COOL
Liniment**

**EXTERNAL
ANTIPRURITIC
LINIMENT**



MANUFACTURED BY
KINKANDO CO., LTD.
350-2 KODAMACHOKYOEI,
HONJO-SHI, SAITAMA 367-0206,
JAPAN

DISTRIBUTED BY
PMAI
1700 W. WALNUT PARKWAY,
COMPTON, CA 90220
1.7 FL OZ (50mL)

EXPORT STANDARD



4 987062 003001

**キンカン
クール リニメント**

外用鎮痒剤
リニメント

適応

- 虫刺されに伴うかゆみ止め

使用期限
EXP.
製造番号
Lot No.

製造所
株式会社金冠堂埼玉工場
埼玉県本庄市児玉町共栄 350-2

販売元
PMAI
コンプトン カリフォルニア 90220

1.7 液量オンス (50mL)

AM02A

diphenhydramine hydrochloride, menthol liniment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51027-0330
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	1 g in 50 mL
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.5 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51027-0330-2	96 in 1 CARTON	04/26/2000	
1		1 in 1 BOX		
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	04/26/2000	

Labeler - KINKANDO CO., LTD . (694329470)

Establishment

Name	Address	ID/FEI	Business Operations
KINKANDO CO., LTD .		715451980	manufacture(51027-0330)