

## **UP AND UP ANTIFUNGAL- tolnaftate spray**

### **Target Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Target Corporation Antifungal Liquid Spray Drug Facts**

#### **Active ingredient**

Tolnaftate 1%

#### **Purpose**

Antifungal

#### **Uses**

- proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis)
- helps prevent most athlete's foot with daily use
- for effective relief of itching, burning and cracking

#### **Warnings**

##### **For external use only**

**Flammable:** Do not use while smoking or near heat or flame

##### **Do not use**

on children under 2 years of age unless directed by a doctor

##### **When using this product**

- avoid contact with the eyes
- use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F (49°C).

##### **Stop use and ask a doctor if**

- irritation occurs
- there is no improvement within 4 weeks

##### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### **Directions**

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- use daily for 4 weeks; if condition persists longer, ask a doctor
- to prevent athlete's foot, apply once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails

### **Other information**

- store at 20-25°C (68-77°F)

### **Inactive ingredients**

alcohol denat., butylated hydroxytoluene, isobutane, polyethylene glycol 300, polysorbate 20

### **Questions or comments?**

**1-888-547-7400**

### **Principal Display Panel**

Compare to active ingredient in Tinactin<sup>®</sup> Liquid Spray

soothing

antifungal liquid spray

tolnaftate 1%

cures and prevents most athlete's foot

helps relieve itching and burning

NET WT 5.3 OZ (150 g)

NDC 11673-154-73

**Compare to active ingredient in Tinactin® Liquid Spray\***

## soothing antifungal liquid spray

tolnaftate 1%

cures and prevents most  
athlete's foot

helps relieve itching and burning



NET WT 5.3 OZ (150 g)

**Drug Facts**

Active ingredient	Purpose
Tolnaftate 1%	Antifungal

**Uses**

- proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis)
- helps prevent most athlete's foot with daily use
- for effective relief of itching, burning and cracking

**Warnings**

For external use only  
**Flammable:** Do not use while smoking or near heat or flame

Do not use on children under 2 years of age unless directed by a doctor

**When using this product** ■ avoid contact with the eyes  
 ■ use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.  
 ■ contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F (49°C).

**Stop use and ask a doctor if** ■ irritation occurs ■ there is no improvement within 4 weeks

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- use daily for 4 weeks; if condition persists longer, ask a doctor
- to prevent athlete's foot, apply once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails

**Other information**

- store at 20-25°C (68-77°F)

**Inactive ingredients** alcohol denat., butylated hydroxytoluene, isobutane, polyethylene glycol 300, polysorbate 20

**Questions or comments?**  
 1-888-547-7400

\*This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Tinactin® Liquid Spray.

Distributed by Target Corporation  
 Minneapolis, MN 55403  
 ©2020 Target Brands, Inc.



245 06 0405 R01  
 IDC-000450-01-005  
 70030162943  
 : 15473 UW E1  
 DOT 2P

## UP AND UP ANTIFUNGAL

tolnaftate spray

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-154
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	1 g in 100 g

Inactive Ingredients				
Ingredient Name			Strength	
ALCOHOL (UNII: 3K9958V90M)				
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)				
ISOBUTANE (UNII: BXR49TP611)				
POLYETHYLENE GLYCOL 300 (UNII: 5655G9Y8AQ)				
POLYSORBATE 20 (UNII: 7T1F30V5YH)				
Product Characteristics				
Color	YELLOW (hazy yellow)		Score	
Shape			Size	
Flavor			Imprint Code	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-154-73	1 in 1 CARTON	06/28/2017	
1		150 g in 1 CAN; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC mono graph final	part333C		06/28/2017	

**Labeler** - Target Corporation (006961700)