

**LORATADINE- loratadine tablet**  
**Walgreens Company**

-----  
**Loratadine Orally Disintegrating Tablets USP**  
**Drug Facts**

**Active ingredient (in each tablet)**

Loratadine 5 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

**Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**When using this product** do not take more than directed. Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- place 1 tablet on tongue; tablet disintegrates, with or without water

---

adults and children 6 years  
and over

1 tablet every 12 hours; not more than 2 tablets in 24
---

	hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**

- safety sealed: do not use if the individual blister unit imprinted with Loratadine Orally disintegrating Tablet, USP is open or torn
- store between 20° to 25°C (68° to 77°F)
- use tablet immediately after opening individual blister
- complies with USP Procedure 2 for Assay and Organic Impurities and Test 2 for Disintegration

**Inactive ingredients**


anhydrous citric acid, mannitol, peppermint flavor, polysorbate 80, pullulan

**Questions or comments?**

**Questions or Comments? call toll-free weekdays 9 AM to 8 PM EST at 1-888-375-3784**

Made in India

**PACKAGE LABEL.PRINCIPAL DISPLAY PANEL**



<b>LORATADINE</b>			
loratadine tablet			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-9955

<b>Route of Administration</b>	ORAL			
<b>Active Ingredient/Active Moiety</b>				
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>	
	LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII: 7AJ03BO7QN)	LORATADINE	5 mg	
<b>Inactive Ingredients</b>				
	<b>Ingredient Name</b>	<b>Strength</b>		
	ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			
	PULLULAN (UNII: 8ZQ0AYU1TT)			
	POLYSORBATE 80 (UNII: 6OZP39ZG8H)			
	MANNITOL (UNII: 3OWL53L36A)			
<b>Product Characteristics</b>				
<b>Color</b>	white	<b>Score</b>	no score	
<b>Shape</b>	ROUND	<b>Size</b>	12mm	
<b>Flavor</b>	PEPPERMINT	<b>Imprint Code</b>	T5	
<b>Contains</b>				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:0363-9955-30	3 in 1 CARTON	07/14/2023	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
ANDA	ANDA212795	05/19/2021		

**Labeler** - Walgreens Company (008965063)

Revised: 2/2023

Walgreens Company