DUANE READE SUNSCREEN SPF 70- avobenzone lotion DUANE READE INC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

Avobenzone 3.0 %

Homosalate 15.0%

Octisalate 5.0%

Octocrylene 10.0%

Oxybenzone 6.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- higher SPF gives more sunburn protection
- retains SPF after 80 minutes of activity in the water

Warnings

For external use only

When using this product

• keep out of eyes. Rinse with water to remove.

stop use and ask a doctor if

• rash or irritation develops and lasts

Keep out of reach of children.

If swallowed get medical help or contact a Poison Control Center right away.

Directions

- shake well
- apply generously and evenly before sun exposure and as needed
- children under 6 months of age:ask a doctor
- reapply frequently and after towel drying, swimming or perspiring

Other Information

- may stain some materials
- Sun Alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risk of skin agin, skin cancer, and other harmful effects of the sun.

Inactive Ingredients

Water, Glyceryl Stearate, Microcrystalline Cellulose, Butylene Glcyol, PEG_100 Stearate, Benzyl Alcohol, Acrylates/C12-22 Alkyl Methcrylate Copolymer, Diethylhexyl Syringylidenemalonate, Behenyl Alcohol, Butylated PVP, Palmitic Acid, Lecithin, Stearic Acid, Cellulose Gum, Myristyl Alcohol, Caprylic/Capric Triglyceride, Tocopherol, Retinyl Palmitate, Disodium EDTA, Sodium Ascorbyl Phosphate, Cetyl Alcohol, Lauryl Alcohol, Chlorphenesin.

Principal Display Panel

UNIQUELY NY DR_{TM} SINCE 1960

sunscreen

70

SPF

moisturizing lotion

Photostable

Broad Spectrum

UVA/UVB Protection

Very Water Resistant



Drug Facts

Active Ingredients

Purpose

Avobenzone 3.0%, Homosalate 15.0%, Octisalate 5.0%, Octocrylene 10.0%, Oxybenzone 6.0%.

Sunscreen

Uses • helps prevent sunburn

- · higher SPF gives more sunburn protection
- . retains SPF after 80 minutes of activity in the water

Warnings For external use only

When using this product

· keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor If

rash or irritation develops and lasts.

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.

Directions • shake well • apply generously and evenly before sun exposure and as needed • children under 6 months of age: ask a doctor • reapply frequently and after towel drying, swimming or perspiring

Other Information • may stain some materials

 Sun Alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive Ingredients Water, Glyceryl Stearate, Microcrystalline Cellulose, Butylene Glycol, PEG-100 Stearate, Benzyl Alcohol, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Diethylhexyl Syringylidenemalonate, Behenyl Alcohol, Butylated PVP, Palmitic Acid, Lecithin, Stearic Acid, Cellulose Gum, Myristyl Alcohol, Caprylic/Capric Triglyceride, Tocopherol, Retinyl Palmitate, Disodium EDTA, Sodium Ascorbyl Phosphate, Cetyl Alcohol, Lauryl Alcohol, Chlorphenesin.



100% GUARANTEED

DISTRIBUTED BY DUANETeade

440 NINTH AVE. NY, NY 10001 (866) 375-6925

duanereade.com Made in U.S.A.

DUANE READE SUNSCREEN SPF 70

avobenzone lotion

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:67732-409

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Active ingredient/Active wrotety		
Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	15 g in 100 g
OCTISALATE (UNII: 4X49 Y0596 W) (OCTIS ALATE - UNII:4X49 Y0596 W)	OCTISALATE	5 g in 100 g

I	OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g
I	OXYBENZONE (UNII: 9500S7VE0Y) (OXYBENZONE - UNII:9500S7VE0Y)	OXYBENZONE	6 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERYL MONOSTEARATE (UNII: 230 OU9 XXE4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CELLULO SE, MICRO CRYSTALLINE (UNII: OP1R32D61U)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PEG-100 STEARATE (UNII: YD01N1999R)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
DIETHYLHEXYL SYRINGYLIDENEMALO NATE (UNII: 3V5U97P248)	
DOCOSANOL (UNII: 9G10E216XY)	
PALMITIC ACID (UNII: 2V16EO95H1)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
TOCOPHEROL (UNII: R0 ZB2556 P8)	
EDETATE DISO DIUM (UNII: 7FLD9 1C8 6K)	
MYRISTYL ALCOHOL (UNII: V42034O9PU)	
TRICAPRYLIN (UNII: 6P92858988)	
VITAMIN A PALMITATE (UNII: 1D1K0 N0 VVC)	
SODIUM ASCORBYL PHOSPHATE (UNII: 836 SJG51DR)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
LAURYL ALCOHOL (UNII: 178A96NLP2)	
CHLORPHENESIN (UNII: 1670 DAL4SZ)	

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67732-409-16	226 g in 1 BOTTLE, PLASTIC		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	11/14/2012		

Labeler - DUANE READE INC. (011988995)

Revised: 11/2012 DUANE READE INC.