

MEDI-FIRST HONEY LEMON COUGH DROPS- menthol 8.6 mg lozenge
MEDI-FIRST PLUS HONEY LEMON COUGH DROPS- menthol 8.6 mg lozenge
Unifirst First Aid Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Medi-First Honey Lemon Cough Drop

Drug Facts

Active ingredient (in each drop)

Menthol 8.6 mg

Purpose

Antitussive (cough suppressant)/oral anesthetic

Uses

Temporarily relieves

- cough as may occur with a cold or inhaled irritants
- occasional minor irritation and sore throat

Warnings

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly. These symptoms may be serious.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough accompanied by excessive phlegm (mucus)

Stop use and ask a doctor if

- cough persists for more than 7 days, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.
- sore mouth does not improve in 7 days
- irritation, pain, or redness persists or worsens

If pregnant or breast-feeding,

ask a health professional before use.

Keep this and all drugs out of the reach of children.

Directions

■ **do not use more than directed**

Adults and children: (12 years and older)

Allow 1 drop to dissolve slowly in the mouth. May be repeated every 2 hours as necessary or as directed by a doctor.

Children under 12 years:

Do not give to children under 12 years of age.

Other information

■ 15 calories per drop

■ store at 59°-86°F (15°-30°C)

■ protect from moisture & heat

Inactive ingredients

corn syrup, eucalyptus oil, D&C yellow #10, FD&C yellow #6, honey, lemon oil, sucrose

Questions or comments?

1-800-634-7680

Medi-First Cough Drop Label

125

drops

Medi-First®

Honey Lemon

Cough Drops

Vapor Action

Pull to Open

Cough Suppressant • Menthol 8.6 mg

Compare active ingredients to:

Halls®

Registered Trademark of Warner-Lambert
Individually Wrapped Cough Drops

<p>Drug Facts</p> <p>Active ingredient (in each drop) Purpose Menthol 8.6 mg.....Antitussive (cough suppressant)/oral anesthetic</p> <p>Uses Temporarily relieves ■ cough as may occur with a cold or inhaled irritants ■ occasional minor irritation and sore throat</p> <p>Warnings Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly. These symptoms may be serious.</p> <p>Ask a doctor before use if you have ■ persistent or chronic cough such as occurs with smoking, asthma, or emphysema ■ cough accompanied by excessive phlegm (mucus)</p> <p>Stop use and ask a doctor if ■ cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. ■ sore throat does not improve in 7 days ■ irritation, pain, or redness persists or worsens</p>	<p>Drug Facts (continued)</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep this and all drugs out of the reach of children.</p> <p>Directions ■ do not use more than directed</p> <p>Adults and children (12 years and older) Allow 1 drop to dissolve slowly in the mouth. May be repeated every 2 hours as necessary or as directed by a doctor.</p> <p>Children under 12 years: Do not give to children under 12 years of age.</p> <p>Other information ■ 15 calories per drop ■ store at 59°-86°F (15°-30°C) ■ protect from moisture & heat</p> <p>Inactive ingredients com syrup, eucalyptus oil, D&C yellow #10, FD&C yellow #6, honey, lemon oil, sucrose</p> <p>Questions or comments? 1-800-634-7680</p>	<p style="text-align: center;">125 Drops</p> <p style="text-align: center;">MEDI-FIRST®</p> <p style="text-align: center;">Honey Lemon Pastillas para la tos Cough Drops <i>sabor miel y limón</i></p> <p style="text-align: center;">Vapor Action / Acción de vapor</p> <p style="text-align: center;">Pull to Open Tire Para Abrir</p> <p style="text-align: center;">✓ Cough Suppressant • Menthol 8.6mg Suprime la tos • Mentol 8.6mg</p> <p style="text-align: center;">Compare active ingredient to: Compare el ingrediente activo con:</p> <p style="text-align: center;">Halls® Registered Trademark of Warner-Lambert Marca Registrada de Warner-Lambert</p> <p style="text-align: center;">Individually Wrapped Cough Drops Individualmente envueto pastillas para la tos</p>	<p>Información del Medicamento</p> <p>Ingrediente activo (en cada pastilla) Propiedad Mentol 8.6 mg.....Antitusivo (suprime la tos)/anestésico oral</p> <p>Usos Para el alivio temporal ■ de la tos que pudiera ocurrir con un resfriado o al inhalar agentes irritantes ■ de esporádicos leves dolores de garganta</p> <p>Advertencias Advertencia sobre el dolor de garganta: Si el dolor de la garganta es severo, persiste por más de 2 días, se presenta acompañado por fiebre o este último aparece posteriormente, dolor de cabeza, sarpullido, náusea o vómito, consulte rápido a un médico. Estos síntomas pudieran ser serios.</p> <p>Consulte con el médico antes de tomar este medicamento si usted padece de ■ tos persistente o crónica como ocurre al fumar, con asma, o con enfisema ■ tos acompañada con flema (mucosidad) excesiva</p> <p>Deje de tomar este medicamento y consulte al médico si ■ persiste la tos por más de 1 semana, tiende a ser recurrente o se presenta acompañada por fiebre, sarpullido o con dolor de cabeza persistente. Estos pudieran ser señales de una afección seria. ■ el dolor en la boca no mejora en 7 días ■ irritación, dolor o enrojecimiento persiste o empeora</p>	<p>Información del Medicamento (continuación)</p> <p>Si está usted embarazada o en período de lactancia, consulte la opinión de un médico antes de consumir este producto.</p> <p>Mantenga este y todos los demás medicamentos fuera del alcance de los niños.</p> <p>Instrucciones ■ no consuma más de lo que se indica</p> <p>Adultos y niños: (para mayores de 12 años) Permita que se disuelva lentamente una pastilla en la boca. Puede volver a repetir esto cada 2 horas cuando sea necesario o como lo recomiende e indique su médico.</p> <p>Niños menores de 12 años: No se administre a niños menores de 12 años de edad.</p> <p>Otra información ■ 15 calorías por pastilla ■ almacenamiento: consérvase a temperatura de 59°-86°F (15°-30°C) ■ no lo exponga a la humedad y calor</p> <p>Ingredientes inactivos jarabe de malta, aceite de eucalipto, amarillo D y C #10, amarillo FD y C #6, miel, aceite de limón, sacarosa</p> <p>¿ Tiene alguna pregunta o comentario? Llame al 1-800-634-7680</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Retain carton for complete product information

Conserve la caja para obtener la información completa del producto

Medi-First Plus Honey Lemon Label

125 Drops

Medi-First Plus®

Honey Lemon

Cough Drops

Menthol 8.6 mg

Pull to Open

Cough Suppressant & Anesthetic
with Vapor Action

Compare active ingredients to:

Halls®

Registered Trademark of Warner-Lambert

Individually Wrapped Cough Drops

Drug Facts

Active ingredient (in each drop) Purpose
Menthol 8.6 mgAntitussive (cough suppressant) oral anesthetic

Uses
Temporarily relieves
■ cough as may occur with a cold or inhaled irritants
■ occasional minor irritation and sore throat

Warnings
Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly. These symptoms may be serious.

Ask a doctor before use if you have
■ persistent or chronic cough such as occurs with smoking, asthma, or emphysema
■ cough accompanied by excessive phlegm (mucus)

Stop use and ask a doctor if
■ cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.
■ sore mouth does not improve in 7 days
■ irritation, pain, or redness persists or worsens

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.
Keep this and all drugs out of the reach of children.

Directions
■ do not use more than directed

Adults and children (12 years and older)
Allow 1 drop to dissolve slowly in the mouth. May be repeated every 2 hours as necessary or as directed by a doctor.

Children under 12 years: Do not give to children under 12 years of age.

Other information
■ 15 calories per drop
■ store at 59°-86°F (15°-30°C)
■ protect from moisture & heat

Inactive ingredients
corn syrup, eucalyptus oil, D&C yellow #10, FD&C yellow #6, honey, lemon oil, sucrose

Questions or comments? 1-800-634-7680



Menthol / Mentol 8.6mg

Pull to Open

Tire Para Abrir

Cough Suppressant & Anesthetic with Vapor Action
Suprime la tos y anestésico con acción de vapor

Información del Medicamento

Ingrediente activo (en cada pastilla)
Mentol 8.6 mg Antitussivo (suprime la tos)/anestésico oral

Usos
Para el alivio temporal
■ de la tos que pudiera ocurrir con un resfriado o al inhalar agentes irritantes
■ de esporádicos leves dolores de garganta

Advertencias
Advertencia sobre el dolor de garganta: Si el dolor de la garganta es severo, persiste por más de 2 días, se presenta acompañado por fiebre o esta última aparece posteriormente, dolor de cabeza, sarpullido, náusea o vómito, consulte rápido a un médico. Estos síntomas pudieran ser serios.

Consulte con el médico antes de tomar este medicamento si usted padece de
■ los persistente o crónica como ocurre al fumar, con asma, o con enfisema
■ los acompañada con fiebre (mucoosidad) excesiva

Deje de tomar este medicamento y consulte al médico si
■ persiste la tos por más de 1 semana, tiende a ser recurrente o se presenta acompañada por fiebre, sarpullido o con dolor de cabeza persistente. Estos pudieran ser señales de una afección seria.
■ el dolor en la boca no mejora en 7 días
■ irritación, dolor o enrojecimiento persiste o empeora

Información del Medicamento (continuación)

Si está usted embarazada o en período de lactancia, consulte la opinión de un médico antes de consumir este producto.

Mantenga este y todos los demás medicamentos fuera del alcance de los niños.

Instrucciones
■ no consuma más de lo que se indica

Adultos y niños (para mayores de 12 años)
Permita que se disuelva lentamente una pastilla en la boca. Puede volver a repetir esto cada 2 horas cuando sea necesario o como lo recomiende e indique su médico.

Niños menores de 12 años: No se administre a niños menores de 12 años de edad.

Otra información
■ 15 calorías por pastilla
■ almacenamiento: consérvese a temperatura de 59°-86°F (15°-30°C)
■ no lo exponga a la humedad y calor

Ingredientes inactivos
jarabe de maíz, aceite de eucalipto, amarillo D y C #10, amarillo FD y C #6, miel, aceite de limón, sacarosa

¿Tiene alguna pregunta o comentario?
Lláme al 1-800-634-7680

Retain carton for complete product information

Conserve la caja para obtener la información completa del producto

Compare active ingredient to:

Compare el ingrediente activo con:

HALLS®

Registered Trademark of Warner-Lambert

Marca Registrada de Warner-Lambert

Individually Wrapped

Cough Drops

Individuamente envuelto

pastilla para la tos

MEDI-FIRST HONEY LEMON COUGH DROPS

menthol 8.6 mg lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-840
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	8.6 mg

Inactive Ingredients

Ingredient Name	Strength
CORN SYRUP (UNII: 9G5L16BK6N)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
HONEY (UNII: Y9H1V576FH)	
LEMON OIL (UNII: I9GRO824LL)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	yellow	Score	no score
Shape	OVAL	Size	22mm
Flavor	HONEY (Lemon)	Imprint Code	P
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-840-25	125 in 1 BOX; Type 0: Not a Combination Product	03/18/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	03/18/2019	

MEDI-FIRST PLUS HONEY LEMON COUGH DROPS

menthol 8.6 mg lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-841
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	8.6 mg

Inactive Ingredients

Ingredient Name	Strength
CORN SYRUP (UNII: 9G5L16BK6N)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
HONEY (UNII: Y9H1V576FH)	
LEMON OIL (UNII: I9GRO824LL)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	yellow	Score	no score
Shape	OVAL	Size	22mm
Flavor	HONEY (Lemon)	Imprint Code	P
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:47682-841-25	125 in 1 BOX; Type 0: Not a Combination Product	03/18/2019	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC monograph final	part341		03/18/2019	

Labeler - Unifirst First Aid Corporation (832947092)

Revised: 3/2022

Unifirst First Aid Corporation