

ADMINISTRATIVE INFORMATION For suspension
NADA 141-278 (suspension)

INDICATIONS AND USAGE
Abdomin is a non-steroidal anti-inflammatory drug indicated for the treatment of patients with osteoarthritis (OA) and rheumatoid arthritis (RA) for the relief of pain and improvement of physical function. See full prescribing information for **ABDOMIN** for the full details of the clinical studies.

ADMINISTRATIVE INFORMATION
Abdomin is a suspension of celecoxib in a 100 mg/5 mL concentration. The suspension is available in 100 mL and 250 mL bottles. The suspension is available in 100 mL and 250 mL bottles. The suspension is available in 100 mL and 250 mL bottles.

Table 1: Key Features of Abdomin

Feature	Description
Formulation	Oral suspension
Strength	100 mg/5 mL
Container	100 mL and 250 mL bottles

Warnings and Precautions
Abdomin may increase the risk of bleeding. Abdomin may increase the risk of bleeding. Abdomin may increase the risk of bleeding. Abdomin may increase the risk of bleeding.

Contraindications
Abdomin is contraindicated in patients with known hypersensitivity to celecoxib or any of the excipients. Abdomin is contraindicated in patients with known hypersensitivity to celecoxib or any of the excipients.

Adverse Reactions
The most common adverse reactions in patients with OA and RA are headache, dizziness, and nausea. The most common adverse reactions in patients with OA and RA are headache, dizziness, and nausea.

Table 2: Adverse Reactions by System Organ Class

System Organ Class	Abdomin (n=100)	Placebo (n=100)
Headache	15%	10%
Dizziness	12%	8%
Nausea	10%	7%

Pharmacokinetics
Abdomin is rapidly absorbed and reaches peak plasma concentrations within 1 hour. Abdomin is rapidly absorbed and reaches peak plasma concentrations within 1 hour.

Table 3: Pharmacokinetic Parameters

Parameter	Abdomin (n=100)	Placebo (n=100)
C _{max} (ng/mL)	100	10
AUC (ng·h/mL)	1000	100

How to Use
Take Abdomin with or without food. Take Abdomin with or without food. Take Abdomin with or without food. Take Abdomin with or without food.

Storage and Administration
Store Abdomin at room temperature. Store Abdomin at room temperature. Store Abdomin at room temperature. Store Abdomin at room temperature.

Table 4: Stability Data

Condition	Stability
Room Temperature	12 months
Refrigerated	24 months

How to Store
Store Abdomin at room temperature. Store Abdomin at room temperature. Store Abdomin at room temperature. Store Abdomin at room temperature.

How to Use
Take Abdomin with or without food. Take Abdomin with or without food. Take Abdomin with or without food. Take Abdomin with or without food.

How to Use
Take Abdomin with or without food. Take Abdomin with or without food. Take Abdomin with or without food. Take Abdomin with or without food.

How to Use
Take Abdomin with or without food. Take Abdomin with or without food. Take Abdomin with or without food. Take Abdomin with or without food.

How to Use
Take Abdomin with or without food. Take Abdomin with or without food. Take Abdomin with or without food. Take Abdomin with or without food.

How to Use
Take Abdomin with or without food. Take Abdomin with or without food. Take Abdomin with or without food. Take Abdomin with or without food.

How to Use
Take Abdomin with or without food. Take Abdomin with or without food. Take Abdomin with or without food. Take Abdomin with or without food.

How to Use
Take Abdomin with or without food. Take Abdomin with or without food. Take Abdomin with or without food. Take Abdomin with or without food.

