

**MENSTRUAL RELIEF MAXIMUM STRENGTH- acetaminophen, pamabrom,
pyrilamine maleate tablet, film coated
ARMY AND AIR FORCE EXCHANGE SERVICE**

Exchange Select 44-679

Active ingredients (in each caplet)

Acetaminophen 500 mg
Pamabrom 25 mg
Pyrilamine maleate 15 mg

Purpose

Pain reliever
Diuretic
Antihistamine

Uses

for the temporary relief of these symptoms associated with menstrual periods:

- headache
- bloating
- cramps
- backache
- muscular aches
- irritability
- water-weight gain

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis
- liver disease
- glaucoma

Ask a doctor or pharmacist before use if you are

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

When using this product

- drowsiness may occur
- avoid alcoholic beverages
- excitability may occur, especially in children
- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over:
 - take 2 caplets with water every 6 hours as needed
 - do not exceed 6 caplets in a 24 hour period or as directed by a doctor
- children under 12 years: ask a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, shellac wax, silicon dioxide, stearic acid, talc, titanium dioxide

Questions or comments?

1-800-426-9391

Principal display panel

exchange ✓ **select**™

Compare To The Active Ingredients of Maximum Strength Pamprin® Multi-Symptom*

Maximum Strength
Menstrual Relief

Aspirin Free
Caffeine Free

Acetaminophen, Pamabrom, Pyrilamine maleate
Pain Reliever / Diuretic / Antihistamine

Multi-Symptom Relief of: Cramps, Bloating,
Irritability, Headache & Backache

32 Caplets

Actual Size

quality
value

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

*This product is not manufactured or
distributed by Focus Consumer Healthcare,
LLC, owner of the registered trademark
Maximum Strength Pamprin®
Multi-Symptom.
50844 REV0718C67927

“SATISFACTION GUARANTEED OR YOUR MONEY BACK”
Manufactured For Your Military Exchanges
Distributed by: LNK International, Inc.
Hauppauge, NY 11788

exchange select™

Compare To The Active Ingredients of
Maximum Strength Pamprin® Multi-Symptom*

**Maximum Strength
Menstrual Relief**

Aspirin Free
Caffeine Free

Acetaminophen, Pamabrom, Pyrilamine maleate
Pain Reliever / Diuretic / Antihistamine
Multi-Symptom Relief of: Cramps, Bloating,
Irritability, Headache & Backache

32 Caplets

Actual Size  quality value

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Drug Facts

Active ingredients (in each caplet)
Acetaminophen 500 mg Pain reliever
Pamabrom 25 mg Diuretic
Pyrilamine maleate 15 mg Antihistamine

Uses for the temporary relief of these symptoms associated with menstrual periods:
 ■ headache ■ bloating ■ cramps
 ■ backache ■ muscular aches
 ■ irritability ■ water-weight gain

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take
 ■ more than 4,000 mg of acetaminophen in 24 hours
 ■ with other drugs containing acetaminophen
 ■ 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
 ■ skin redness ■ blisters ■ rash
 If a skin reaction occurs, stop use and seek medical help right away.

Do not use
 ■ if you have ever had an allergic reaction to this product or any of its ingredients

B-0066E-679-27-RR
REV0718C67927

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Drug Facts (continued)

■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have
 ■ difficulty in urination due to enlargement of the prostate gland
 ■ a breathing problem such as emphysema or chronic bronchitis
 ■ liver disease ■ glaucoma

Ask a doctor or pharmacist before use if you are
 ■ taking sedatives or tranquilizers
 ■ taking the blood thinning drug warfarin

When using this product
 ■ drowsiness may occur
 ■ avoid alcoholic beverages
 ■ excitability may occur, especially in children
 ■ alcohol, sedatives and tranquilizers may increase drowsiness
 ■ use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor if
 ■ pain gets worse or lasts more than 10 days
 ■ fever gets worse or lasts more than 3 days
 ■ new symptoms occur
 ■ redness or swelling is present
 These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Drug Facts (continued)

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions
 ■ do not take more than directed
 ■ adults and children 12 years and over:
 ■ take 2 caplets with water every 6 hours as needed
 ■ do not exceed 6 caplets in a 24 hour period or as directed by a doctor
 ■ children under 12 years: ask a doctor

Other information
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
 ■ see end flap for expiration date and lot number

Inactive ingredients corn starch, croscarmellose sodium, crospovidone, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, shellac wax, silicon dioxide, stearic acid, talc, titanium dioxide

Questions or comments?
1-800-426-9391

No print/No varnish area
Lot no/Exp date

6
142991399051
1

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

50844 REV0718C67927

Maximum Strength Pamprin®
Multi-Symptom.
LLC, owner of the registered trademark.
distributed by Focus Consumer Healthcare.

*This product is not manufactured or
Manufactured For Your Military Exchanges
Distributed by: LNK International, Inc.
Hempstead, NY 11788
1-800-426-9391

SARIS ACTION GUARANTEED OR YOUR MONEY BACK

quality value

Exchange Select 44-679

MENSTRUAL RELIEF MAXIMUM STRENGTH

acetaminophen, pamabrom, pyrilamine maleate tablet, film coated

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:55301-679 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------|----------|
| ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D) | ACETAMINOPHEN | 500 mg |
| PAMABROM (UNII: UA8U0KJM72) (BROMOTHEOPHYLLINE - UNII:FZG87K1MQ6) | PAMABROM | 25 mg |
| PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL) | PYRILAMINE MALEATE | 15 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| STARCH, CORN (UNII: O8232NY3SJ) | |
| CROSCARMELOSE SODIUM (UNII: M28OL1HH48) | |
| CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561) | |
| FD&C BLUE NO. 2 ALUMINUM LAKE (UNII: 4AQJ3LG584) | |
| FD&C RED NO. 40 ALUMINUM LAKE (UNII: 6T47AS764T) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |
| POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990) | |
| POVIDONE, UNSPECIFIED (UNII: FZ989GH94E) | |
| SHELLAC (UNII: 46N107B71O) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| TALC (UNII: 7SEV7J4R1U) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |

Product Characteristics

| | | | |
|-----------------|--------|---------------------|----------|
| Color | purple | Score | no score |
| Shape | OVAL | Size | 17mm |
| Flavor | | Imprint Code | 44;679 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:55301-679-27 | 1 in 1 CARTON | 01/13/2015 | |
| 1 | | 32 in 1 BOTTLE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M013 | 01/13/2015 | |

Labeler - ARMY AND AIR FORCE EXCHANGE SERVICE (001695568)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|---------------------|
| LNK International, Inc. | | 038154464 | pack(55301-679) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|------------------------|
| LNK International, Inc. | | 832867837 | manufacture(55301-679) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|------------------------|
| LNK International, Inc. | | 832867894 | manufacture(55301-679) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|---------------------|
| LNK International, Inc. | | 967626305 | pack(55301-679) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|------------------------|
| LNK International, Inc. | | 117025878 | manufacture(55301-679) |

Revised: 8/2024

ARMY AND AIR FORCE EXCHANGE SERVICE