

MALLY FACE DEFENDER FOUNDATION - titanium dioxide, zinc oxide cream
MallyGirl, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

mally Face Defender - Light Foundation Broad Spectrum SPF 15

DRUG FACTS

Active Ingredients

Titanium Dioxide 4.50%

Zinc Oxide 3.00%

Purpose

Sunscreen

Sunscreen

Use

- Helps prevent sunburn
- If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin aging caused by the sun.

For external use only

Do not use on damaged or broken skin.

Stop use and ask doctor if rash occurs.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours
- Children under 6 months: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases risk of skin cancer and early aging. To decrease this risk regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including
- Limit time in the sun especially from 10:00 a.m. - 2:00 p.m.
- Wear long sleeved shirts, pants, hats and sunglasses

Inactive Ingredients

Water (Aqua), Cyclopentasiloxane, Octyldodecyl Neopentanoate, Butylene Glycol, Glycerin,

Polyglyceryl-4 Isostearate, Dimethicone Crosspolymer, PEG/PPG 18/18 Dimethicone, Silica, Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Stearic Acid, Aluminum Hydroxide, Sodium Dehydroacetate, Phytantriol, Hexyl Laurate, Triethoxycaprylylsilane, Nylon-12, Carbomer, Polysorbate 20, Palmitoyl Oligopeptide, Palmitoyl Tetrapeptide-7, Sodium Chloride, Tocopherol, Tetrahexyldecyl Ascorbate, Nylon-12 Fluorescent Brightener 230 Salt, Polyvinylalcohol Crosspolymer, Magnesium Chloride, Potassium Chloride, Zinc Chloride, Lysine, Sodium Hyaluronate, Phenoxyethanol, Hexylene Glycol, Caprylyl Glycol, Potassium Sorbate, May Contain: Mica, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499) Product made in the USA

Other Information

- Protect this product from excessive heat and direct sun.

Principal Display Panel

mally
Face Defender Foundation
Light
Broad Spectrum
SPF 15

m a l l y

Face Defender
foundation

BROAD SPECTRUM
SPF 15

FRONT PANEL

1.8 FL. OZ./53.2 ml

ACTIVE INGREDIENTS:

Titanium Dioxide 4.5%

Zinc Oxide 3.0%

For external use only.

Do not use on damaged
or broken skin.

When using this product
keep out of eyes. Rinse with
water to remove.

Stop use and ask a doctor
if rash occurs.

Keep out of reach of children.

If product is swallowed, get
medical help or contact a Poison
Control Center right away.

For additional directions and
product information, see back of
outer carton or brochure provided
with this product.

Dist. by **Mallygirl LLC**

P.O. Box 42727

Baltimore, MD 21284-2727

Made in USA

Face Defender foundation with sunscreen

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 4.50 %	Sunscreen
Zinc oxide 3.00 %	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin.

Stop use and ask doctor if rash occurs.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases risk of skin cancer and early aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun especially from 10:00 a.m. - 2:00 p.m.
 - Wear long sleeved shirts, pants, hats and sunglasses.

Inactive Ingredients

Water (Aqua), Cyclopentasiloxane, Octyldodecyl Neopentanoate, Butylene Glycol, Glycerin, Polyglyceryl-4 Isostearate, Dimethicone Copolymer, PEG/PPG 18/18 Dimethicone, Silica, Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Stearic Acid, Aluminum Hydroxide, Sodium Dihydrosebacate, Phylanthrid, Hexyl Laurate, Triethoxypropylsilane, Nylon-12, Carbomer, Polysorbate 20, Palmitoyl Oligopeptide, Palmitoyl Tetrapeptide-7, Sodium Chloride, Tocopherol, Tetrahydrocyl Ascorbate, Nylon-12 Fluorescent Brightener 230 Salt, Polyvinylalcohol Copolymer, Magnesium Chloride, Potassium Chloride, Zinc Chloride, Lysine, Sodium Hyaluronate, Phenoxyethanol, Hexylene Glycol, Caprylyl Glycol, Potassium Sorbate. May contain: Mica, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499). Product made in USA.

Other Information

- Protect this product from excessive heat and direct sun.

NOURISHING CONCEALER INGREDIENTS: HYDROGENATED POLYISOBUTENE, OCTYLDODECANOL, TALC, PENTERYTHRITYL TETRASOSTEARATE, DEXTRIN PALMITATE, DIPENTAERYTHRITYL HEXAHYDROXYSTEARATE, PTFE, SYNTHETIC BEESWAX, POLYETHYLENE, ETHYLENE/PROPYLENE COPOLYMER, DISTEARDIMONIUM HEOSTRITE, HYDROGENATED STYRENEISOPRENE COPOLYMER, ALCOHOL, OCTYLDODECYL PDA, PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROBINNATE, DIPROPYLENE GLYCOL, WATER (AQUA), QUERCUS SUBER BARK EXTRACT. MAY CONTAIN: MICA (CI 77019), TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491, CI 77492), ULTRAMARINES (CI 77007). Product made in Italy.

MALLY FACE DEFENDER FOUNDATION

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76 119-1326
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)	TITANIUM DIOXIDE	2.39 mL in 53.2 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	1.59 mL in 53.2 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	

BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
GLYCERIN (UNII: PDC6A3C0OX)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
POLYETHYLENE GLYCOL 900 (UNII: UEP843BRCQ)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
DIMETHICONE (UNII: 92RU3N3Y1O)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 1.5) (UNII: V2W71V8T0X)
STEARIC ACID (UNII: 4ELV7Z65AP)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)
PHYTANTRIOL (UNII: 8LVI07A72W)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
TRIETHOXYCAPRYL YLSILANE (UNII: LDC331P08E)
NYLON-12 (UNII: 446U8J075B)
POLYSORBATE 20 (UNII: 7T1F30V5YH)
PALMITOYL OLIGOPEPTIDE (UNII: HO4ZT5S86C)
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
TOCOPHEROL (UNII: R0ZB2556P8)
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
POTASSIUM CHLORIDE (UNII: 660YQ98H0)
ZINC CHLORIDE (UNII: 86Q357L16B)
LYSINE (UNII: K3Z4F929H6)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
MICA (UNII: V8A1AW0880)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76119-1326-1	1 in 1 BOX		
1		59.2 mL in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	03/29/2012	

Labeler - MallyGirl, LLC (167262554)

