

**SENNOSIDES- sennosides tablet**  
**PD-Rx Pharmaceuticals, Inc.**

-----  
**Senna 8.6mg**

***Drug Facts***

***Active ingredient (in each tablet)***

Sennosides 8.6 mg

***Purpose***

Stimulant Laxative

***Uses***

- relieve occasional constipation (irregularity)
- this product generally produces a bowel movement in 6 to 12 hours

***Warnings***

**Do not use**

- **Laxative products for longer than 1 week unless directed by a doctor**

**Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a period of 2 weeks

**Stop use and ask a doctor if** you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center immediately.

***Other information***

- **each tablet contains: calcium 4 mg, sodium 3 mg**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

***Inactive ingredients***

colloidal silicon dioxide, croscarmellose sodium, magnesium stearate, microcrystalline cellulose

**Questions or comments?**

**Call 516-341-0666**

**8:30am-4:30pm ET. Mon-Fri**

**Directions**

take preferably at bedtime or as directed by a doctor

do not exceed maximum dosage

---

| age  | starting dosage       | maximum dosage        |
|--|-----------------------|-----------------------|
| adults and children 12 years of age or older | 2 tablets once a day  | 4 tablets twice a day |
| children 6 to under 12 years                 | 1 tablet once a day   | 2 tablets twice a day |
| children 2 to under 6 years                  | 1/2 tablet once a day | 1 tablet twice a day  |
| children under 2 years                       | ask a doctor          | ask a doctor          |

---

**HOW SUPPLIED**

Sennosides are round light brown tablets and have a imprint of S5. They are available as follows:

- Bottles of 10: 72789-283-10
- Bottles of 30: 72789-283-30

**Store at 20° to 25°C (68° to 77°F) [see USP Controlled Room Temperature].**

**Dispense in a well-closed, light-resistant container as defined in the USP.**

**Protect from light.**

Sennosides 8.6 mg

Natural Vegetable Laxative

\*Compare to the Active Ingredient in SENOKOT®

| Drug Facts   |                                      | Drug Facts (continued)   |                        |                       |
|--|--------------------------------------|--|------------------------|-----------------------|
| <b>Active Ingredient</b><br>(in each tablet)<br>Sennosides 8.6 mg  | <b>Purpose</b><br>Stimulant laxative | <b>Directions:</b> • Take preferably at bedtime or as directed by a doctor • do not exceed maximum dosage  |                        |                       |
| <b>Uses</b><br>• relieves occasional constipation (irregularity) • this product generally produces a bowel movement in 6 - 12 hours                                |                                      | <b>Age</b>   | <b>Starting Dosage</b> | <b>Maximum Dosage</b> |
| <b>Warnings</b><br>Do not use • laxative products for longer than 1 week unless directed by a doctor   |                                      | adults and children 12 years and over  | 2 tablets once a day   | 4 tablets twice a day |
| <b>Ask a doctor before use if you have</b><br>• Stomach pain • nausea • vomiting • noticed a sudden change in bowel habits that continues over a period of 2 weeks |                                      | children 6 to under 12 years   | 1 tablet once a day    | 2 tablets twice a day |
| <b>Stop use and ask a doctor if you have</b> rectal bleeding or fail to have a bowel movement after the use of a laxative. These may indicate a serious condition. |                                      | children 2 to under 6 years  | 1/2 tablet once a day  | 1 tablet twice a day  |
| <b>If pregnant or breast-feeding</b> , ask a healthcare professional before use.   |                                      | children under 2 years   | ask a doctor           | ask a doctor          |
| <b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.   |                                      | <b>Other information</b><br>• each tablet contains: calcium 4 mg, sodium 3 mg • store at 25°C (77°F); excursions permitted between 15° - 30°C (59° - 86°F) |                        |                       |
|  |                                      | <b>Inactive Ingredients</b> colloidal silicon dioxide, croscarmellose sodium, magnesium stearate, microcrystalline cellulose                               |                        |                       |
|  |                                      | <b>Questions or comments?</b> Call (516) 341-0666 Mon-Fri 8:30am to 4:30pm EST   |                        |                       |



GTIN: 00372789283302  
SNO: J22D88000004  
EXP: 02/2024  
LOT: J22D88

**NDC 72789-283-30**



**Sennosides**  
**Natural Vegetable Laxative**  
**8.6 mg**

**Marketed and Packaged By:**  
PD-Rx Pharmaceuticals, Inc.  
Oklahoma City, OK 73127  
1-405-942-3040 v.8.19.0



3 72789 28330 2

**30 Tablets**  
TAMPER EVIDENT: DO NOT USE IF  
SEAL IS BROKEN OR MISSING FROM BOTTLE

## SENNOSIDES

sennosides tablet

### Product Information

|                                |                |                           |                              |
|--------------------------------|----------------|---------------------------|------------------------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:72789-283(NDC:69618-064) |
| <b>Route of Administration</b> | ORAL           |                           |                              |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength  | Strength |
|---|--------------------|----------|
| <b>SENNOSIDES A AND B</b> (UNII: 1B5FPI42EN) (SENNOSIDES A AND B - UNII:1B5FPI42EN) | SENNOSIDES A AND B | 8.6 mg   |

### Inactive Ingredients

| Ingredient Name                                       | Strength |
|---|----------|
| <b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)       |          |
| <b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U) |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)          |          |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)             |          |

### Product Characteristics

|                 |               |                     |          |
|-----------------|---------------|---------------------|----------|
| <b>Color</b>    | brown (light) | <b>Score</b>        | no score |
| <b>Shape</b>    | ROUND         | <b>Size</b>         | 9mm      |
| <b>Flavor</b>   |               | <b>Imprint Code</b> | S5       |
| <b>Contains</b> |               |                     |          |

## Packaging

| # | Item Code        | Package Description  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:72789-283-10 | 10 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 12/22/2022           |                    |
| 2 | NDC:72789-283-30 | 30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 10/24/2022           |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M007                                     | 08/01/2020           |                    |

**Labeler** - PD-Rx Pharmaceuticals, Inc. (156893695)

**Registrant** - PD-Rx Pharmaceuticals, Inc. (156893695)

## Establishment

| Name                        | Address | ID/FEI    | Business Operations |
|-----------------------------|---------|-----------|---------------------|
| PD-Rx Pharmaceuticals, Inc. |         | 156893695 | repack(72789-283)   |

Revised: 10/2023

PD-Rx Pharmaceuticals, Inc.