

BACITRACIN ZINC- first aid antibiotic ointment
Dynarex Corporation

1171 Bacitracin Zinc Ointment NDC 67777-008-10
1172 Bacitracin Zinc Ointment NDC 67777-008-20
1173 Bacitracin Zinc Ointment NDC 67777-008-30
1175 Bacitracin Zinc Ointment NDC 67777-008-50
1176 Bacitracin Zinc Ointment NDC 67777-008-60

Active Ingredient

Bacitracin Zinc (500 units in each gram)

Purpose

First Aid Antibiotic

Uses

First aid to help prevent infection in minor cuts, scrapes, and burns

Warnings

For external use only

Do not use

- In the eyes or apply over large areas of the body
- If you are allergic to any of the ingredients
- Longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if

the condition persists or gets worse, or if a rash or other allergic reaction develops

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.

Other Information

1172 Bacitracin Zinc

1173 Bacitracin Zinc

1175 Label

POMMADE
BACITRACIN
ZINC USP
ANTIBIOTIQUE DE PREMIERS SOINS

DIN # 02374390

Manufactured for / Fabriqué pour:
Dynarex Corporation
10 Glenshaw Street
Orangeburg, NY 10962
USA • www.dynarex.com
Made in India / Fabriqué en Inde
R220329

Keep box for complete Drug
Facts.
Conservé l'emballage contenant
toutes les Info-médicament.

Imported by / Importé par: Innovative Safety Supply, 368 Edison Street, Unit 20, Saskatoon, SK S7J0P9 Canada Reorder No. / Reassort N°. 1173

Drug Facts

Active Ingredient (in each gram) Bacitracin Zinc 500 units **Purpose** First Aid Antibiotic

Use First aid to help prevent infection in minor cuts, scrapes, and burns.

Warnings For external use only

Do not use in the eyes or over large areas of the body if you are allergic to any of the ingredients. Longer than 1 week unless directed by a doctor.

Ask a doctor or pharmacist before use if you have deep or puncture wounds, animal bites, or serious burns.

When using this product there are no side effects.

Stop use and ask a doctor if: The condition persists or gets worse. A rash or other allergic reaction develops.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) onto the area 1 to 3 times daily. May be covered with a sterile bandage.

Other information

Store at room temperature 15°-30°C (59°-86°F). Avoid excessive heat and humidity. Tamper Evident. Do not use if inner seal is torn, cut or opened.

Inactive Ingredients

Hard Paraffin, Liquid Paraffin, White Soft Paraffin

Questions?

1-888-396-2739 M-F 9-500 EST.

Info-médicament

Ingredient actif Bacitracin Zinc **Utilité** Antibiotique depremiers soins 500 unites par gramme

Usage Pour prevenir, en premier secours, l'infection de coupures, éraflures et brûlures mineures

Mises en garde Pour usage externe seulement

Info-médicament (Continuez)

Ne pas utiliser dans les yeux ou sur une grande surface du corps si vous êtes allergique à l'un des ingrédients pendant plus d'une semaine sauf indication contraire d'un médecin.

Consulter un médecin ou un pharmacien avant utilisation si vous des plaies profondes ou perforantes, des morsures d'animal ou des brûlures graves.

Lorsque vous utilisez ce produit, il n'y a pas d'effets secondaires.

Cesser toute utilisation et consulter un médecin si:

le problème persiste ou s'aggrave une éruption cutanée ou autre réaction allergique apparaît.

Tenir hors de la portée des enfants. En cas d'ingestion du produit, demander immédiatement l'assistance médicale ou communiquer avec un centre antipoison.

Mode d'emploi Nettoyer la région affectée. Appliquer une petite quantité de ce produit (égale à la superficie du bout d'un doigt de 1 à 3 fois par jour. Au besoin, couvrir la région traitée avec un bandage stérile.

Autre information

Conservé à température ambiante 15°-30°C (59°-86°F). Éviter la chaleur et l'humidité excessives. Inévitable. Ne pas utiliser si le sceau interne est brisé, ouvert ou coupé.

Ingédients inactifs

Paraffine solide, paraffine liquide, paraffine molle bianchon

Questions?

1-888-396-2739 Lundi-Vendredi, 9h00-17h00

BACITRACIN ZINC
OINTMENT USP
FIRST AID ANTIBIOTIC

BACITRACIN ZINC OINTMENT USP
FIRST AID ANTIBIOTIC
POMMADE BACITRACIN ZINC USP
ANTIBIOTIQUE DE PREMIERS SOINS
Net Wt. / Poids net 1 oz. (28.4 g)



1171 Bacitracin Zinc

BACITRACIN ZINC				
first aid antibiotic ointment				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67777-008	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)		BACITRACIN	500 [USP'U] in 1 g	
Inactive Ingredients				
Ingredient Name			Strength	
MINERAL OIL (UNII: T5L8T28FGP)				
WHITE PETROLATUM (UNII: B6E5W8RQJ4)				
PARAFFIN (UNII: I9O0E3H2ZE)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67777-008-10	12 in 1 CASE	02/16/2018	

1	NDC:67777-008-11	144 in 1 BOX		
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:67777-008-20	72 in 1 CASE	02/16/2018	
2	NDC:67777-008-21	1 in 1 BOX		
2		14.2 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:67777-008-30	72 in 1 CASE	02/16/2018	
3	NDC:67777-008-31	1 in 1 BOX		
3		28.4 g in 1 TUBE; Type 0: Not a Combination Product		
4	NDC:67777-008-50	72 in 1 CASE	02/16/2018	
4	NDC:67777-008-51	1 in 1 BOX		
4		113 g in 1 TUBE; Type 0: Not a Combination Product		
5	NDC:67777-008-60	12 in 1 CASE	02/16/2018	
5	NDC:67777-008-61	425 g in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	02/16/2018	

Labeler - Dynarex Corporation (008124539)

Revised: 6/2025

Dynarex Corporation