

**LIPOTOX- squalene, cholesterinum, estradiol, progesterone, aspartame, benzalkonium chloride, formalinum, methylene chloride, methyl paraben, propyl paraben, sodium benzoate, sodium citrate, titanium dioxide, zincum oxydatum, arsenicum album, lycopodium clavatum, nux vomica, phosphoricum acidum, phosphorus, aceticum acidum, adrenocorticotrophin, benzoicum acidum, benzyl alcohol, boricum acidum, chlorinum, cortisone aceticum, eugenol, folliculinum, isopropyl palmitate, lacticum acidum, petroleum jelly liquid  
BioActive Nutritional, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **Drug Facts:**

### **ACTIVE INGREDIENTS:**

Squalene 8X, Cholesterinum 12X, Estradiol 12X, Progesterone 12X, Aspartame 30X, Benzalkonium Chloride 30X, Formalinum 30X, Methylene Chloride 30X, Methylparaben 30X, Propylparaben 30X, Sodium Benzoate 30X, Sodium Citrate 30X, Titanium Dioxide 30X, Zincum Oxydatum 30X, Arsenicum Album 30X, Lycopodium Clavatum 30X, Nux Vomica 30X, Phosphoricum Acidum 30X, Phosphorus 30X, Aceticum Acidum 30X, 60X, 200X, Adrenocorticotrophin 30X, 60X, 200X, Benzoicum Acidum 30X, 60X, 200X, Benzyl Alcohol 30X, 60X, 200X, Boricum Acidum 30X, 60X, 200X, Chlorinum 30X, 60X, 200X, Cortisone Aceticum 30X, 60X, 200X, Eugenol 30X, 60X, 200X, Folliculinum 30X, 60X, 200X, Isopropyl Palmitate 30X, 60X, 200X, Lacticum Acidum 30X, 60X, 200X, Petroleum Jelly 30X, 60X, 200X, Phenyl Butazone 30X, 60X, 200X, Plumbum Metallicum 30X, 60X, 200X, Potassium Sorbate 30X, 60X, 200X, Resorcinum 30X, 60X, 200X, Salicylicum Acidum 30X, 60X, 200X, Sorbitol 30X, 60X, 200X, Stearyl Alcohol 30X, 60X, 200X, Xylitol 30X, 60X, 200X.

### **INDICATIONS:**

For temporary relief of exhaustion & restlessness, metallic taste & dyspepsia & menstrual pain.

### **WARNINGS:**

**If pregnant or breast-feeding**, ask a health care professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Do not use if tamper evident seal is broken or missing.

Store in cool, dry place.

### **KEEP OUT OF REACH OF CHILDREN:**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

### **DIRECTIONS:**

10 drops orally, 3 times a day. Consult a physician for use in children under 12 years of age.

### **INDICATIONS:**

For temporary relief of exhaustion & restlessness, metallic taste & dyspepsia & menstrual pain.

## INACTIVE INGREDIENTS:

Borage Oil, Castor Oil, Demineralized Water, 25% Ethanol.

## QUESTIONS:

Distributed by:

BIOACTIVE NUTRITIONAL

Melbourne, FL 32935

For Nutritional Information write:

BioActive Nutritional, Inc.

1803 N. Wickham Rd.

Melbourne, FL 32935

\*For a complete list of Addisodes and Chemical Isodes contact BioActive Nutritional, Inc.

## PACKAGE LABEL DISPLAY:

**BIOActive Nutritional**

**LIPOTOX**

**HOMEOPATHIC**

**1 FL OZ (30 ml)**

The logo for BioActive Nutritional features a stylized cross symbol on the left, composed of three horizontal bars and three vertical bars. To the right of the symbol, the word "BIO" is in a bold, blue, sans-serif font, "Active" is in a lighter blue, sans-serif font, and "Nutritional" is in a dark blue, sans-serif font.

**WARNINGS:** If pregnant or breast-feeding, ask a health care professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

### LOT:

Distributed by:  
BioActive Nutritional, Inc.  
1803 N. Wickham Rd.  
Melbourne, FL 32935  
bioactivenutritional.com

## LIPOTOX HOMEOPATHIC

### ACTIVE INGREDIENTS:

Squalene 8X, Cholesterinum 12X, Estradiol 12X, Progesterone 12X, Addisodes\* 30X, Arsenicum Album 30X, Lycopodium Clavatum 30X, Nux Vomica 30X, Phosphoricum Acidum 30X, Phosphorus 30X, Chemical Isodes\* 30X, 60X, 200X.

### INACTIVE INGREDIENTS:

Borage Oil, Castor Oil, Demineralized Water, 25% Ethanol

**1 FL OZ (30 ml)**

### INDICATIONS:

For temporary relief of exhaustion & restlessness, metallic taste & dyspepsia & menstrual pain.

### DIRECTIONS:

10 drops orally, 3 times a day. Consult a physician for use in children under 12 years of age.

\*For a complete list of Addisodes and Chemical Isodes contact BioActive Nutritional, Inc.

## LIPOTOX

squalene, cholesterinum, estradiol, progesterone, aspartame, benzalkonium chloride, formalinum, methylene chloride, methyl paraben, propyl paraben, sodium benzoate, sodium citrate, titanium dioxide, zincum oxydatum, arsenicum album, lycopodium clavatum, nux vomica, phosphoricum acidum, phosphorus, aceticum acidum, adrenocorticotrophin, benzoicum acidum, benzyl alcohol, boricum acidum, chlorinum, cortisone aceticum, eugenol, folliculinum, isopropyl palmitate, lacticum acidum, petroleum jelly liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:43857-0384
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>SQUALENE</b> (UNII: 7QWM220FJH) (SQUALENE - UNII:7QWM220FJH)	SQUALENE	8 [hp_X] in 1 mL
<b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J) (CHOLESTEROL - UNII:97C5T2UQ7J)	CHOLESTEROL	12 [hp_X] in 1 mL
<b>ESTRADIOL</b> (UNII: 4T198Z838E) (ESTRADIOL - UNII:4T198Z838E)	ESTRADIOL	12 [hp_X] in 1 mL
<b>PROGESTERONE</b> (UNII: 4G7DS2Q64Y) (PROGESTERONE - UNII:4G7DS2Q64Y)	PROGESTERONE	12 [hp_X] in 1 mL
<b>ASPARTAME</b> (UNII: Z0H242BBR1) (ASPARTAME - UNII:Z0H242BBR1)	ASPARTAME	30 [hp_X] in 1 mL
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	30 [hp_X] in 1 mL
<b>FORMALDEHYDE</b> (UNII: 1HG84L3525) (FORMALDEHYDE - UNII:1HG84L3525)	FORMALDEHYDE	30 [hp_X] in 1 mL
<b>METHYLENE CHLORIDE</b> (UNII: 588X2YUY0A) (METHYLENE CHLORIDE - UNII:588X2YUY0A)	METHYLENE CHLORIDE	30 [hp_X] in 1 mL
<b>METHYL PARABEN</b> (UNII: A218C7HI9T) (METHYL PARABEN - UNII:A218C7HI9T)	METHYL PARABEN	30 [hp_X] in 1 mL
<b>PROPYL PARABEN</b> (UNII: Z8IX2SC1OH) (PROPYL PARABEN - UNII:Z8IX2SC1OH)	PROPYL PARABEN	30 [hp_X] in 1 mL
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU) (BENZOIC ACID - UNII:8SKN0B0MIM)	SODIUM BENZOATE	30 [hp_X] in 1 mL
<b>ANHYDROUS TRISODIUM CITRATE</b> (UNII: RS7A450LGA) (ANHYDROUS CITRIC ACID - UNII:XF417D3PSL)	ANHYDROUS TRISODIUM CITRATE	30 [hp_X] in 1 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	30 [hp_X] in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	30 [hp_X] in 1 mL
<b>ARSENIC TRIOXIDE</b> (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIOXIDE	30 [hp_X] in 1 mL
<b>LYCOPODIUM CLAVATUM SPORE</b> (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	30 [hp_X] in 1 mL
<b>STRYCHNOS NUX-VOMICA SEED</b> (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX- VOMICA SEED	30 [hp_X] in 1 mL
<b>PHOSPHORIC ACID</b> (UNII: E4GA8884NN) (PHOSPHORIC ACID - UNII:E4GA8884NN)	PHOSPHORIC ACID	30 [hp_X] in 1 mL
<b>PHOSPHORUS</b> (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	30 [hp_X] in 1 mL
<b>ACETIC ACID</b> (UNII: Q40Q9N063P) (ACETIC ACID - UNII:Q40Q9N063P)	ACETIC ACID	30 [hp_X] in 1 mL
<b>CORTICOTROPIN</b> (UNII: K0U68Q2TXA) (CORTICOTROPIN - UNII:K0U68Q2TXA)	CORTICOTROPIN	30 [hp_X] in 1 mL
<b>BENZOIC ACID</b> (UNII: 8SKN0B0MIM) (BENZOIC ACID - UNII:8SKN0B0MIM)	BENZOIC ACID	30 [hp_X] in 1 mL
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH) (BENZYL ALCOHOL - UNII:LKG8494WBH)	BENZYL ALCOHOL	30 [hp_X] in 1 mL
<b>BORIC ACID</b> (UNII: R57ZHV85D4) (BORIC ACID - UNII:R57ZHV85D4)	BORIC ACID	30 [hp_X] in 1 mL
<b>CHLORINE</b> (UNII: 4R7X1O2820) (CHLORINE - UNII:4R7X1O2820)	CHLORINE	30 [hp_X] in 1 mL

<b>CORTISONE ACETATE</b> (UNII: 883WKN7W8X) (CORTISONE - UNII:V27W9254FZ)	CORTISONE ACETATE	30 [hp_X] in 1 mL
<b>EUGENOL</b> (UNII: 3T8H1794QW) (EUGENOL - UNII:3T8H1794QW)	EUGENOL	30 [hp_X] in 1 mL
<b>ESTRONE</b> (UNII: 2DI9HA706A) (ESTRONE - UNII:2DI9HA706A)	ESTRONE	30 [hp_X] in 1 mL
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	30 [hp_X] in 1 mL
<b>LACTIC ACID, DL-</b> (UNII: 3B8D35Y7S4) (LACTIC ACID, DL- - UNII:3B8D35Y7S4)	LACTIC ACID, DL-	30 [hp_X] in 1 mL
<b>PETROLATUM</b> (UNII: 4T6H12BN9U) (PETROLATUM - UNII:4T6H12BN9U)	PETROLATUM	30 [hp_X] in 1 mL
<b>PHENYLBUTAZONE</b> (UNII: GN5P7K3T8S) (PHENYLBUTAZONE - UNII:GN5P7K3T8S)	PHENYLBUTAZONE	30 [hp_X] in 1 mL
<b>LEAD</b> (UNII: 2P299V784P) (LEAD - UNII:2P299V784P)	LEAD	30 [hp_X] in 1 mL
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4) (SORBIC ACID - UNII:X045WJ989B)	POTASSIUM SORBATE	30 [hp_X] in 1 mL
<b>RESORCINOL</b> (UNII: YUL4LO94HK) (RESORCINOL - UNII:YUL4LO94HK)	RESORCINOL	30 [hp_X] in 1 mL
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	30 [hp_X] in 1 mL
<b>SORBITOL</b> (UNII: 506T60A25R) (SORBITOL - UNII:506T60A25R)	SORBITOL	30 [hp_X] in 1 mL
<b>STEARYL ALCOHOL</b> (UNII: 2KR89I4HIY) (STEARYL ALCOHOL - UNII:2KR89I4HIY)	STEARYL ALCOHOL	30 [hp_X] in 1 mL
<b>XYLITOL</b> (UNII: VCQ006KQ1E) (XYLITOL - UNII:VCQ006KQ1E)	XYLITOL	30 [hp_X] in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>CASTOR OIL</b> (UNII: D5340Y2I9G)	
<b>BORAGE OIL</b> (UNII: F8XAG1755S)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43857-0384-1	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	01/11/2016	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/11/2016	

**Labeler** - BioActive Nutritional, Inc. (624980496)

**Registrant** - Apotheca Company (844330915)

## Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(43857-0384) , api manufacture(43857-0384) , label(43857-0384) , pack(43857-0384)

Revised: 9/2018

BioActive Nutritional, Inc.