

SALICYLIC ACID- liquid corn and callus remover liquid
Walgreen Company

Walgreens Liquid Corn and Callus Remover

Active ingredient

Salicylic acid 17%w/w

Purpose

Corn and callus remover

Uses

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

Warnings

For external use only.

Flammable

- keep away from fire or flame
- **cap bottle tightly** and store at room temperature away heat

Do not use

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic
- if you have poor blood circulation

When using this product

- if discomfort persists, see your doctor or podiatrist
- avoid contact with eyes
- avoid inhaling vapors
- if product gets into the eyes, flush with water for 15 minutes

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- apply one drop at a time with applicator, to sufficiently cover each corn/callus; let dry
- use cushions with hole centered over corn or callus to relieve pressure (additional

cushions may be purchased separately)

- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)

Other information

store between 20°C to 30°C (68°F to 86°F)

Inactive ingredients

camphor, castro oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-866-964-0939

Principal Display Panel

Well at Walgreens

Liquid Corn & Callus Remover

Salicylic Acid 17%

- Removes corn & calluses safely
- Cushions against shoe friction

3 Cushions

0.5 FL OZ (15mL)

**FRONT CARD
WITH COATING FOR BLISTER**

**BACK CARD
BACK OF CARD PRINTS BLACK & WHITE ONLY**

Liquid Corn & Callus Remover

Drug Facts	
Active ingredient Salicylic acid 17% w/w.....	Purpose Corn and callus remover
Use ■ for the removal of corns and calluses ■ relieves pain by removing corns and calluses	
Warnings For external use only.	
Flammable ■ keep away from fire or flame ■ cap bottle tightly and store at room temperature away from heat	
Do not use ■ on irritated skin ■ on any area that is infected or reddened ■ if you are diabetic ■ if you have poor blood circulation	
When using this product ■ if discomfort persists, see your doctor or podiatrist ■ avoid contact with eyes ■ avoid inhaling vapors ■ if product gets into the eye, flush with water for 15 minutes	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ wash the affected area and dry thoroughly ■ apply one drop at a time with applicator, to sufficiently cover each corn/callus; let dry ■ use cushion with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately) ■ repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)	
Other information store between 20° to 30°C (68° to 86 F°)	
Inactive ingredient flexible colloid containing alcohol and ether	
Questions? Call 1-866-964-0939	


*Walgreens Pharmacist Survey Study, November 2012.
**This product is not manufactured or distributed by MSD Consumer Care, Inc., owner of the registered trademark Dr. Scholl's®.

ORG0113-F

DISTRIBUTED BY: WALGREEN CO. 200 WILMOT RD., DEERFIELD, IL 60015		ITEM 159889
100% SATISFACTION GUARANTEED walgreens.com ©2013 Walgreen Co. MADE IN U.S.A.		
41-030WG		3 11917 14472 6

3.5" W

5.625" H



<p>Active Ingredient: Salicylic acid (17% w/w) Purposes: Corn and callus remover. Uses: For the removal of corns and calluses. Relieves pain by removing corns and calluses. WARNINGS: FOR EXTERNAL USE ONLY. Do not use this product if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist. Do not use on irritated skin or on any area that is infected or reddened. If discomfort persists, see your doctor or podiatrist.</p>	<p>Liquid Corn & Callus Remover Salicylic Acid 17%</p> <ul style="list-style-type: none"> Removes corns & calluses safely Cushions against shoe friction <p>0.5 FL OZ (15 mL)</p>	<p>Flammable: Keep away from fire or flame. Cap bottle tightly and store at room temperature away from heat. Do not use this product on irritated skin, on any area that is infected or reddened, if you are a diabetic, or if you have poor blood circulation. When using this product avoid contact with eyes, if product gets into the eye, flush with water for 15 minutes, avoid inhaling vapors and if discomfort persists, see your doctor or podiatrist. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions: Wash affected area and dry thoroughly. Apply one drop at a time with applicator to sufficiently cover each corn/callus. Let dry. Use cushions with hole centered over corn or callus to relieve pressure. Repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed). Other information: Store at 20° to 30° C (68° to 86° F). Inactive ingredient: Flexible colloid containing alcohol and ether.</p> <p>Questions? Call 1-866-964-0939</p> <p><small>DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED walgreens.com ©2013 Walgreen Co. MADE IN U.S.A. ITEM 159889 ORG0113-F CLW-2</small></p>
---	--	---

50-030WG

1.5" H

SALICYLIC ACID
liquid corn and callus remover liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-9889
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.17 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
PYROXYLIN (UNII: KYR8BR2X6O)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
CASTOR OIL (UNII: D5340Y2I9G)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9889-15	15 g in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	07/09/2008	
2	NDC:0363-9889-10	10 g in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	07/09/2008	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M030	07/09/2008	

Labeler - Walgreen Company (008965063)

Revised: 2/2024

Walgreen Company