

**MECLIZINE HCL 25 MG- meclizine hcl tablet  
REMEDYREPACK INC.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Meclizine HCL 25 mg**

***Drug Facts***

***Active ingredient (in each tablet)***

Meclizine HCL 25 mg

***Purpose***

Antiemetic

***Uses***

- prevents and treats nausea, vomiting or dizziness due to motion sickness
- for others uses, consult your doctor

***Warnings***

**Ask a doctor before use if you have**

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers

**When using this product**

- you may get drowsy
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Ask a doctor before use if you have**

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers

**When using this product**

- you may get drowsy
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- take dose one hour before travel starts
- tablets can be chewed or swallowed whole with water

**adults & children 12 years and over:** 1-2 tablets once daily

**children under 12 years:** ask a doctor

**Other information**

- **Phenylketonurics: each tablet contains:** phenylalanine 0.28 mg
- store at room temperature 15°-30°C (59°-86°F)
- This is a bulk package. Dispense contents with a child-resistant closure in a tight, light-resistant container as defined in the USP.

**Inactive ingredients**

aspartame, compressible sugar, croscarmellose sodium, dextrose, FD&C red # 40 (Al-lake), magnesium stearate, microcrystalline cellulose, raspberry flavor

**Questions or comments?**

call **516-341-0666**, 8:30 am - 4:30 pm ET, Monday - Friday

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

\*Reliable 1 Laboratories LLC is not affiliated with the owner of the trademark BONINE®.

Repackaged and Distributed By:

Remedy Repack, Inc.

625 Kolter Dr. Suite #4 Indiana, PA 1-724-465-8762

DRUG: Meclizine HCL 25 mg

GENERIC: Meclizine HCL

DOSAGE: TABLET

ADMINISTRATION: ORAL

NDC: 70518-3201-0

COLOR: pink

FLAVOR: RASPBERRY

SHAPE: ROUND

SCORE: Two even pieces

SIZE: 8 mm

IMPRINT: AP;115



PACKAGING: 30 in 1 BLISTER PACK

ACTIVE INGREDIENT(S):

- MECLIZINE HYDROCHLORIDE 25mg in 1

INACTIVE INGREDIENT(S):

- DEXTROSE
- FD&C RED NO. 40
- MAGNESIUM STEARATE
- CELLULOSE, MICROCRYSTALLINE
- RASPBERRY
- ASPARTAME
- SUCROSE
- CROSCARMELLOSE SODIUM

<h1>Meclizine HCl</h1> <p>Antiemetic</p> <p><b>25 mg</b></p> <p><b>Tablet</b></p> <p><b>QTY: 30</b></p> 	<p>NDC #: 70518-3201-00</p> <p>Expires:</p> <p>LOT #:</p> <p>Source NDC: 69618-0028-01</p> <p>MFG: Reliable 1 Laboratories, Valley Stream, NY 11580</p> <p><b>Keep this and all medication out of the reach of children</b></p>  <p>Directions For Use: See Package Insert</p> <p>Store at 20-25°C (68-77°F); excursions permitted to 15-30°C (59-86°F) [See USP]</p> <p>Repackaged by: RemedyRepack Inc., Indiana, PA 15701, 724.465.8762</p> <p><b>NOT FOR RETAIL SALE</b></p>
---	---

<b>MECLIZINE HCL 25 MG</b>			
meclizine hcl tablet			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70518-3201(NDC:69618-028)

Route of Administration ORAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

### Inactive Ingredients

Ingredient Name	Strength
DEXTROSE (UNII: IY9XDZ35W2)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
RASPBERRY (UNII: 4N14V5R27W)	
ASPARTAME (UNII: Z0H242BBR1)	
SUCROSE (UNII: C151H8M554)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	

### Product Characteristics

Color	pink (Light Raspberry color)	Score	2 pieces
Shape	ROUND	Size	8mm
Flavor	RASPBERRY	Imprint Code	AP;115
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70518-3201-0	30 in 1 BLISTER PACK; Type 0: Not a Combination Product	08/27/2021	



# MECLIZINE HCL 25MG CHEW TABLET

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part336	08/27/2021	

**Labeler** - REMEDYREPACK INC. (829572556)

Revised: 8/2021

REMEDYREPACK INC.