

SANKAIJO- docusate sodium, sennosides tablet
Sato Pharmaceutical Co., Ltd.

Sankaijo

Active ingredients (in each tablet)

Docusate sodium 8.33mg

Sennosides 1.36mg

Purposes

Docusate sodium Stool softener laxative

Sennosides Stimulant laxative

Uses

■for the relief of occasional constipation (irregularity)

■generally produces bowel movement in 6 to 12 hours

Warnings

Do not use laxative products for a period longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

■abdominal pain, nausea, or vomiting

■noticed a sudden change in bowel habits that persists over a period of 2 weeks

Ask a doctor or pharmacist before use if you are presently taking mineral oil

Stop use and ask a doctor if

■you have rectal bleeding or failure to have a bowel movement after use of a laxative (may indicate a serious condition)

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Frequent or prolonged use of this preparation may result in dependence on laxatives.

Directions

adults and children 12 years and older - take 6 to 12 tablets once or twice a day

children 6 to under 12 years - take 5 to 7 tablets once or twice a day

children 2 to under 6 years - take 3 to 5 tablets once or twice a day

children under 2 years - consult a doctor

■once or twice daily, preferably morning and evening, when needed or as directed by a doctor

■start initial dosage with minimum dose, then adjust it to suit to bowel condition

Other information

■each tablet contains calcium 5 mg

Inactive ingredients caramel, carmellose calcium, cinnamon, dibasic calcium phosphate, FDandC Blue No. 2, fennel, hydroxypropyl methylcellulose, magnesium

The image shows a box of Sankaijo laxative. The front panel has a green and white color scheme. At the top, it says '150 TABLETS' and 'NDC 49873-404-01'. Below that is the Sankaijo logo, which is a stylized green 'S' with the word 'Sankaijo' in a green font. Underneath the logo is the text 'BOTANICAL LAXATIVE' and 'Docusate Sodium: Stool Softener Laxative'. There are also botanical illustrations of plants. The back panel is white with green text. It contains a 'Drug Facts' section, 'Warnings', 'Directions', and 'Other information'. There is also a barcode at the bottom of the back panel.

ORAL

Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)		DOCUSATE SODIUM	8.33 mg	
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)		SENNOSIDES	1.36 mg	
Inactive Ingredients				
Ingredient Name			Strength	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)				
PAEONIA SUFFRUTICOSA ROOT BARK (UNII: BUG255FE7X)				
IPOMOEA NIL SEED (UNII: I85W45B4WB)				
PEG/PPG-105/5 COPOLYMER (UNII: 52901V8XAR)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
DIMETHICONE (UNII: 92RU3N3Y1O)				
FERRIC OXIDE RED (UNII: 1K09F3G675)				
TALC (UNII: 7SEV7J4R1U)				
CARAMEL (UNII: T9D99G2B1R)				
CARBOXYMETHYLCELLULOSE CALCIUM (UNII: UTY7PDF93L)				
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)				
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)				
FENNEL (UNII: 557II4LLC3)				
HYPROMELLOSE 2910 (15000 MPA.S) (UNII: 288VBX44JC)				
MAGNESIUM STEARATE (UNII: 70097M6I3O)				
Product Characteristics				
Color	brown (greenish brown)	Score	no score	
Shape	ROUND	Size	7mm	
Flavor	CINNAMON, MENTHOL	Imprint Code	SATO;9	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49873-404-01	1 in 1 CARTON	12/20/2002	
1		150 in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M007	12/20/2002	

Labeler - Sato Pharmaceutical Co., Ltd. (690575642)

Establishment			
Name	Address	ID/FEI	Business Operations
Sato Pharmaceutical Co., Ltd.		715699133	manufacture(49873-404) , label(49873-404) , pack(49873-404)

Revised: 11/2023

Sato Pharmaceutical Co., Ltd.