

**NORCALPHOS- norcalphos injection, solution**  
**Nova-Tech, Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Norcalphos IV**

**Parenteral Solution**

**FOR ANIMAL USE ONLY**

**Contraindications**

**Do not administer intraperitoneally to horses.**

**Indications**

For intravenous use in milk fever, and in calcium, phosphorus, magnesium and glucose deficiency in animals.

**Note**

Intravenous administration is always preferable. If used subcutaneously, always distribute dose in several places and massage to facilitate absorption.

**Dosage & Administration**

Cattle - 500 mL.

For milk fever prophylaxis, give 200-500 mL at time of calving.

Horses - 250-500 mL

Sheep - 50-125 mL

Repeat in 2 to 6 hours if needed.

This product contains no preservative. Unused portion remaining in bottle must be discarded.

**Caution**

Large doses administered intravenously may have toxic action on heart if the blood level of calcium is raised excessively. Doses should be carefully regulated according to severity of hypocalcemia and injected slowly so that administration may be stopped if toxic action becomes evident.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION:**

Federal law restricts this drug to use by or on the order of a licensed veterinarian.

**CONTAINS**

Calcium borogluconate, dextrose, magnesium borogluconate, calcium hypophosphite and base.

Total calcium chemically equivalent to calcium borogluconate .....  
26.0% w/v

Dextrose • H<sub>2</sub>O .....  
15.0% w/v

Magnesium Borogluconate .....  
6.0% w/v

Total phosphorus in amounts chemically equivalent to elemental phosphorus  
..... 0.5% w/v

**Store between 15°C-30°C (59°F-86°F).**

**TAKE TIME OBSERVE LABEL DIRECTIONS**

Manufactured by:

Nova-Tech, Inc.

Grand Island, NE 68801 USA

18-811

RMS 92-340

NDC# 65207-811-50

Net Contents:

500 mL (16.91 fl oz)

Assembled in USA

Lot No.

Exp. Date

## Indications

For intravenous use in milk fever, and in calcium, phosphorus, magnesium and glucose deficiency in animals.

## Contraindications

Do not administer intraperitoneally to horses.

## Note

Intravenous administration is always preferable. If used subcutaneously, always distribute dose in several places and massage to facilitate absorption.

## Dosage & Administration

**Cattle** - 500 mL

For milk fever prophylaxis, give 200 to 500 mL at time of calving.

**Horses** - 250 to 500 mL

**Sheep** - 50 to 125 mL

Repeat in 2 to 6 hours if needed.

This product contains no preservative. Unused portion remaining in bottle must be discarded.

## Caution


Large doses administered intravenously may have toxic action on heart if the blood level of calcium is raised excessively. Doses should be carefully regulated according to severity of hypocalcemia and injected slowly so that administration may be stopped if toxic action becomes evident.

## Manufactured by:

Nova-Tech, Inc. 18-811  
Grand Island, NE 68801 USA RMS 92-340

NDC# 65207-811-50

**NOVA-TECH**<sup>®</sup>  
ANIMAL HEALTH



**NET CONTENTS:**  
500 mL (16.91 fl oz)

## Contains

Calcium borogluconate, dextrose, magnesium borogluconate, calcium hypophosphite and base.

Total calcium chemically equivalent to calcium borogluconate.....26.0% w/v

Dextrose • H<sub>2</sub>O.....15.0% w/v

Magnesium Borogluconate ..... 6.0% w/v

Total phosphorus in amounts chemically equivalent to elemental phosphorus.....0.5% w/v

Store between 15°C-30°C (59°F-86°F).



Lot No.

Exp. Date

# NORCALPHOS

norcalphos injection, solution

## Product Information

<b>Product Type</b>	PRESCRIPTION ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:65207-811
<b>Route of Administration</b>	INTRAVENOUS, SUBCUTANEOUS		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Calcium Borogluconate</b> (UNII: 6915G2PQI0) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CATION	26 g in 100 mL
<b>DEXTROSE MONOHYDRATE</b> (UNII: LX22YL083G) (ANHYDROUS DEXTROSE - UNII:5SLOG7ROOK)	DEXTROSE MONOHYDRATE	15 g in 100 mL
<b>MAGNESIUM GLUCONATE</b> (UNII: T42NAD2KHC) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM GLUCONATE	6 g in 100 mL
<b>Phosphorus</b> (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	Phosphorus	0.5 g in 100 mL

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65207-811-50	500 mL in 1 BOTTLE, PLASTIC		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug			

unapproved drug other		08/22/2019	
--------------------------	--	------------	--

**Labeler** - Nova-Tech, Inc. (196078976)

**Registrant** - Nova-Tech, Inc. (196078976)

**Establishment**

Name	Address	ID/FEI	Business Operations
Nova-Tech, Inc.		196078976	manufacture, api manufacture, analysis

**Establishment**

Name	Address	ID/FEI	Business Operations
Zhejiang Ruibang Laboratories		544807456	api manufacture

Revised: 2/2023

Nova-Tech, Inc.