

**ALETRIS FARINOSA- aletris farinosa root pellet  
Boiron**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Aletris farinosa 30C**

Aletris farinosa 30C HPUS

Active ingredient\*\*: See product name on front panel (\*\*contains 0.443 mg of the active ingredient per pellet).

Relieves fatigue associated with constipation \*

Uses: See symptoms on front panel.

**Stop use and ask a doctor** if symptoms persist for more than 3 days or worsen.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

lactose, sucrose

**BoironUSA.com Info@boiron.com**  
**1-800-BOIRON-1** (1-800-264-7661)  
Distributed by Boiron, Inc.  
Newtown Square, PA 19073

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

**Aletris farinosa 30<sup>c</sup>**

Relieves fatigue associated with constipation \*

**BOIRON®**

Made in France HOMEOPATHIC MEDICINE

HPUS NDC 0220-0160-41

Do not use if pellet dispenser seal is broken

LOT	EXP
3 06960	03013 3

Contains approx. 80 pellets. US

Peel for Drugs Facts and instructions for use.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

Aletris farinosa 30 c

**Drug Facts**

**Active ingredient\*\*:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Drug Facts (continued)**

**Inactive ingredients:** lactose, sucrose

**Questions or comments?**  
 BoironUSA.com Info@Boiron.com  
 1-800-BOIRON-1 (1-800-264-7661)  
 \*\*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.  
 Distributed by Boiron Inc.  
 Newtown Square, PA 19073

**How to dispense pellets?**

- Turn tube upside down.
- Twist until 5 pellets are dispensed into cap.
- Carefully remove cap and use it to pour pellets under the tongue.

**Aletris farinosa 30<sup>c</sup>**

HPUS NDC 0220-0160-41

**BOIRON®**

HOMEOPATHIC MEDICINE Made in France

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

Aletris farinosa 30 c

HOMEOPATHIC MEDICINE      MADE IN FRANCE

Fatigue associated with constipation.\*

arinosa 30 c

TIONAL HOMEOPATHIC PRACTICE,  
EVIDENCE. NOT FDA EVALUATED.



Lot:

Exp:

3

06960

03013

3

Contains approx. 80 pellets.      US



Peel for **Drugs Facts** and instructions for use.

## Drug Facts

**Active ingredient\*\*:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information:** ■ Do not use if pellet dispenser seal is broken.

## Drug Facts (continued)

**Inactive ingredients:** lactose, sucrose

**Inactive ingredients:** lactose, sucrose

## Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.

Newtown Square, PA 19073

How to  
dispense pellets?



1 Turn tube upside down.



2 Twist until 5 pellets are dispensed into cap.



3 Carefully remove cap and use it to pour pellets under the tongue.

## ALETRIS FARINOSA

aletris farinosa root pellet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-0160
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALETRIS FARINOSA ROOT (UNII: O021JGR97X) (ALETRIS FARINOSA ROOT - UNII:O021JGR97X)	ALETRIS FARINOSA ROOT	30 [hp_C] in 30 [hp_C]

### Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>	ROUND	<b>Size</b>	4mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-0160-41	30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/03/1983	

**Labeler** - Boiron (282560473)

**Registrant** - Boiron, Inc. (014892269)

### Establishment

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-0160)

Revised: 4/2024

Boiron