

**BENZETHONIUM CHLORIDE AND DYCLONINE HYDROCHLORIDE- liquid
bandage liquid
CVS Pharmacy**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CVS Health Liquid Bandage

Active ingredients

Benzethonium chloride 0.2%

Dyclonine hydrochloride 0.75%

Purpose

First aid antiseptic

Topical analgesic

Uses

- first aid to prevent bacterial contamination in minor cuts, scrapes and burns
- for the temporary relief of pain

Warnings

For external use only.

Flammable:

Keep away from fire or flame.

Do not use

- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- deep or puncture wounds
- deep cuts
- animal bites
- serious burns

When using this product

- avoid contact with eyes.

Stop use and consult a doctor if

- condition persists or gets worse
- symptoms persist for more than 7 days or clear up and occur again within a few days
- infection occurs

Keep out of reach of children.

If swallowed, get medical help or call a Poison Control Center right away.

Directions

- for adults and children 2 years of age and older
- clean affected area
- apply a small amount on the area 1 to 3 times daily and let dry
- a second coating may be applied for extra protection
- children under 2 years of age: consult a doctor

Other information

- cap tightly
- store between 20° to 25° C (68° to 77°F)
- may temporarily sting upon application
- to remove, apply more Liquid Bandage and quickly wipe off

Inactive ingredient

acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

Questions?

Call 1-866-964-0939

Principal Display Panel

CVS Health

Liquid Bandage**FOR SMALL CUTS & WOUNDS**

TOPICAL ANALGESIC & ANTISEPTIC SEALS TO PROTECT

- Prevent infection
- Invisible & flexible
- Easy to use

Actual Bottle Size on Side Panel

1 FL OZ (29.6 mL)

PRINT SIDE GLUE

CVS Health.

Liquid Bandage

FOR SMALL CUTS & WOUNDS

TOPICAL ANALGESIC & ANTISEPTIC SEALS TO PROTECT

VALUE SIZE

CVS Health.

Compare to New-Skin[®]

NDC 69842-084-30

Liquid Bandage

FOR SMALL CUTS & WOUNDS

TOPICAL ANALGESIC & ANTISEPTIC SEALS TO PROTECT

- Prevents infection
- Invisible & flexible
- Easy to use



Actual Bottle Size on Side Panel



1 FL OZ (29.6 mL)

Use CVS Health[™] Liquid Bandage for:

- Paper cuts
- Blisters
- Chapped & cracked fingertips
- Shaving nicks
- Hangnails
- To help prevent the formation of calluses

Used by:

Bowlers, golfers, tennis players, fishermen, musicians, runners, hikers and dancers

Package Contains One Bottle

Actual Size

DO NOT USE IF NECKBAND IS BROKEN

Drug Facts

Active ingredients Purpose
Benzethonium chloride 0.2% First aid antiseptic
Dyclonine hydrochloride 0.75% Topical analgesic

Uses ■ first aid to prevent bacterial contamination in minor cuts, scrapes and burns ■ for the temporary relief of pain

Warnings

For external use only.

Flammable: Keep away from fire or flame.

Do not use

- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- deep or puncture wounds ■ deep cuts
- animal bites ■ serious burns

When using this product

- avoid contact with eyes.

Stop use and consult a doctor if

- condition persists or gets worse
- symptoms persist for more than 7 days or clear up and occur again within a few days
- infection occurs

Keep out of reach of children.

If swallowed, get medical help or call a Poison Control Center right away.

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2019 CVS/pharmacy
CVS.com[®] 1-800-SHOP CVS
Made in the U.S.A. with U.S. and imported parts
V-16372



Drug Facts (continued)

Directions

- for adults and children 2 years of age and older
- clean affected area
- apply a small amount on the area 1 to 3 times daily and let dry
- a second coating may be applied for extra protection
- children under 2 years of age: consult a doctor

Other information

- cap bottle tightly
- store between 20° to 25°C (68° to 77°F)
- may temporarily sting upon application
- to remove, apply more Liquid Bandage and quickly wipe off

Inactive ingredients

acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

Questions? Call 1-866-864-0939

Care: Wipe top of bottle clean after each use.

*This product is not manufactured or distributed by Moberg Pharma North America LLC, owner of the registered trademark New-Skin[®].

#369239

FPO 80%
UPC# 050428616710

X XXXXXX XXXXXX X

53-033CV-B01

NO VARNISH
AREA
(WHITE ONLY)



BENZETHONIUM CHLORIDE AND DYCLONINE HYDROCHLORIDE

liquid bandage liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-084
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	0.2 mg in 10 mL
DYCLONINE HYDROCHLORIDE (UNII: ZEC193879Q) (DYCLONINE - UNII:078A24Q300)	DYCLONINE HYDROCHLORIDE	0.75 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
PYROXYLIN (UNII: KYR8BR2X6O)	
ALCOHOL (UNII: 3K9958V90M)	
CASTOR OIL (UNII: D5340Y2I9G)	
ACETONE (UNII: 1364PS73AF)	
AMYL ACETATE (UNII: 92Q24NH7AS)	
ETHYL ACETATE (UNII: 76845O8NMZ)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:69842-084-30	10 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	06/01/2019	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC monograph not final	part333A		06/01/2019	

Labeler - CVS Pharmacy (062312574)

Revised: 1/2023

CVS Pharmacy