

**BENZETHONIUM CHLORIDE AND DYCLONINE HYDROCHLORIDE- liquid
bandage liquid
CVS Pharmacy**

CVS Health Liquid Bandage

Active ingredients

Benzethonium chloride 0.2%

Dyclonine hydrochloride 0.75%

Purpose

First aid antiseptic

Topical analgesic

Uses

- first aid to prevent bacterial contamination in minor cuts, scrapes and burns
- for the temporary relief of pain

Warnings

For external use only.

Flammable:

Keep away from fire or flame.

Do not use

- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- deep or puncture wounds
- deep cuts
- animal bites
- serious burns

When using this product

- avoid contact with eyes.

Stop use and consult a doctor if

- condition persists or gets worse
- symptoms persist for more than 7 days or clear up and occur again within a few days

- infection occurs

Keep out of reach of children.

If swallowed, get medical help or call a Poison Control Center right away.

Directions

- for adults and children 2 years of age and older
- clean affected area
- apply a small amount on the area 1 to 3 times daily and let dry
- a second coating may be applied for extra protection
- children under 2 years of age: consult a doctor

Other information

- cap tightly
- store between 20° to 25° C (68° to 77°F)
- may temporarily sting upon application
- to remove, apply more Liquid Bandage and quickly wipe off

Inactive ingredient

acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

Questions?

Call 1-866-964-0939

Principal Display Panel

CVS Health

Liquid Bandage

FOR SMALL CUTS & WOUNDS

TOPICAL ANALGESIC & ANTISEPTIC SEALS TO PROTECT

- Prevent infection
- Invisible & flexible
- Easy to use

Actual Bottle Size on Side Panel

1 FL OZ (29.6 mL)

PRINT SIDE GLUE

CVS Health.

Liquid Bandage

FOR SMALL CUTS & WOUNDS

TOPICAL ANALGESIC & ANTISEPTIC SEALS TO PROTECT

VALUE SIZE

CVS Health.

Compare to New-Skin[®]

NDC 69842-084-30

Liquid Bandage

FOR SMALL CUTS & WOUNDS

TOPICAL ANALGESIC & ANTISEPTIC SEALS TO PROTECT

- Prevents infection
- Invisible & flexible
- Easy to use



Actual Bottle Size on Side Panel



1 FL OZ (29.6 mL)

Use CVS Health™ Liquid Bandage for:

- Paper cuts
- Blisters
- Chapped & cracked fingertips
- Shaving nicks
- Hangnails
- To help prevent the formation of calluses

Used by:

Bowlers, golfers, tennis players, fishermen, musicians, runners, hikers and dancers

Package Contains One Bottle

Actual Size

DO NOT USE IF NECKBAND IS BROKEN

Drug Facts

Active ingredients Purpose
Benzethonium chloride 0.2% First aid antiseptic
Dyclonine hydrochloride 0.75% Topical analgesic

Uses ■ first aid to prevent bacterial contamination in minor cuts, scrapes and burns ■ for the temporary relief of pain

Warnings

For external use only.

Flammable: Keep away from fire or flame.

Do not use

- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- deep or puncture wounds ■ deep cuts
- animal bites ■ serious burns

When using this product

- avoid contact with eyes.

Stop use and consult a doctor if

- condition persists or gets worse
- symptoms persist for more than 7 days or clear up and occur again within a few days
- infection occurs

Keep out of reach of children.

If swallowed, get medical help or call a Poison Control Center right away.

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2019 CVS/pharmacy
CVS.com® 1-800-SHOP CVS
Made in the U.S.A. with U.S. and imported parts
V-16372



Drug Facts (continued)

Directions

- for adults and children 2 years of age and older
- clean affected area
- apply a small amount on the area 1 to 3 times daily and let dry
- a second coating may be applied for extra protection
- children under 2 years of age: consult a doctor

Other information

- cap bottle tightly
- store between 20° to 25°C (68° to 77°F)
- may temporarily sting upon application
- to remove, apply more Liquid Bandage and quickly wipe off

Inactive ingredients

acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

Questions? Call 1-866-864-0939

Care: Wipe top of bottle clean after each use.

*This product is not manufactured or distributed by Moberg Pharma North America LLC, owner of the registered trademark New-Skin[®].

#369239

FPO 80%
UPC# 050428616710

X XXXXXX XXXXXX X

53-033CV-B01

NO VARNISH
AREA
(WHITE ONLY)

DO NOT USE IF NECKBAND IS BROKEN

Active Ingredients: Benzethonium Chloride 0.2% and Dyclonine Hydrochloride 0.75%. **Purpose:** First aid antiseptic and topical analgesic. **Uses:** First aid to prevent bacterial contamination in minor cuts, scrapes, and burns. For the temporary relief of pain.

Warnings: For external use only. **Flammable:** Keep away from fire or flame. Do not use in eyes, over large areas of the body, and longer than 1 week unless directed by a doctor.

CVS Health NDC 69842-084-30

Liquid Bandage

FOR SMALL CUTS & WOUNDS

TOPICAL ANALGESIC & ANTISEPTIC SEALS TO PROTECT

1 FL OZ (29.6 mL)



Ask a doctor before use if you have deep or puncture wounds, deep cuts, animal bites and serious burns. **When using this product** avoid contact with eyes. **Stop use and ask a doctor** if condition persists or gets worse, symptoms persist for more than 7 days or clear up and occur again within a few days, and infection occurs. **Keep out of reach of children.** If swallowed, get medical help or call a Poison Control Center right away. **Directions:** For adults and children 2 years of age and older. Clean affected area. Apply a small amount on the area 1 to 3 times daily and let dry. A second coating may be applied for extra protection. Children under 2 years of age: consult a doctor. **Other information:** Cap bottle tightly. Store between 20° to 25°C (68° to 77°F). May temporarily sting upon application. To remove, apply more Liquid Bandage and quickly wipe off. **Inactive ingredients:** acetone, amyli acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

Questions? Call 1-866-964-0939

Care: Wipe top of bottle clean after each use. **Distributed by:** CVS Pharmacy, Inc. One CVS Drive, Woonsocket, RI 02895 © 2019 CVS/pharmacy CVS.com® 1-800-SHOP CVS Made in the U.S.A. with U.S. and imported parts V-16372

CVS Quality Money Back Guarantee

50-033CV-B01

BENZETHONIUM CHLORIDE AND DYCLONINE HYDROCHLORIDE

liquid bandage liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-084
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	0.2 mg in 10 mL
DYCLONINE HYDROCHLORIDE (UNII: ZEC193879Q) (DYCLONINE - UNII:078A24Q300)	DYCLONINE HYDROCHLORIDE	0.75 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
PYROXYLIN (UNII: KYR8BR2X6O)	
ALCOHOL (UNII: 3K9958V90M)	
CASTOR OIL (UNII: D5340Y2I9G)	
ACETONE (UNII: 1364PS73AF)	
AMYL ACETATE (UNII: 92Q24NH7AS)	
ETHYL ACETATE (UNII: 76845O8NMZ)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:69842-084-30	10 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	06/01/2019	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003		06/01/2019	

Labeler - CVS Pharmacy (062312574)

Revised: 1/2024

CVS Pharmacy