## ARSENICUM SULPHURATUM FLAVUM- arsenic trisulfide pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

#### Arsenicum sulphuratum flavum 30C

Arsenicum sulphuratum flavum 30C HPUS

Less than 10 <sup>-12</sup> mg arsenic per pellet

Active ingredient\*\*: See product name on front panel (\*\*contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Relieves dry cough aggravated by cold \*

**Stop use and ask a doctor** if symptoms persist for more than 3 days or worsen.

**If pregnant or breast-feeding,** ask a health professional before use.

#### Keep out of reach of children.

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

lactose, sucrose

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

**BoironUSA.com Info@boiron.com 1-800-BOIRON-1** (1-800-264-7661)

Distributed by Boiron, Inc.

Newtown Square, PA 19073




### **Drug Facts**

**Active ingredient**\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** 

**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.





# Dry cough aggravated by cold.\*

Lot: Exp:

03613 06960

Contains approx. 80 pellets. US

Peel for Drugs Facts and instructions for use.



## Drug Facts

**Active ingredient**\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.


**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions:** • Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ Do not use if pellet dispenser seal is broken.

**Drug Facts** (continued)

nactive ingradients lectors ou



### **ARSENICUM SULPHURATUM FLAVUM**

arsenic trisulfide pellet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-0545	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ARSENIC TRISULFIDE (UNII: 44SIJ800OX) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRISULFIDE	30 [hp_C] in 30 [hp_C]	

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)			

Product Characteristics					
Color	white	Score			

Shape	ROUND	Size	4mm
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:0220-0545- 41	30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983	

Marketing Information			
Marketing Category	Application Number or Monograph Marketin Citation Date	_	
unapproved homeopathic	03/03/1983		
	03/03/1983		

### **Labeler -** Boiron (282560473)

### Registrant - Boiron, Inc. (014892269)

Establishment				
Name	Address	ID/FEI	Business Operations	
Boiron		282560473	manufacture(0220-0545)	

Revised: 4/2024 Boiron