ACONITUM NAPELLUS- aconitum napellus pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Aconitum napellus 30C

Tube - Aconitum napellus 30C (**contains 0.443 mg of the active ingredient per pellet) (Less than 10^{-12} mg aconitine alkaloids per pellet)

Box - Aconitum napellus 30C HPUS (**contains 0.443 mg of the active ingredient in each pellet)

(contains less than 10 ⁻¹⁴ mg aconitine alkaloids)

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Box - Relieves high fever (up to 102 °F of sudden onset with dry skin*

Tube - High Fever (Up To 102F) Of Sudden Onset With Dry Skin*

Box - temporarily relieves symptoms of high fever (up to 102oF) of sudden onset with dry, hot, and red skin, cough, restlessness, agitation*

Tube - Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

Box - Stop use and ask a doctor if symptoms persist for more than 3 days, worsen, or new symptoms occur because these could be signs of a serious condition.

Tube - If pregnant or breast-feeding, ask a health professional before use.

Box - If pregnant or breast-feeding, ask a health professional before use.

Tube - Keep out of reach of children

Box - Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Tube - Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Box - Do not use if glued carton end flaps are open or if pellet dispenser seal is broken.

3 Tubes approx 80 pellets 16 Doses per tube Total 240 pellets

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed. Remove cap and pour pellets under the tongue.

No known drug interactions

Adults & Children

Meltaway pellets

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Tube - lactose, sucrose

Box - lactose, sucrose

Tube - Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Box - Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Tube: 1-800-BOIRON-1 (1-800-264-7661),


BoironUSA.com Info@boiron.com

Distributed by Boiron, Inc. Newtown Square, PA 19073

Box: 1-800-BOIRON-1 (1-800-264-7661),

BoironUSA.com Info@boiron.com

Distributed by Boiron, Inc. Newtown Square, PA 19073



Drug Facts

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ Do not use if pellet dispenser seal is broken.

Drug Facts (continued) **Inactive ingredients:** lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com 1-800-BOIRON-1 (1-800-264-7661)

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.


Distributed by Boiron Inc. Newtown Square, PA 19073













Aconitum napellus

30°



HOMEOPATHIC MEDICINE

Made in France

High fever (up to 102f) of sudden onset with dry skin.*



Lot:

Exp:

3 06960 01113 2

Contains approx. 80 pellets. US

Peel for Drugs Facts and instructions for use.



Drug Facts

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ Do not use if pellet dispenser seal is broken.

Drug Facts (continued) Inactive ingredients: lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc. Newtown Square, PA 19073









are dispensed into cap.



Twist until 5 pellets Carefully remove cap and use it to pour pellets under the tongue.

ACONITUM NAPELLUS

aconitum napellus pellet

Product Type HUMAN OTC DRUG **Item Code (Source)** NDC:0220-0035

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACONITUM NAPELLUS (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII: U0NQ8555JD)		30 [hp_C] in 30 [hp_C]

Inactive Ingredients

Ingredient Name Strength SUCROSE (UNII: C151H8M554)

LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)

Product Characteristics			
Color	white	Score	
Shape	ROUND	Size	4mm
Flavor		Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-0035- 41	30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983	
2	NDC:0220-0035- 43	3 in 1 BOX	09/01/2020	
2		30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/03/1983	

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment				
Name	Address	ID/FEI	Business Operations	
Boiron		282560473	manufacture(0220-0035)	

Revised: 6/2023 Boiron