AMYL NITROSUM- amyl nitrite pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Amyl nitrosum 30C

Amyl nitrosum 30C HPUS

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Relieves hot flash followed by cold sweats *

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

lactose, sucrose

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

BoironUSA.com Info@boiron.com 1-800-BOIRON-1 (1-800-264-7661)

Distributed by Boiron, Inc.

Newtown Square, PA 19073



Drug Facts

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.





Hot flash followed by cold sweats.*

osum 30 c

VIDENCE. NOT FDA EVALUA



Lot: Exp:

3 06960 04907 4

Contains approx. 80 pellets. US Peel for Drugs Facts and instructions for use.

Drug Facts

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ Do not use if pellet dispenser seal is broken.

Drug Facts (continued) **Inactive inaredients:** lactose, sucrose



AMYL NITROSUM

amyl nitrite pellet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0220-0301

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

AMYL NITRITE (UNII: 22T8Z09XAK) (AMYL NITRITE - UNII:22T8Z09XAK) AMYL NITRITE 30 [hp_C] in 30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength

LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)

SUCROSE (UNII: C151H8M554)

ľ	D		Ch-	racte		
ı	rnn	HICT	(na	racte	MISTI	

Color	white	Score	
Shape	ROUND	Size	4mm

Flavor	Imprint Code	
Contains		

l	Packaging					
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
		NDC:0220-0301- 41	30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983		

	Marketing Information					
pplication Number or Monograph Citation	Marketing Start Date	Marketing End Date				
	03/03/1983					
2		Citation Date				

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment				
Name	Address	ID/FEI	Business Operations	
Boiron		282560473	manufacture(0220-0301)	

Revised: 5/2024 Boiron