NASAL DECONGESTANT PE MAXIMUM STRENGTH- phenylephrine hcl tablet, film coated

Strategic Sourcing Services LLC

Foster and Thrive 44-453

Active ingredient (in each tablet)

Phenylephrine HCl 10 mg

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- diabetes
- thyroid disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
- children under 12 years: ask a doctor

Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

croscarmellose sodium, dextrose monohydrate, dibasic calcium phosphate dihydrate, FD&C red #40, lecithin, magnesium stearate, maltodextrin, microcrystalline cellulose, silicon dioxide, sodium carboxymethylcellulose, sodium citrate dihydrate, titanium dioxide

Questions or comments?

Call **833-358-6431**

Monday to Friday 9:00am to 7:00pm EST

Principal Display Panel

NDC 70677-1152-2

COMPARE TO THE ACTIVE INGREDIENT IN SUDAFED PE® SINUS CONGESTION*

Foster and Thrive™

MAXIMUM STRENGTH

Nasal Decongestant PE

Phenylephrine HCI 10 mg
NASAL DECONGESTANT

Pseudoephedrine free | Non-Drowsy

Relief of:

- Sinus Pressure
- Sinus Congestion

ACTUAL SIZE

36 TABLETS

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark SUDAFED PE® SINUS CONGESTION. 50844 ORG082045307 Rev. 02/23

© 2023 McKesson Corporation

Distributed by: McKesson Corp., via Strategic Sourcing Services LLC., Memphis, TN 38141 Money Back Guarantee www.fosterandthrive.com

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING



Nasal Decongestant PE

B-1243-453-07 ORG082045307

NDC 70677-1152-2

Foster & Thrive™

COMPARE TO THE ACTIVE INGREDIENT IN SUDAFED PE® SINUS CONGESTION*

MAXIMUM STRENGTH

Nasal Decongestant PE

Phenylephrine HCl 10 mg **NASAL DECONGESTANT**

Pseudoephedrine free | Non-Drowsy

Relief of:

- Sinus Pressure
- Sinus Congestion



ACTUAL SIZE

91896 11 65601

Money Back Guarantee

Services LLC., Memphis, TN 38141 Distributed by: McKesson Corp, via Strategic Sourcing

©2023 McKesson Corporation

Kev. 02/23 registered trademark SUDAFED PEP SINUS CONGESTION. 50844 ORCO82045307 This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the

T23 mq00:7 of ms00:9 ysbir7 of ysbnoM Questions or comments? Call 833-358-6431

citrate dihydrate, titanium dioxide cellulose, silicon dioxide, sodium carboxymethylcellulose, sodium lecithin, magnesium stearate, maltodextrin, microcnystalline monohydrate, dibasic calcium phosphate dihydrate, FD&C red #40 Inactive ingredients croscarmellose sodium, dextrose

- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°-30°C OPENED OR BLISTER IS TORN OR BROKEN ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS Other information
 - children under 12 years: ask a doctor
 - hours. Do not take more than 6 tablets in 24 hours. ■ adults and children 12 years and over: take 1 tablet every 4 Directions

help or contact a Poison Control Center right away. Keep out of reach of children. In case of overdose, get medical

If pregnant or breast-feeding, ask a health professional before Drug Facts (continued)

■ symptoms do not improve within 7 days or occur with fever ■ nervousness, dizziness, or sleeplessness occur

Stop use and ask a doctor if When using this product do not exceed recommended dosage.

- difficulty in urination due to enlargement of the prostate gland
 - thyroid disease high blood pressure
 - diab etes ■ heart disease
 - Ask a doctor before use if you have

before taking this product

prescription drug contains an MAOI, ask a doctor or pharmacist after stopping the MAOI drug. If you do not know if your or emotional conditions, or Parkinson's disease), or for 2 weeks oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric Do not use if you are now taking a prescription monoamine Warnings

hay fever or other upper respiratory allergies

- temporarily relieves nasal congestion due to the common cold,
 - temporarily relieves sinus congestion and pressure

Nasal decongestant Phenylephrine HCI 10 mg Purpose Active ingredient (in each tablet)

Drug Facts

EP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Foster and thrive 44-453

NASAL DECONGESTANT PE MAXIMUM STRENGTH

phenylephrine hcl tablet, film coated

SHOWS A

Product Information

Item Code (Source) Product Type HUMAN OTC DRUG NDC:70677-1152

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE -

UNII:1WS297W6MV)

PHENYLEPHRINE **HYDROCHLORIDE**

10 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)

CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K6790BS311)

TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Product Characteristics

Color	red	Score	no score
Shape	ROUND	Size	7mm
Flavor		Imprint Code	44;453
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:70677- 1152-2	2 in 1 CARTON	04/05/2023			
1		18 in 1 BLISTER PACK; Type 0: Not a Combination Product				
2	NDC:70677- 1152-1	1 in 1 CARTON	04/05/2023			
2		18 in 1 BLISTER PACK; Type 0: Not a Combination Product				

Marketing Application Number or Monograph Marketing Start Marketing End

Category	Citation	Date	Date
OTC Monograph Drug	M012	04/05/2023	

Labeler - Strategic Sourcing Services LLC (116956644)

Establishment				
Name	Address	ID/FEI	Business Operations	
LNK International, Inc.		832867837	manufacture(70677-1152), pack(70677-1152, 70677-1152)	

Establishment					
Name	Address	ID/FEI	Business Operations		
LNK International, Inc.		832867894	manufacture(70677-1152, 70677-1152)		

Establishment				
Name	Address	ID/FEI	Business Operations	
LNK International, Inc.		868734088	manufacture(70677-1152)	

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(70677-1152)

Revised: 4/2024 Strategic Sourcing Services LLC