AURUM METALLICUM- gold pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Aurum metallicum 9C

Aurum metallicum 9C

(**contains 0.443 mg of the active ingredient per pellet)

Irritability with intolerance to noise*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073



Irritability with intolerance to noise.*

llicum 9 c

VAL HOMEOPATHIC PRACTICALUATION OF THE PRACTICAL NOT FDA EVALUATION OF THE PRACTICAL PROPERTY OF THE PRACTICAL PROPERTY OF THE PRACTICAL PROPERTY OF THE PRACTICAL PROPERTY OF THE PRACTICAL PRACTICAL PROPERTY OF THE PRACTICAL PROPERTY OF THE PRACTICAL PRACTICAL PROPERTY OF THE P



Lot: Exp:

3 06960 09210 0

Contains approx. 80 pellets. US

Peel for Drugs Facts and instructions for use.

Drug Facts

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).


Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ Do not use if pellet dispenser seal is broken.

Drug Facts (continued) **Inactive ingredients:** lactose, sucrose



AURUM METALLICUM

gold pellet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-0665
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
GOLD (UNII: 79Y1949PYO) (GOLD - UNII:79Y1949PYO)	GOLD	9 [hp_C] in 9 [hp_C]	

Inactive Ingredients			
Ingredient Name	Strength		
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)			
SUCROSE (UNII: C151H8M554)			

Product Characteristics			
Color	white	Score	
Shape	ROUND	Size	4mm
Flavor		Imprint Code	

Contains

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		NDC:0220-0665- 41	9 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983	

	Marketing Information			
pplication Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	03/03/1983			
2		Citation Date		

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment				
Name	Address	ID/FEI	Business Operations	
Boiron		282560473	manufacture(0220-0665)	

Revised: 11/2023 Boiron