ACTIVICE- menthol liquid Medline Industries, LP

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

992 ActivICE roll-on

Active Ingredient

Menthol 8.0%

Purpose

Topical Analgesic

Uses

For the temporary relief of minor aches and pains of muscles and joints associated with:

- simple backache
- arthritis
- strains
- bruises
- sprains

Warnings

For external use only. Avoid contact with eyes.

Flammable: keep away from fire

or flame.

When using this product

- use only as directed
- do not bandage tightly or use with heating pad
- do not apply to wounds or damaged skin

Stop use and ask doctor if

- condition worsens, or if symptoms
- persist for more than 7 days or clear
- up and occur again within a few days
- redness is present
- excessiveirritation of the skin develops

If pregnant or breastfeeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children over 12 years:

roll directly onto affected area without the need to rub, massage or bandage repeat if necessary, but do not apply more than 4 times daily.

Children 12 years or younger:

ask a doctor.

Other information

• Store at room temperature.

Inactive Ingredients

boswellia serrata extract, carbomer, dimethylsulfone(MSM), eucalyptus oil, glucosamine sulfate, glycerin, peppermint oil, SD alcohol 39C, triethanolamine, water.

Manufacturing Information

Manufactured for:
Medline Industries, LP
Three Lakes Drive, Northfield, IL 60093 USA
Made in USA
www.medline.com
1-800-MEDLINE (633-5463)

REF: MDSAICEROLL, V4 RH23MFO

REF: MDSAICEROLLR, V3 RJ21MFO

Package Labels

Drug Facts

Active ingredient Purpose Menthol 8.0% Topical Analgesic

Uses For the temporary relief of minor aches and pains of muscles and joints associated with:

- simple backache arthritis
- strains bruises sprains

Warnings

For external use only. Avoid contact with eyes.

Flammable: keep away from fire or flame.


When using this product ■ USE only as directed - do not bandage tightly or use with heating pad - do not apply to wounds or damaged skin

Stop use and ask a doctor if

- condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days
- redness is present excessive irritation of the skin develops

If pregnant or breastfeeding, ask a health professional before use.





Activ**ICE**" Temporary Pain Relief

Cooling Menthol

Arthritis Muscle Aches Joint & Back Pain



3 FL OZ (88 mL)

NDC: 53329-992-69

Drug Facts(Continued)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children over 12 years: ■ roll directly onto affected area without the need to rub, massage or bandage repeat if necessary, but do not apply more than 4 times daily. Children 12 years or younger: ask a doctor.

Other information

Store at room temperature.

Inactive ingredients

boswellia serrata extract, carbomer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, glycerin, peppermint oil, SD alcohol 39C, triethanolamine, water (USP)

REF MDSAICEROLL

Not made with Natural Rubber Latex. Keep product upright. Handle with care. Protect from freezing, avoid excessive heat. www.medline.com Manufactured in USA for: Medline Industries. LP, Three Lakes Drive, Northfield, IL 60093 USA. 1-800-MEDLINE V4 RH23MFO 2-530 REV 03 / 0723

This product is not manufactured or distributed by Reckitt Benckiser oup PLC and/or its subsidiaries, owner of the registered trader



Drug Facts

Active ingredient Purpose Menthol 8.0% Topical Analgesic

Uses For the temporary relief of minor aches and pains of muscles and ioints associated with:

- simple backache arthritis
- strains bruises sprains

Warnings

For external use only. Avoid contact with eyes.

Flammable: keep away from fire or flame.

When using this product ■ use only as directed ■ do not bandage tightly or use with heating pad ■ do not apply to wounds or damaged skin

Stop use and ask a doctor if

- condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days
- redness is present excessive irritation of the skin develops

If pregnant or breastfeeding, ask a health professional before use. NDC: 53329-992-69



OFFICIAL TOPICAL PAIN RELIEF PARTNER

ActivICE

Powerful cooling, fast pain relief



Drug Facts (Continued)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
Adults and children over 12
years: ■ roll directly onto affected area
without the need to rub, massage or
bandage ■ repeat if necessary, but do
not apply more than 4 times daily.
Children 12 years or younger:
ask a doctor.

Other information

■ Store at room temperature

Inactive ingredients

boswellia serrata extract, carbomer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, glycerin, peppermint oil, SD alcohol 39C, triethanolamine, water (USP)

REF MDSAICEROLLR

PERFORMANCE

Not made with Natural Rubber Latex. Keep product upright.
Handle with care. Protect from freezing avoid excessive heat.
CO2L CURAD and PERFORMANCE SERIES are registered trademarks of Medline Industries, LP, IRONMAN is a registered trademark of The Ironman Group. Manufactured in USA for. Medline Industries, IP, Three Lakes Drive, Northfield, IL 60093 USA V 3R.ZIMFO 2-337 Rev O2
Visitus at www.curad.com.or call: 1-800-633-5463

duct is not manufactured or distributed by Reckitt Benckiser Group



ACTIVICE

menthol liquid

Product Information	oduct Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53329-992		
Route of Administration	TOPICAL				

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	80 g in 1000 g	

Inactive Ingredients		
Ingredient Name	Strength	
CARBOMER 940 (UNII: 4Q93RCW27E)		
ALCOHOL (UNII: 3K9958V90M)		
GLUCOSAMINE SULFATE (UNII: 1FW7WLR731)		
TROLAMINE (UNII: 903K93S3TK)		
GLYCERIN (UNII: PDC6A3C0OX)		
BOSWELLIA SERRATA RESIN OIL (UNII: 5T1XCE6K8K)		
DIMETHYL SULFONE (UNII: 9H4PO4Z4FT)		
PEPPERMINT OIL (UNII: AV092KU4JH)		
WATER (UNII: 059QF0KO0R)		
EUCALYPTUS OIL (UNII: 2R040NI662)		

	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
l	1	NDC:53329- 992-69	85 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/04/2019	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	03/04/2019	

Labeler - Medline Industries, LP (025460908)

Registrant - Medline Industries, LP (025460908)

Revised: 8/2023 Medline Industries, LP