ZINCUM VALERIANICUM- zinc valerate dihydrate pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Zincum valerianicum 30C

Zincum valerianicum 30C

(**contains 0.443 mg of the active ingredient per pellet)

Hiccups *

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue. *CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073





Drug Facts

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: Do not use if pellet dispenser seal is broken.

Drug Facts (continued) Inactive ingredients: lactose, sucrose



| ZINCUM VALERIANICUM zinc valerate dihydrate pellet | | | | | | | |
|---|----------------|--------------|------------|---------------------------|--|--|--|
| , , , , , , , , , , , , , , , , , , , | | | | | | | |
| Product Information | | | | | | | |
| Product Type | HUMAN OTC DRUG | ltem Cod | e (Source) | NDC:0220-5489 | | | |
| Route of Administration | ORAL | | | | | | |
| | | | | | | | |
| Active Ingredient/Active Moiety | | | | | | | |
| - | n Strength | | | | | | |
| Ingredient NameBasis of StrengthZINC VALERATE DIHYDRATE (UNII: MN0RX54EQA) (VALERIC ACID - UNII:GZ K92PJM7B)ZINC VALERATE DIHYDRATE | | | | 30 [hp_C] in 30 [hp_C] | | | |
| Inactive Ingredients | | | | | | | |
| | Strength | | | | | | |
| LACTOSE, UNSPECIFIED FORM | | | | | | | |
| SUCROSE (UNII: C151H8M554) | | | | | | | |
| | | | | | | | |
| Product Characteristics | | | | | | | |
| Color | white | Score | | | | | |
| Shape | ROUND | Size | | 4mm | | | |
| Flavor | | Imprint Code | | | | | |

| | ntains | | | |
|-----|--|--|-------------------------|-----------------------|
| | | | | |
| Pa | ackaging | | | |
| # | ltem Code | Package Description | Marketing Start Date | Marketing End Date |
| | NDC:0220-5489- 41 | 30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product | 03/03/1983 | |
| | | | | |
| | | | | |
| Μ | arketing | Information | | |
| Μ | arketing Marketing Category | Information Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| una | Marketing | Application Number or Monograph | | Marketing End Date |

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

| Establishment | | | | | | |
|---------------|---------|-----------|----------------------------|--|--|--|
| Name | Address | ID/FEI | Business Operations | | | |
| Boiron | | 282560473 | manufacture(0220-5489) | | | |

Revised: 11/2023

Boiron