

BORAX- sodium borate pellet
Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Borax 6C

Active ingredient** (in each pellet)

Borax 6C HPUS (0.44 mg)

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Purpose*

Relieves minor canker sore pain or mouth irritations

Uses*

temporarily relieves symptoms of canker sores or minor mouth and gum irritations such as:

- pain
- soreness
- discomfort

Tube- Canker Sores*

Stop use and ask a doctor if

- sore mouth symptoms do not improve in 3 days
- irritation, pain, or redness persists or worsens
- swelling, rash, or fever develops.

Tube- Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case overdose, get medical help or contact a Poison Control Center right away.

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

- do not use if glued carton end flaps are open or if pellet dispenser seal is broken
- contains 0.25 g of sugar per dose

Canker Sore Relief*

Pain Soreness Discomfort*

3 TUBES

APPROX. 80 PELLETS EACH

TOTAL 240 PELLETS

16 DOSES PER TUBE

Relieves Minor Sores & Irritation from Dentures or Braces*

Turn tube upside down Twist until 5 pellets are dispensed Remove cap and pour pellets under the tongue

Tube-

Do not use if pellet dispenser seal is broken.

Contains approx. 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

***CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.**

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

1-800-BOIRON-1 (1-800-264-7661),


BoironUSA.com Info@boiron.com

Distributed by Boiron, Inc. Newtown Square, PA 19073

NDC 0220-0819-41

CANKER SORE RELIEF*

Pain • Soreness
Discomfort*



1 TUBE **FREE** INSIDE

Borax BORAX 6C — MELTAWAY PELLETS

HOMEOPATHIC MEDICINE

Relieves Minor Mouth Sores & Irritation from Dentures or Braces*



BOIRON
World Leader in Homeopathic Medicines

1 FREE
3 TUBES
APPROX. 80 PELLETS EACH
TOTAL 240 PELLETS

- Turn tube upside down
- Twist until 3 pellets are dispensed
- Remove cap and place pellets under tongue



The Boiron Promise
Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.

Made in France
Distributed by Boiron Inc.,
Memphis Square, TN 38078
Boiron logo
FREE APP
Boiron Medicine Finder

CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED.
*CL, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

Drug Facts
Active ingredient(s) (in each pellet): Borax 6C 150S 600 mg *Active ingredient(s) are not FDA approved. The name "150S" indicates that the product is officially recognized in the homeopathic Pharmacopoeia of the United States.
Uses Use to relieve minor symptoms of canker sores or minor mouth and gum irritation such as: • pain • soreness • discomfort
Warnings • Do not use and take a doctor if: • you are pregnant or nursing • you are taking any other medicine or have any other medical conditions or are taking any other medicine • you are taking any other medicine or have any other medical conditions or are taking any other medicine
Directions • Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor. • Infants: 1 pellet under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.
Other information • Do not use if found cracked and then use open or if pellet dispenser seal is broken. • Contains 0.25 g of sugar per dose.
Inactive ingredients Lactose, sucrose
Questions or comments? Boiron USA, Inc. 1-800-828-2828 (1-800-828-2829)

No Water Needed
Medicines Pellets
No Artificial Sweeteners, Flavors, Colors, or Preservatives

Compassionate Code

Borax

*CL NOT

BORAX

6^c

HPUS NDC 0220-0889-41



Canker sores.*

Borax 6 c



Lot:

Exp:

3 06960 12908 0

Contains approx. 80 pellets. US



Peel for Drugs Facts and instructions for use.

AIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE,
ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

Drug Facts

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ Do not use if pellet dispenser seal is broken.

Drug Facts (continued)

Inactive ingredients: lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

**C, K, CK, and X are homeopathic dilutions: see
BoironUSA.com/info for details.

Distributed by Boiron Inc.
Newtown Square, PA 19073

How to
dispense pellets?



1 Turn tube upside down.



2 Twist until 5 pellets are dispensed into cap.



3 Carefully remove cap and use it to pour pellets under the tongue.

BORAX

sodium borate pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-0889
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM BORATE (UNII: 91MBZ8H3QO) (BORATE ION - UNII:44OAE30D22)	SODIUM BORATE	6 [hp_C] in 6 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white	Score	
Shape	ROUND	Size	4mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-0889-41	6 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983	
2	NDC:0220-0889-43	3 in 1 BOX	05/12/2022	
2		6 [hp_C] in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/03/1983	

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-0889)

Revised: 1/2023

Boiron