

LEGEND S.A.- iodine solution
Ecolab Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

NOT FOR HUMAN USE

Attention

For External Use Only

Wash hands thoroughly after handling.

Get medical advice/ attention if you feel unwell.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect

DIRECTIONS:

LEGEND S.A. CONCENTRATE MUST BE DILUTED BEFORE USE

DO NOT MIX WITH ANYTHING BUT COOL, POTABLE WATER

FOR USE ONLY IN A DISPENSING SYSTEM RECOMMENDED BY ECOLAB

Dilution Parameter: A dilute solution of a 0.5% iodine teat dip will consist of 87.5% potable water and 12.5% Legend S.A. Concentrate by volume. A dilute solution of a 1% iodine teat dip will consist of 75% potable water and 25% Legend S.A. Concentrate by volume.

IMPORTANT: Do not mix Legend S.A. Concentrate or diluted Legend S.A. Concentrate with any other products unless specified in the product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Legend S.A. Concentrate.

If product in dip cup becomes visibly dirty, discard contents and replenish with diluted, ready-to-use product. Do not reuse or return any unused product to the original container.

Before Milking: Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping.

Application of Diluted Legend S.A. Concentrate

Directions for Teat Dipping

Pre-Milk Dipping: Fill teat dip cup with diluted Legend S.A. Concentrate. Before each cow is milked, dip each teat full-length into the teat dip cup containing diluted Legend S.A. Concentrate. Wipe teats dry after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Immediately after each milking, dip each teat full-length into the teat dip cup containing diluted Legend S.A. Concentrate. Allow to air dry. Do not wipe. Always use fresh, diluted Legend S.A. Concentrate. Do not turn cows out in freezing weather until teat dip is completely dry.

Directions for Teat Spraying

Pre-Milk Spraying: Before each cow is milked, spray entire teat with diluted Legend S.A. Concentrate. Wipe teats after spraying using single-service towels to avoid contamination of milk.

Post-Milk Spraying: Immediately after each milking, spray entire teat with diluted Legend S.A. Concentrate. Allow to air dry. Do not wipe. Always use fresh, diluted Legend S.A. Concentrate. Do not turn cows out in freezing weather until diluted Legend S.A. Concentrate is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PRECAUTION: Legend S.A. Concentrate is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

NOTE: Use blended Legend S.A. Concentrate within six (6) months of blended date.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

KEEP OUT OF REACH OF CHILDREN

FOR INDUSTRIAL USE ONLY

NOT FOR HUMAN USE

Read other label for directions for use, first aid and precautionary statements

Principal Display panel and representative label

Legend™ S.A. Concentrate

Iodine Teat Dip Concentrate

An aid in reducing the spread of organisms which may cause mastitis

ACTIVE INGREDIENT:

Titrateable Iodine..... 3.6%

INERT INGREDIENTS:..... 96.4%

(contains propylene glycol, glycerin)

TOTAL:..... 100.0%

Attention | Atención

KEEP OUT OF REACH OF CHILDREN

FOR INDUSTRIAL USE ONLY

NOT FOR HUMAN USE

Read other label for directions for use, first aid and precautionary statements

766871/5301/0217

56.8 L (15 US GAL)

6302029

ECOLAB®

Legend™ S.A. Concentrate

Iodine Teat Dip Concentrate

Baño antiséptico concentrado para pezones con iodo

An aid in reducing the spread of organisms which may cause mastitis | Ayuda a evitar la proliferación de organismos que pueden causar mastitis

ACTIVE INGREDIENT:

Titrateable Iodine..... 3.6%

INERT INGREDIENTS:..... 96.4%

(contains propylene glycol, glycerin)

TOTAL:..... 100.0%

Attention | Atención

KEEP OUT OF REACH OF CHILDREN | MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

FOR INDUSTRIAL USE ONLY | PARA USO INDUSTRIAL SOLAMENTE

NOT FOR HUMAN USE | NO ES PARA USO HUMANO



Teat Dip
Baño de tetina



Teat Spray
Rocador de tetina

Read other label for directions for use, first aid and precautionary statements

Lea la otra etiqueta para direcciones de uso, primeros auxilios y medidas preventivas

766871/5301/0217

56.8 L (15 US GAL)
6302029





Legend™ S.A. Concentrate

Iodine Teat Dip Concentrate

FOR INDUSTRIAL USE ONLY

DIRECTIONS:

LEGEND S.A. CONCENTRATE MUST BE DILUTED BEFORE USE

DO NOT MIX WITH ANYTHING BUT COOL, POTABLE WATER

FOR USE ONLY IN A DISPENSING SYSTEM RECOMMENDED BY ECOLAB

Dilution Parameter: A dilute solution of a 0.5% iodine teat dip will consist of 87.5% potable water and 12.5% Legend S.A. Concentrate by volume. A dilute solution of a 1% iodine teat dip will consist of 75% potable water and 25% Legend S.A. Concentrate by volume.

IMPORTANT: Do not mix Legend S.A. Concentrate or diluted Legend S.A. Concentrate with any other products unless specified in the product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Legend S.A. Concentrate. If product in dip cup becomes visibly dirty, discard contents and replenish with diluted, ready-to-use product. Do not reuse or return any unused product to the original container.

Before Milking: Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping.

Application of Diluted Legend S.A. Concentrate

Directions for Teat Dipping

Pre-Milk Dipping: Fill teat dip cup with diluted Legend S.A. Concentrate. Before each cow is milked, dip each teat full-length into the teat dip cup containing diluted Legend S.A. Concentrate. Wipe teats dry after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Immediately after each milking, dip each teat full-length into the teat dip cup containing diluted Legend S.A. Concentrate. Allow to air dry. Do not wipe. Always use fresh, diluted Legend S.A. Concentrate. Do not turn cows out in freezing weather until teat dip is completely dry.

Directions for Teat Spraying

Pre-Milk Spraying: Before each cow is milked, spray entire teat with diluted Legend S.A. Concentrate. Wipe teats after spraying using single-service towels to avoid contamination of milk.

Post-Milk Spraying: Immediately after each milking, spray entire teat with diluted Legend S.A. Concentrate. Allow to air dry. Do not wipe. Always use fresh, diluted Legend S.A. Concentrate. Do not turn cows out in freezing weather until diluted Legend S.A. Concentrate is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PRECAUTION: Legend S.A. Concentrate is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

NOTE: Use blended Legend S.A. Concentrate within six (6) months of blended date.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

Attention

For External Use Only

Wash hands thoroughly after handling.

Get medical advice/ attention if you feel unwell.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

This product may be patented | Este producto puede ser patentado: www.ecolab.com/patents

Ecolab - 1 Ecolab Place - St Paul MN 55102 USA - tel: 1 800 392 3392
© 2017 Ecolab USA Inc. - All rights reserved | Todos los derechos reservados
Made in U.S.A. | Hecho en EE.UU.
www.ecolab.com - 766814/530/0217

Baño antiséptico concentrado para pezones con iodo

PARA USO INDUSTRIAL SOLAMENTE

INSTRUCCIONES:

LEGEND S.A. CONCENTRATE DILUIR ANTES DE USAR

NO MEZCLAR CON NADA QUE NO SEA AGUA POTABLE FRÍA

USAR ÚNICAMENTE EN UN SISTEMA DE DOSIFICACIÓN RECOMENDADO POR ECOLAB

Parámetro de dilución: Una solución diluida de baño antiséptico para pezones con iodo al 0,5% contendrá 87,5% de agua potable y 12,5% de Legend S.A. Concentrate por volumen. Una solución diluida de baño antiséptico para pezones con iodo al 1% contendrá 75% de agua potable y 25% de Legend S.A. Concentrate por volumen.

IMPORTANTE: No mezcle Legend S.A. Concentrate o Legend S.A. Concentrate diluido con otros productos a menos que se indique en las instrucciones de uso del producto. Si el producto fuese transferido desde este envase a cualquier otro, asegúrese de que ese otro envase haya sido íntegramente prelavado y que contenga el etiquetamiento del envase de Legend S.A. Concentrate.

Si el producto en el recipiente para realizar el baño está visiblemente sucio, deseché el contenido y rellene el recipiente con producto diluido y listo para usar. No vuelva a utilizar el mismo producto, ni vuelva a colocar el producto sin usar dentro del envase original.

Antes de ordeñar: Lave los pezones completamente justo antes de ordeñar con una solución de lavado apropiada para ubres o baño antiséptico para pezones previo al ordeño, o rocíe el pezón para evitar la contaminación de la leche. Posteriormente, los pezones se deben secar con toallas de servicio único o descartables. Utilice el procedimiento adecuado para el lavado o el prebado antiséptico de las ubres.

Aplicación de dilución Legend S.A. Concentrate

Instrucciones para realizar el sellado del pezón

Sellado del pezón previo al ordeño: Llene el recipiente para el baño de pezones con Legend S.A. Concentrate diluido. Antes de ordeñar cada vaca, bañe toda la superficie del pezón en el recipiente que contiene Legend S.A. Concentrate diluido. Seque los pezones después de realizar el sellado, utilizando toallas desechables para evitar la contaminación de la leche.

Sellado del pezón posterior al ordeño: Inmediatamente después de ordeñar cada vaca, bañe toda la superficie del pezón en el recipiente que contiene Legend S.A. Concentrate diluido. Deje secar al aire. No utilice paños. Siempre utilice Legend S.A. Concentrate fresco y diluido. Hasta que Legend S.A. Concentrate no se haya secado completamente, no saque las vacas al exterior en climas cálidos.

Instrucciones para el Rociado de los Pezones

Rociado previo al ordeño: Antes de ordeñar cada vaca, rocíe toda la superficie del pezón con Legend S.A. Concentrate diluido. Seque los pezones después de rociarlos utilizando toallas de un solo servicio para evitar la contaminación con la leche.

Rociado posterior al ordeño: Inmediatamente después de ordeñar cada vaca, rocíe toda la superficie del pezón con Legend S.A. Concentrate diluido. Deje secar al aire. No utilice paños. Siempre utilice Legend S.A. Concentrate fresco y diluido. No deje las vacas en un clima helado antes de que Legend S.A. Concentrate diluido se haya secado por completo.

Uso Expandido: Al refrescar a las vacas, comience con un baño antiséptico de sus pezones dos veces por día por aproximadamente 10 días antes de parir.

PRECAUCIÓN: Legend S.A. Concentrate no está diseñado para curar o ayudar con la cicatrización de los pezones agrietados o irritados. Como cualquier otro germicida, puede provocar irritación o sensibilización en animales sensibles. En caso de irritación o agrietamiento de los pezones, haga examinar dichas afecciones y, de ser necesario, hágalas tratar con un veterinario.

AVISO: Utilice Legend S.A. Concentrate mezclado dentro de los seis (6) meses a partir de la fecha de mezclado.

Consulte con su representante de Ecolab para obtener instrucciones específicas sobre el uso y el equipo dispensador recomendado.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

NO ES PARA USO HUMANO

Atención

Solo de uso externo

Lavarse las manos cuidadosamente después de la manipulación.

Consultar a un médico si la persona se encuentra mal.

LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO

INFORMACIÓN DE EMERGENCIA SOBRE SALUD: 1 800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cobro revertido al 1 651 222 5352 (número en los EE.UU.).

LEGEND S.A.

iodine solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:47593-574
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47593-574-17	56800 mL in 1 PAIL		
2	NDC:47593-574-21	208000 mL in 1 DRUM		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/11/2016	

Labeler - Ecolab Inc. (006154611)

Revised: 7/2023

Ecolab Inc.