FAMOTIDINE- famotidine tablet, film coated, extended release SPIRIT PHARMACEUTICALS,LLC

HEARTBURN RELIEF

Drug Facts

Active ingredient (in each tablet)

Famotidine USP 10mg

Purpose

Acid reducer

Uses

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

Warnings

Allergy alert

Do not use if you are allergic to famotidine or other acid reducers

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness**, **sweating** or **dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding, ask a health professional before use

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over:
 - to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
 - to **prevent** symptoms, swallow 1 tablet with a glass of water **60 minutes before** eating food or drinking beverages that cause heartburn
 - do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

Other information

- store at 25°-30°C (77°-86°F).
- read the directions and warnings before use
- protect from moisture.
- keep the carton and package insert. They contain important information.

Inactive ingredients

hydroxypropyl cellulose, hypromellose, iron oxide red, magnesium stearate, microcrystalline cellulose, polyethylene glycol 400, pregelatinized starch, talc, titanium dioxide

Questions or comments?

1-800-xxx-xxxx

Distributed By: Greenbrier International, Inc.

Chesapeake, VA 23320

PRINCIPAL DISPLAY PANEL - 12 Tablet Blister Pack Carton

 $ASSURED^{TM}$

Compare to the active ingredient in Pepcid® AC*

Original Strength HEARTBURN RELIEF

FAMOTIDINE TABLETS USP, 10 mg

ACID REDUCER

Just One Tablet Relieves & Prevents Heartburn Due to Acid Indigestion

12 TABLETS (12 DOSES)

microcrystalline cellulose, polyethylene glycol 400, pregelatinized starch, talc, titanium dioxide Inactive ingredients hydroxypropyl cellulose, hypromellose, iron oxide red, magnesium stearate,

- keep the carton and package insert. They contain important information. ■ protect from moisture.
 - store at 25°-30°C (77°-86°F).
 read the directions and warnings before use

Other information

- do not use more than 2 tablets in 24 hours children under 12 years: ask a doctor
- drinking beverages that cause heartburn ■ to prevent symptoms, swallow 1 tablet with a glass of water 60 minutes before eating food or
 - to relieve symptoms, swallow 1 tablet with a glass of water. Do not chew.
 - adults and children 12 years and over:

eep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. If pregnant or breast-feeding, ask a health professional before use

more than 14 days

■your heartburn continues or worsens you need to take this product for

Stop use and ask a doctor if

Ask a uncontributed use in you have the stribute desiring to a many marks a uncondition.

In hearthour with lightheadedness, sweating to arms, neck or shoulders; or lightheadedness trequent shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness trequent chest pain to be strictlarly with hearthour unexplained weight loss in nauses or chest pain.

Ask a doctor before use if you have 🔳 had heartburn over 3 months. This may be a sign of a more serious

Do not use ■ if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor. ■ with other acid reducers

Allergy aled: Do not use if you are allergic to famotidine or other acid reducers

certain food and beverages

prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking ■ relieves hearburn associated with acid indigestion and sour stomach

Drug Facts (continued)

Famotidine USP 10mg.....gm01

Acid reducer Purpose

Active ingredient (in each tablet)

Drug Facts

Compare to the active ingredient in Pepcid® AC



Original Strength

EARTBURN RELIEF

FAMOTIDINE TABLETS USP, 10 mg

ACID REDUCER

Just One Tablet Relieves & Prevents Heartburn Due to

MPORTANT: Read NOT USE IF THE INDIVIDUAL BUSTER UNIT IS OPEN OR TORN leaflet and warnings befo



FAMOTIDINE

famotidine tablet, film coated, extended release

Product Information

Product TypeHUMAN OTC DRUGItem Code (Source)NDC:68210-0007

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient NameBasis of StrengthStrengthFAMO TIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)FAMOTIDINE10 mg

Inactive Ingredients Ingredient Name Strength HYDROXYPROPYL CELLULOSE (TYPE H) (UNII: RFW2ET671P) TALC (UNII: 7SEV7J4R1U) FERRIC OXIDE RED (UNII: 1K09F3G675) POLYETHYLENE GLYCOL 400 (UNII: 8697894SGQ) CELLULOSE, MICRO CRYSTALLINE (UNII: OP1R32D61U) WATER (UNII: 059QF0KO0R) MAGNESIUM STEARATE (UNII: 70097M6I30) HYPROMELLOSES (UNII: 3NXW29V3WO) TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)

Product Characteristics							
Color	PINK	Score	no score				
Shape	OVAL	Size	8 mm				
Flavor		Imprint Code	W972				
Contains							

P	Packaging							
#	Item Code	Package Description	Marketing Start Date	Marketing End Date				
1	NDC:68210-0007-0	2 in 1 CARTON						
1		6 in 1 BLISTER PACK						

Marketing Information							
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
ANDA	ANDA077146	08/19/2013					

Labeler - SPIRIT PHARMACEUTICALS,LLC (179621011)

Revised: 8/2013 SPIRIT PHARMACEUTICALS,LLC