ANTIMONIUM TARTARICUM- antimony potassium tartrate pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Antimonium tartaricum 200CK

Antimonium tartaricum 200CK

Less than 10⁻¹² mg antimony per pellet

(**contains 0.443 mg of the active ingredient per pellet)

Thick Mucus And Non Productive Cough*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073



HUMEUPATHIC MEDICINE Made in France

HPUS NDC 0220-0386-41

Less than 10 ⁻¹² mg antimony per pellet Do not use if pellet dispenser seal is broken



LOT:

EXP:

3

06960

060314

Contains approx. 80 pellets. US Peel for Drugs Facts and instructions for use.

DENCE. NOT FDA EVALUATED. aricum 200 ck

Drug Facts

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ Do not use if pellet dispenser seal is broken.

Drug Facts (continued)

Questions or comments?

BoironUSA.com Info@Boiron.com 1-800-B0IRON-1 (1-800-264-7661)

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc. Newtown Square, PA 19073

dispense pellets?







Turn tube upside down.

into cap.

Twist until 5 pellets Carefully remove cap are dispensed and use it to pour pellets under the tongue.

Antimonium tartaricum

200 ck

HPUS NDC 0220-0386-41



HOMEOPATHIC MEDICINE

Made in France

Thick mucus and non productive cough.*



Lot:

Exp:

Antimonium tartaricum 200 ck





US

Drug Facts

Active ingredient*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: - Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ Do not use if pellet dispenser seal is broken.


Drug Facts (continued) Inactive ingredients: lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com 1-800-B0IR0N-1 (1-800-264-7661)

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc. Newtown Square, PA 19073



ANTIMONIUM TARTARICUM

antimony potassium tartrate pellet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0220-0386

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

ANTIMONY POTASSIUM TARTRATE (UNII: DL6OZ476V3) (ANTIMONY
CATION (3+) - UNII:069647RPT5)

Basis of Strength

ANTIMONY POTASSIUM
TARTRATE

200 [kp_C]
in 200 [kp_C]

Inactive Ingredients

Ingredient Name

Strength

LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)

SUCROSE (UNII: C151H8M554)

Product Characteristics Color white Score Shape ROUND Size 4mm Flavor Imprint Code

Packaging								
#	tem Code	Package Description	Marketing Start Date	Marketing End Date				
1	NDC:0220- 0386-41	200 [kp_C] in 1 TUBE; Type 0: Not a Combination Product 03/03/1983						

Marketing Information								
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date						
	03/03/1983							
1	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date						

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment								
Name	Address	ID/FEI	Business Operations					
Boiron		282560473	manufacture(0220-0386)					

Revised: 12/2023 Boiron