

**ZINCUM SULPHURICUM- zinc sulfate heptahydrate pellet**  
**Boiron**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**ZINCUM SULPHURICUM 30C**

ZINCUM SULPHURICUM 30C

(\*\*contains 0.443 mg of the active ingredient per pellet)

Muscle cramps in legs and arms

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661),

BoironUSA.com Info@boiron.com

Distributed by Boiron, Inc. Newtown Square, PA 19073

**Zincum sulphuricum 30<sup>c</sup>**

HPUS NDC 0220-5485-41

**BOIRON®**

**HOMEOPATHIC MEDICINE**      **Made in France**

**Zincum sulphuricum 30<sup>c</sup>**

**\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE**

Muscle cramps in legs and arms.\*



Lot:

Exp:

3

06960

82313

1

Contains approx. 80 pellets.

US

Peel for Drugs Facts and instructions for use.

anicuricum 30 c

ONAL HOMEOPATHIC PRACTICE,  
IDENCE. NOT FDA EVALUATED.

## Drug Facts

**Active ingredient\*\*:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information:** ■ Do not use if pellet dispenser seal is broken.

## Drug Facts (continued)

**Inactive ingredients:** lactose, sucrose

# Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.  
Newtown Square, PA 19073

How to dispense pellets?



1 Turn tube upside down.



2 Twist until 5 pellets are dispensed into cap.



3 Carefully remove cap and use it to pour pellets under the tongue.

## ZINCUM SULPHURICUM

zinc sulfate heptahydrate pellet

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:0220-5485 |
| <b>Route of Administration</b> | ORAL           |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength                  |
|--|-------------------|---------------------------|
| ZINC SULFATE HEPTAHYDRATE (UNII: N57J12K7WP) (ZINC CATION - UNII:13S1S8SF37) | ZINC CATION       | 30 [hp_C]<br>in 30 [hp_C] |

### Inactive Ingredients

| Ingredient Name                              | Strength |
|--|----------|
| SUCROSE (UNII: C151H8M554)                   |          |
| LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G) |          |

### Product Characteristics

|              |       |              |  |
|--------------|-------|--------------|--|
| <b>Color</b> | white | <b>Score</b> |  |
|--------------|-------|--------------|--|

|                 |       |                     |     |
|-----------------|-------|---------------------|-----|
| <b>Shape</b>    | ROUND | <b>Size</b>         | 4mm |
| <b>Flavor</b>   |       | <b>Imprint Code</b> |     |
| <b>Contains</b> |       |                     |     |

### Packaging

| # | Item Code        | Package Description                                    | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0220-5485-41 | 30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product | 03/03/1983           |                    |

### Marketing Information

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic |  | 03/03/1983           |                    |

**Labeler** - Boiron (282560473)

**Registrant** - Boiron, Inc. (014892269)

### Establishment

| Name   | Address | ID/FEI    | Business Operations    |
|--------|---------|-----------|------------------------|
| Boiron |         | 282560473 | manufacture(0220-5485) |

Revised: 11/2023

Boiron