

**CARPE ANTIPERSPIRANT FOR UNDERARMS- aluminum
sesquichlorohydrate lotion
Cosco International, Inc.**

Drug Facts

Active IngredientPurpose

Aluminum Sesquichlorohydrate 15%Antiperspirant

Anti Perspirant

Use

- Reduces underarm perspiration

Warnings

For external use only

Do not use

- on broken or irritated skin

Stop use and ask a doctor if

- rash or irritation occurs

Ask doctor before use if

- you have kidney disease

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away

Directions

- Apply to underarms only
- Apply pea-sized amount to underarms and rub in vigorously
- For best results, apply every night before bed and an additional two times per day for at least four weeks

Inactive ingredients

Water, Isopropyl Alcohol, Silica, Silica Silylate, Talc, Polysorbate-20, Dimethicone, C12-15 Alkyl Benzoate, Phenoxyethanol, Isopropyl Myristate, Eucalyptus Oil, Glycerin, Hydroxypropyl Methylcellulose, Ethylhexylglycerin, Citric Acid, Sodium Hydroxide

Call 888-621-0135

Distributed by:
Carpe
Durham, NC 27701
Made in: USA

Questions:

Call 888-621-0135

www.carpelotion.com



carpe

ANTIPERSPIRANT UNDERARM LOTION

**CLINICALLY PROVEN
TO REDUCE SWEAT**



**DERMATOLOGIST
RECOMMENDED**

50ML (1.69 FL OZ)

Drug Facts

Active Ingredient	Purpose
Aluminum Sesquihydrate (15%)	Antiperspirant
Use	
• Reduces underarm perspiration	
Warnings	
For external use only	
Do not use	
• on broken or irritated skin	
Stop use and ask a doctor if	
• red or irritated occurs	
Ask doctor before use if	
• you have kidney disease	
Keep out of reach of children	
• If swallowed, get medical help or contact a Poison Control Center right away	
Directions	
• Apply to underarms only	
• Rubs in twice a day, once before bed and in the evening. For best results, apply every night before bed and an additional two times per day for at least four weeks	
Inactive Ingredients Alcohol (12-14%), Benzene, Citric Acid, Dimethicone, Ethylhexyl Stearate, Glycerin, Oil Soluble, Isopropyl Alcohol, Isopropyl Myristate, Isopropyl Alcohol, Isopropyl Myristate, Phenylphenyl, Polyethylene Glycol, Stearic Acid, Sodium Hydroxide, Talc, Water	
Questions? Call 888-626-0135	

READY?

**LET'S STAND UP TO
SWEAT THE RIGHT WAY**



apply every morning



apply every night

CONSISTENCY IS KEY!



It takes 4 weeks
of consistent use
to begin seeing
full results

WHY?

**Carpe was designed to reduce
sweat every day.**

But to do that, it needs to be used consistently. Applying twice a day (right before bed, and again before you head out in the morning) to clean and dry hands (wash those right before!) is critical. Because the antiperspirant ingredient in Carpe needs time to slowly build up a barrier within your sweat glands, and reduce the amount of sweat coming to the surface.

So why before bed?

It turns out that sweat glands tend to be least active at night, meaning that there will be less sweat pushing over Carpe's antiperspirant ingredient, allowing it more time to build the anti-sweat barrier.

And why four weeks?

Research has shown that with consistent use, the antiperspirant ingredient is able to build a stronger and stronger barrier each day, with results continuing to improve up to four weeks of twice-daily use.

After that, it's important to keep using Carpe twice a day to maintain the anti-sweat barrier, and to maintain maximum results.

If you have any questions,
we'd love to hear from you!

You can reach us at support@mycarpe.com



CARPE ANTIPERSPIRANT FOR UNDERARMS

aluminum sesquichlorohydrate lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52261-4703
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
Aluminum Sesquichlorohydrate (UNII: UCN889409V) (ALUMINUM SESQUICHLOROHYDRATE - UNII:UCN889409V)			Aluminum Sesquichlorohydrate	0.15048 kg in 1 kg
Inactive Ingredients				
Ingredient Name				Strength
water (UNII: 059QF0KO0R)				
isopropyl alcohol (UNII: ND2M416302)				
silicon dioxide (UNII: ETJ7Z6XBU4)				
HEXAMETHYLDISILAZANE (UNII: H36C68P1BH)				
talc (UNII: 7SEV7J4R1U)				
polysorbate 20 (UNII: 7T1F30V5YH)				
dimethicone 350 (UNII: 2Y53S6ATLU)				
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)				
phenoxyethanol (UNII: HIE492ZZ3T)				
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)				
eucalyptus oil (UNII: 2R04ONI662)				
glycerin (UNII: PDC6A3C0OX)				
hypromellose 2208 (60000 MPA.S) (UNII: 2F7T07H9ZD)				
sodium hydroxide (UNII: 55X04QC32I)				
citric acid monohydrate (UNII: 2968PHW8QP)				
ethylhexylglycerin (UNII: 147D247K3P)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52261-4703-2	1 in 1 CARTON	08/27/2018	
1	NDC:52261-4703-1	0.058 kg in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:52261-4703-4	0.01655 kg in 1 TUBE; Type 0: Not a Combination Product	01/25/2021	01/01/2024
3	NDC:52261-4703-3	0.066 kg in 1 TUBE; Type 0: Not a Combination Product	01/25/2021	01/01/2024
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M350	08/27/2018	

Labeler - Cosco International, Inc. (016433141)

Registrant - Cosco International, Inc. (016433141)

Establishment			
Name	Address	ID/FEI	Business Operations
Cosco International, Inc.		016433141	manufacture(52261-4703) , label(52261-4703) , pack(52261-4703)

Revised: 1/2024

Cosco International, Inc.