

CURIST ALLERGY RELIEF- loratadine tablet
Little Pharma, Inc.

Curist Allergy Relief

Drug Facts

Active ingredient (in each tablet)

Loratadine 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before you if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver and kidney disease	ask a doctor

Other information

- **TAMPER EVIDENT:** do not use if imprinted seal under cap is missing or broken
- store between 20° and 25°C (68° and 77°F)

Inactive ingredients

lactose monohydrate, magnesium stearate, povidone, pregelatinized starch

Questions or comments? Call **1-800-540-3765**

Distributed by:

Little Pharma, Inc., New York, NY 10023


curist

Allergy Relief
Loratadine Tablets, 10 mg

Antihistamine

24 Hour Relief of Runny Nose; Sneezing; Itchy, Watery Eyes; Itchy Nose or Throat

30 Tablets

<p>Drug Facts</p> <table border="1"> <tr> <th>Active ingredient (in each tablet)</th> <th>Purpose</th> </tr> <tr> <td>Loratadine 10 mg.....</td> <td>Antihistamine</td> </tr> </table> <p>Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: • runny nose • itchy, watery eyes • sneezing • itching of the nose or throat</p> <p>Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. When using this product do not take more than directed. Taking more than directed may cause drowsiness. Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)</p>	Active ingredient (in each tablet)	Purpose	Loratadine 10 mg.....	Antihistamine	<p>Drug Facts (continued)</p> <p>Directions</p> <table border="1"> <tr> <td>adults and children 6 years and over</td> <td>1 tablet daily; not more than 1 tablet in 24 hours</td> </tr> <tr> <td>children under 6 years of age</td> <td>ask a doctor</td> </tr> <tr> <td>consumers with liver or kidney disease</td> <td>ask a doctor</td> </tr> </table> <p>Other information • TAMPER EVIDENT: do not use if imprinted seal under cap is missing or broken • store between 20° and 25°C (68° and 77°F)</p> <p>Inactive ingredients lactose monohydrate, magnesium stearate, povidone, pregelatinized starch</p> <p>Questions or comments? Call 1-800-540-3765</p>	adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours	children under 6 years of age	ask a doctor	consumers with liver or kidney disease	ask a doctor	<p>curist</p> <p>Allergy Relief</p> <p>Loratadine Tablets, 10 mg Antihistamine</p> <p>24 Hour Relief of Runny Nose; Sneezing; Itchy, Watery Eyes; Itchy Nose or Throat</p> <p>30 Tablets</p>	<p>curistrelief.com</p>
Active ingredient (in each tablet)	Purpose												
Loratadine 10 mg.....	Antihistamine												
adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours												
children under 6 years of age	ask a doctor												
consumers with liver or kidney disease	ask a doctor												
 <p>3 72559 00502 8</p> <p>REV 788-0219</p>	<p>Distributed by: Little Pharma, Inc. New York, NY 10023</p>	<p>30 Tablets</p>	<p>curistrelief.com</p>										

CURIST ALLERGY RELIEF

loratadine tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72559-005
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)	LORATADINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POVIDONE (UNII: FZ989GH94E)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	8mm
Flavor		Imprint Code	L612
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72559-005-02	1 in 1 CARTON	06/11/2019	
1		30 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:72559-005-04	25 in 1 CARTON	03/27/2019	06/11/2019
2		1 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076301	03/27/2019	

Labeler - Little Pharma, Inc. (074328189)

Revised: 6/2019

Little Pharma, Inc.