

**CINCHONA OFFICINALIS- cinchona officinalis bark pellet**  
**Boiron**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Cinchona officinalis 30C**

Tube - Cinchona officinalis 30C (\*\*contains 0.443 mg of the active ingredient per pellet)

Box - Cinchona officinalis 30C HPUS (\*\*contains 0.443 mg of the active ingredient in each pellet)

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Box - Relieves diarrhea with gas and bloating

Tube - Diarrhea with gas and bloating\*

Box - temporarily relieves symptoms of diarrhea such as: bloating, gas, fatigue, physical weakness\*

Box - Do not use if you have bloody or black stool

Tube - Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

Box - Stop use and ask a doctor if symptoms get worse, diarrhea lasts for more than 2 days

Tube - If pregnant or breast-feeding, ask a health professional before use

Box - If pregnant or breast-feeding, ask a health professional before use

Tube - Keep out of reach of children.

Box - Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Tube - Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see [BoironUSA.com/info](http://BoironUSA.com/info) for details.

Box - Do not use if glued carton end flaps are open or if pellet dispenser seal is broken.

3 Tubes approx 80 pellets 16 Doses per tube Total 240 pellets

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed. Remove cap and pour pellets under the tongue.

No known drug interactions

Discreet & Portable Tube

Meltaway Pellets

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see [BoironUSA.com/info](http://BoironUSA.com/info) for details.

Tube - lactose, sucrose

Box - lactose, sucrose

Tube - Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Box - Drink plenty of clear fluids to help prevent dehydration caused by diarrhea. Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Tube - 1-800-BOIRON-1 (1-800-264-7661),  
BoironUSA.com Info@boiron.com  
Distributed by Boiron, Inc. Newtown Square, PA 19073

Box - 1-800-BOIRON-1 (1-800-264-7661),  
BoironUSA.com Info@boiron.com  
Distributed by Boiron, Inc. Newtown Square, PA 19073

Box - Ask a doctor before use if you have fever, mucus in stool



HPUS NDC 0220-1396-41

**BOIRON®**

**HOMEOPATHIC MEDICINE**    Made in France

**Diarrhea with gas and bloating.\***



Lot:

Exp:

3

06960

21013

9

Contains approx. 80 pellets.    US

**Peel for Drugs Facts and instructions for use.**

Cinchona officinalis 30 c

BASED ON TRADITIONAL HOMEOPATHIC PRACTICE,  
ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

## ***Drug Facts***

***Active ingredient\*\****: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

***Uses***: See symptoms on front panel.

***Warnings***: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If **pregnant or breastfeeding**, ask a health professional before use. **Keep out of reach of children.**

***Directions***: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

***Other information***: ■ Do not use if pellet dispenser seal is broken.

## **Drug Facts** (continued)

**Inactive ingredients:** lactose, sucrose

### **Questions or comments?**

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see  
BoironUSA.com/info for details.

Distributed by Boiron Inc.  
Newtown Square, PA 19073

How to  
dispense pellets?



Turn tube upside  
down.



Twist until 5 pellets  
are dispensed  
into cap.



Carefully remove cap  
and use it to pour pellets  
under the tongue.

## **CINCHONA OFFICINALIS**

cinchona officinalis bark pellet

### **Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0220-1396
<b>Route of Administration</b>	ORAL		

### **Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>CINCHONA OFFICINALIS BARK</b> (UNII: S003A158SB) (CINCHONA OFFICINALIS BARK - UNII:S003A158SB)	CINCHONA OFFICINALIS BARK	30 [hp_C] in 30 [hp_C]

## Inactive Ingredients

Ingredient Name	Strength
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	
SUCROSE (UNII: C151H8M554)	

## Product Characteristics

Color	white	Score	
Shape	ROUND	Size	4mm
Flavor		Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-1396-41	30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983	
2	NDC:0220-1396-43	3 in 1 BOX	09/01/2020	
2		30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/03/1983	

**Labeler** - Boiron (282560473)

**Registrant** - Boiron, Inc. (014892269)

## Establishment

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-1396)

Revised: 6/2023

Boiron