# **EUPHRASIA OFFICINALIS- euphrasia stricta pellet Boiron**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

#### **Euphrasia officinalis 6C**

### Active ingredient\*\* (in each pellet)

Euphrasia officinalis 6C HPUS

(\*\*contains 0.44 mg of the active ingredient per pellet)

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Relieves abundant and irritating eye discharge \*

#### Allergy Eye Relief Uses\*

temporarily relieves minor eye allergy symptoms such as:

- itching
- irritation
- burning
- watering
- redness

#### Tube Uses\*

Relieves abundant and irritating eye discharge \*

# **Allergy Eye Relief Carton**

**Stop use and ask a doctor if** you experience eye pain, changes in vision, continued redness or irritation of the eye, or if the condition worsens or persists for more than 72 hours.

#### Tube

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

# Allergy Eye Relief Carton

- Adults and children 2 years of age and older: At the onset of symptoms, dissolve 5
  pellets under the tongue 3 times a day until symptoms are relieved or as directed by
  a doctor.
- Children under 2 years of age: Ask a doctor.

#### **Tube**

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3

times a day until symptoms are relieved or as directed by a doctor.

lactose, sucrose

### Allergy Eye Relief Carton

Itching Watering Irritation Redness

No Known Drug Interactions

Non-Drowsy

Approx. 80 pellets each

3 Tubes

16 Doses

Total 240 Pellets

- do not use if glued end flaps are open or if pellet dispenser seal is broken
- contains 0.25 g of sugar per dose
- retain carton for full drug facts

Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

#### Tube

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com

Distributed by Boiron, Inc. Newtown Square, PA 19073





### **Drug Facts**

Active ingredient ": See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions: 

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.



# Euphrasia officinalis

6°

HPUS NDC 0220-1989-41



HOMEOPATHIC MEDICINE

Made in France

Abundant and irritating eye discharge.\*

Euphrasia officinal

LAIMS BASED ON TRADITIONAL HON OT ACCEPTED MEDICAL EVIDENCE.



Lot:

Exp:

is 6 c

NEOPATHIC PRACTICE

3 06960 29808 3

Contains approx. 80 pellets. US Peel for Drugs Facts and instructions for use.

# **Drug Facts**

**Active ingredient**\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.


**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information:** ■ Do not use if pellet dispenser seal is broken.

**Drug Facts** (continued) **Inactive ingredients:** lactose, sucrose

**Questions or comments?** 

BoironUSA.com Info@Boiron.com



## **EUPHRASIA OFFICINALIS**

euphrasia stricta pellet

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0220-1989

Route of Administration ORAL

## **Active Ingredient/Active Moiety**

,			
Ingredient Name	Basis of Strength	Strength	
EUPHRASIA STRICTA (UNII: C9642I91WL) (EUPHRASIA STRICTA - UNII:C9642I91WL)	EUPHRASIA STRICTA	6 [hp_C] in 6 [hp_C]	

Inactive Ingredients		
Ingredient Name	Strength	
SUCROSE (UNII: C151H8M554)		
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)		

Product Characteristics			
Color	white	Score	
Shape	ROUND	Size	4mm
Flavor		Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-1989- 41	6 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983	
2	NDC:0220-1989- 43	3 in 1 CARTON	06/04/2024	
2	NDC:0220-1989- 41	6 [hp_C] in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Application Number or Monograph Category Citation		Marketing End Date	
	03/03/1983		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

# **Labeler -** Boiron (282560473)

# Registrant - Boiron, Inc. (014892269)

Establishment				
Name	Address	ID/FEI	Business Operations	
Boiron		282560473	manufacture(0220-1989)	

Revised: 6/2024 Boiron