

**LUMIN BROAD SPECTRUM MOISTURIZER WITH SPF 30 PA UVA/UVB PROTECTION SUNSCREEN- zinc oxide cream**  
Pangaea Holdings Inc.

-----  
**Lumin Broad Spectrum Moisturizer with SPF 30 PA UVA/UVB Protection Sunscreen**

***Drug Facts***

***Active Ingredients***

Zinc Oxide 20%

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

For external use only

***Do not use***

on damaged or broken skin.

***When using this product***

keep out of eyes. Rinse with water to remove.

***Stop use and ask a doctor***

if rash occurs.

***Keep out of reach of children.***

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

*For sunscreen use:*

- *Apply liberally 15 minutes before sun exposure*
- *Reapply at least every 2 hours*

- *Use a water resistant sunscreen if swimming or sweating*
- **Sun Protection Measures.** *Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:*
  - *limit time in the sun, especially from 10 a.m. – 2 p.m.*
  - *wear long-sleeved shirts, pants, hats, and sunglasses*
- *Children under 6 months of* **Other Information** *age: Ask a doctor*

### **Other Information**

protect the product in this container from excessive heat and direct sun

### **Inactive Ingredients**

Water/Aqua/Eau, Coco-Caprylate, Dicaprylyl Carbonate, Microcrystalline Cellulose, Glycerin, Cetyl Alcohol, Lauryl Glucoside, Capryloyl Glycerin/Sebacic Acid Copolymer, Propanediol, Diheptyl Succinate, Cellulose Gum, Polyglyceryl-2 Dipolyhydroxystearate, Phytic Acid, Simmondsia Chinensis (Jojoba) Seed Oil\*, Helianthus Annuus (Sunflower) Seed Oil\*, Rosmarinus Officinalis (Rosemary) Leaf Extract, Carica Papaya (Papaya) Fruit Extract, Haematococcus Pluvialis Extract (Astaxanthin), Palmitoyl Tripeptide-38, Caprylhydroxamic Acid, Xanthan Gum, Polyhydroxystearic Acid, Hydroxypropyl Cyclodextrin, Hexanediol, Triethoxycaprylylsilane

\*Certified Organic Ingredients

**Package Labeling:81234-808-00**

Men's skincare. Made easy.

L U M I N

L U M I N

**Inactive Ingredients**

Water/Aqua/Eau, Coco-Caprylate, Dicaprylyl Carbonate, Microcrystalline Cellulose, Glycerin, Cetyl Alcohol, Lauryl Glucoside, Capryloyl Glycerin/Sebacic Acid Copolymer, Propanediol, Diheptyl Succinate, Cellulose Gum, Polyglyceryl-2 Dipolyhydroxystearate, Phytic Acid, Simmondsia Chinensis (Jojoba) Seed Oil\*, Helianthus Annuus (Sunflower) Seed Oil\*, Rosmarinus Officinalis (Rosemary) Leaf Extract, Carica Papaya (Papaya) Fruit Extract, Haematococcus Pluvialis Extract (Astaxanthin), Palmitoyl Tripeptide-3B, Caprylhydroxamic Acid, Xanthan Gum, Polyhydroxy-stearic Acid, Hydroxypropyl Cyclodextrin, Hexanediol, Triethoxycaprylylsilane  
\*Certified Organic Ingredients

**Drug Facts**

**Active Ingredients** **Purpose**  
Zinc Oxide 20% ----- Sunscreen

**Uses**  
• helps prevent sunburn  
• if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
For external use only  
**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
For sunscreen use:  
• Apply liberally 15 minutes before sun exposure  
• Reapply at least every 2 hours  
• Use a water resistant sunscreen if swimming or sweating  
• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
- limit time in the sun, especially from 10 a.m. – 2 p.m.  
- wear long-sleeved shirts, pants, hats, and sunglasses  
• Children under 6 months of age: Ask a doctor

**Other Information** protect the product in this container from excessive heat and direct sun

**Broad Spectrum Moisturizer**

SPF 30 PA+++  
UVA/UVB PROTECTION  
SUNSCREEN

30

ALL SKIN TYPES

Let the sun shine on you

0.5 FL OZ/OZ LIQ/ 15 mL e

Apply the sunscreen product before sun exposure. Re-apply frequently to maintain protection, especially after perspiring, swimming, or towelling.

AM: Start with a clean, dry face and gently rub an almond-sized amount all over the face.

PM: Wash off with a gentle cleanser and lukewarm water.



Helps prevent sunburn



Slows the early signs of aging




Hydrates without a greasy feeling



Helps fight free-radical damage

MFD. FOR PANGAEA HOLDINGS, INC.,  
716 MONTEREY PASS ROAD  
MONTEREY PARK, CA 91754 USA  
MADE IN USA



To Scale

Daily ————— AM



LUR03



Need some advice?  
Chat with a skincare expert live now! or visit [luminskin.com/chatwithme](http://luminskin.com/chatwithme)  
[www.luminskin.com](http://www.luminskin.com)  
[support@luminskin.com](mailto:support@luminskin.com)

L U M I N

# Broad Spectrum Moisturizer

SPF 30 PA+++  
UVA/UVB PROTECTION  
SUNSCREEN

# 30

ALL SKIN TYPES

Let the sun shine on you

0.5 FL. OZ/OZ LIQ/ 15 mL e

### Drug Facts

Active Ingredients	Purpose
Zinc Oxide 20%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- Apply liberally 15 minutes before sun exposure

- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor

**Other Information** protect the product in this container from excessive heat and direct sun

**Inactive Ingredients** Water/Aqua/Eau, Coco-Caprylate, Dicaprylyl Carbonate, Microcrystalline Cellulose, Glycerin, Cetyl Alcohol, Lauryl Glucoside, Capryloyl Glycerin/Sebacic Acid Copolymer, Propanediol, Diheptyl Succinate, Cellulose Gum, Polyglyceryl-2 Dipolyhydroxystearate, Phytic Acid, Simmondsia Chinensis (Jojoba) Seed Oil\*, Helianthus Annuus (Sunflower) Seed Oil\*, Rosmarinus Officinalis (Rosemary) Leaf Extract, Carica Papaya (Papaya) Fruit Extract, Haematococcus Pluvialis Extract (Astaxanthin), Palmitoyl Tripeptide-38, Caprylhydroxamic Acid, Xanthan Gum, Polyhydroxystearic Acid, Hydroxypropyl Cyclodextrin, Hexanediol, Triethoxycaprylylsilane  
\*Certified Organic Ingredients

MADE IN USA  
 MFD. FOR PANGAEA HOLDINGS, INC.  
 716 MONTEREY PASS ROAD  
 MONTEREY PARK, CA 91754 USA

Package Labeling:81234-808-01

Men's skincare. Made easy.

L U M I N

L U M I N

# Broad Spectrum Moisturizer

SPF 30 PA+++  
UVA/UVB PROTECTION  
SUNSCREEN

# 30

ALL SKIN TYPES

Let the sun  
shine on you

1 FL OZ/OZ LIQ/ 30 mL e

Apply the sunscreen product before sun exposure. Re-apply frequently to maintain protection, especially after perspiring, swimming, or towelling.

AM: Start with a clean, dry face and gently rub an almond-sized amount all over the face.

PM: Wash off with a gentle cleanser and lukewarm water.



Helps prevent sunburn



Slows the early signs of aging



Hydrates without a greasy feeling




Helps fight free-radical damage

MFD. FOR PANGAEA HOLDINGS, INC.  
716 MONTEREY PASS ROAD  
MONTEREY PARK, CA 91754 USA  
MADE IN USA



24 M



To Scale

Daily \_\_\_\_\_ AM

## Drug Facts

Active Ingredients	Purpose
Zinc Oxide 20%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor

**Other Information** protect the product in this container from excessive heat and direct sun

**Inactive Ingredients**  
Water/Aqua/Eau, Coco-Caprylate, Dicaprylyl Carbonate, Microcrystalline Cellulose, Glycerin, Cetyl Alcohol, Lauryl Glucoside, Capryloyl Glycerin/Sabacic Acid Copolymer, Propanediol, Diheptyl Succinate, Cellulose Gum, Polyglyceryl-2 Dipolyhydroxystearate, Phytic Acid, Simmondsia Chinensis (Jojoba) Seed Oil\*, Helianthus Annuus (Sunflower) Seed Oil\*, Rosmarinus Officinalis (Rosemary) Leaf Extract, Carica Papaya (Papaya) Fruit Extract, Haematococcus Pluvialis Extract (Astaxanthin), Palmitoyl Tripeptide-3B, Caprylhydroxamic Acid, Xanthan Gum, Polyhydroxystearic Acid, Hydroxypropyl Cyclodextrin, Hexanediol, Triethoxycaprylylsilane

\*Certified Organic Ingredients



LUR03



Need some advice?  
Chat with a skincare expert live now! or visit [luminskin.com/chatwithme](http://luminskin.com/chatwithme)  
[www.luminskin.com](http://www.luminskin.com)  
[support@luminskin.com](mailto:support@luminskin.com)

L U M I N

# Broad Spectrum Moisturizer

SPF 30 PA+++  
UVA/UVB PROTECTION  
SUNSCREEN

# 30

ALL SKIN TYPES

Let the sun shine on you

1 FL. OZ/OZ LIQ/30 mL E

## Drug Facts

Active Ingredients	Purpose
Zinc Oxide 20%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
For external use only

**Do not use** on damaged or broken skin.  
**When using this product** keep out of eyes. Rinse with water to remove.  
**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
For sunscreen use:

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor

**Other Information** protect the product in this container from excessive heat and direct sun

**Inactive Ingredients** Water/Aqua/Eau, Coco-Caprylate, Dicaprylyl Carbonate, Microcrystalline Cellulose, Glycerin, Cetyl Alcohol, Lauryl Glucoside, Capryloyl Glycerin/Sebacic Acid Copolymer, Propanediol, Diheptyl Succinate, Cellulose Gum, Polyglyceryl-2 Dipolyhydroxystearate, Phytic Acid, Simmondsia Chinensis (Jojoba) Seed Oil\*, Helianthus Annuus (Sunflower) Seed Oil\*, Rosmarinus Officinalis (Rosemary) Leaf Extract, Carica Papaya (Papaya) Fruit Extract, Haematococcus Pluvialis Extract (Astaxanthin), Palmitoyl Tripeptide-38, Caprylhydroxamic Acid, Xanthan Gum, Polyhydroxystearic Acid, Hydroxypropyl Cyclodextrin, Hexanediol, Triethoxycaprylylsilane \*Certified Organic Ingredients



MFD. FOR PANGAEA HOLDINGS, INC. MADE IN USA  
716 MONTEREY PASS ROAD  
MONTEREY PARK, CA 91754 USA

Package Labeling:81234-808-02

Men's skincare. Made easy.

L U M I N

L U M I N

**Drug Facts**

**Active Ingredients**      **Purpose**  
Zinc Oxide 20% ----- Sunscreen

**Uses**  
• helps prevent sunburn  
• if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
For external use only

**Do not use** on damaged or broken skin,

**When using this product** keep out of eyes. Rinse with water to remove.


**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
For sunscreen use:  
• Apply liberally 15 minutes before sun exposure  
• Reapply at least every 2 hours  
• Use a water resistant sunscreen if swimming or sweating  
• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
  • limit time in the sun, especially from 10 a.m. – 2 p.m.  
  • wear long-sleeved shirts, pants, hats, and sunglasses  
• Children under 6 months of age:  
  Ask a doctor

**Other Information** protect the product in this container from excessive heat and direct sun

**Inactive Ingredients**  
Water/Aqua/Eau, Coco-Caprylate, Dicaprylyl Carbonate, Microcrystalline Cellulose, Glycerin, Cetyl Alcohol, Lauryl Glucoside, Capryloyl Glycerin/Sebacic Acid Copolymer, Propanediol, Dihexyl Succinate, Cellulose Gum, Polyglyceryl-2 Dipolyhydroxystearate, Phytic Acid, Simmondsia Chinensis (Jojoba) Seed Oil\*, Helianthus Annuus (Sunflower) Seed Oil\*, Rosmarinus Officinalis (Rosemary) Leaf Extract, Carica Papaya (Papaya) Fruit Extract, Haematococcus Pluvialis Extract (Astaxanthin), Palmitoyl Tripeptide-38, Caprylhydroxamic Acid, Xanthan Gum, Polyhydroxystearic Acid, Hydroxypropyl Cyclodextrin, Hexanediol, Triethoxycaprylsilane  
\*Certified Organic Ingredients



To Scale

# Broad Spectrum Moisturizer

SPF 30 PA+++  
UVA/UVB PROTECTION  
SUNSCREEN

# 30



Helps prevent sunburn



Slows the early signs of aging



Hydrates without a greasy feeling



Helps fight free-radical damage

ALL SKIN TYPES

Let the sun shine on you

1.4 FL OZ/OZ LIQ/ 40 mL e

Daily ————— AM

MFD. FOR PANGAEA HOLDINGS, INC.  
716 MONTEREY PASS ROAD  
MONTEREY PARK, CA 91754 USA  
MADE IN USA



Need some advice?  
Chat with a skincare expert live now! or visit [luminskin.com/chatwithme](http://luminskin.com/chatwithme)  
[www.luminskin.com](http://www.luminskin.com)  
[support@luminskin.com](mailto:support@luminskin.com)

L U M I N

# Broad Spectrum Moisturizer

SPF 30 PA+++  
UVA/UVB PROTECTION  
SUNSCREEN

# 30

ALL SKIN TYPES

Let the sun shine on you

1.4 FL. OZ/OZ LIQ/ 40 mL e

## Drug Facts

### Active Ingredients

Zinc Oxide 20%

### Purpose

Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

For sunscreen use:

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor

**Other Information** protect the product in this container from excessive heat and direct sun

**Inactive Ingredients** Water/Aqua/Eau, Coco-Caprylate, Dicaprylyl Carbonate, Microcrystalline Cellulose, Glycerin, Cetyl Alcohol, Lauryl Glucoside, Capryloyl Glycerin/Sebacic Acid Copolymer, Propanediol, Diheptyl Succinate, Cellulose Gum, Polyglyceryl-2 Dipolyhydroxystearate, Phytic Acid, Simmondsia Chinensis (Jojoba) Seed Oil\*, Helianthus Annuus (Sunflower) Seed Oil\*, Rosmarinus Officinalis (Rosemary) Leaf Extract, Carica Papaya (Papaya) Fruit Extract, Haematococcus Pluvialis Extract (Astaxanthin), Palmitoyl Tripeptide-38, Caprylhydroxamic Acid, Xanthan Gum, Polyhydroxystearic Acid, Hydroxypropyl Cyclodextrin, Hexanediol, Triethoxycaprylylsilane  
\*Certified Organic Ingredients



MADE IN USA

MFD. FOR PANGAEA HOLDINGS, INC.  
716 MONTEREY PASS ROAD  
MONTEREY PARK, CA 91754 USA

## LUMIN BROAD SPECTRUM MOISTURIZER WITH SPF 30 PA UVA/UVB PROTECTION SUNSCREEN

zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81234-808
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	200 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
PALMITOYL LYSYLDIOXYMETHIONYLLYSINE (UNII: T7A529FB80)	
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)	
XANTHAN GUM (UNII: TTV12P4NEE)	
HEXANEDIOL (UNII: ZIA319275I)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
HYDROXYPROPYLBETADEX (0.58-0.68 MS) (UNII: 1I96OHX6EK)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	



<b>WATER</b> (UNII: 059QF0KO0R)
<b>COCO-CAPRYLATE</b> (UNII: 4828G836N6)
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)
<b>LAURYL GLUCOSIDE</b> (UNII: 76LN7P7UCU)
<b>CAPRYLOYL GLYCERIN/SEBACIC ACID COPOLYMER (2000 MPA.S)</b> (UNII: N7YC58165T)
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)
<b>DIHEPTYL SUCCINATE</b> (UNII: 057N7SS26Y)
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED</b> (UNII: K679OBS311)
<b>POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE</b> (UNII: 9229XJ4V12)
<b>FYTIC ACID</b> (UNII: 7IGF0S7R8I)
<b>JOJOBA OIL</b> (UNII: 724GKU717M)
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)
<b>ROSEMARY</b> (UNII: IJ67X351P9)
<b>PAPAYA</b> (UNII: KU94FIY6JB)
<b>HAEMATOCOCCUS PLUVIALIS</b> (UNII: 31T0FF0472)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81234-808-00	1 in 1 BOX	01/01/2022	01/05/2025
1		15 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
2	NDC:81234-808-01	1 in 1 BOX	01/01/2022	01/05/2025
2		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
3	NDC:81234-808-02	1 in 1 BOX	01/01/2022	01/05/2025
3		40 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2022	01/05/2025

**Labeler** - Pangaea Holdings Inc. (081181313)