## HYDRASTIS CANDADENSIS- goldenseal pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

### Hydrastis candadensis 6C

### Active ingredient\*\* (in each pellet)

Hydrastis candadensis 6C HPUS (0.44 mg)

(contains less than 10-12 mg hydrastine and berberine alkaloids)

The letter "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

### **Purpose\***

Hydrastis candadensis 6C HPUS (0.44 mg) ... Relieves post-nasal drip symptoms

#### Uses\*

temporarily relieves occasional symptoms of post-nasal drip such as:

- nasal congestion
- excess mucus
- scratch throat

Tube - Post-Nasal Drip\*

**Do not use if** you have a fever.

**Stop use and ask a doctor if** symptoms persist for more than 3 days or worsen **If pregnant or breastfeeding,** ask a health professional before use

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

do not use if glued carton end flaps are open or if pellet dispenser seal is broken contains 0.25 g of sugar per dose

3 TUBES

APPROX. 80 PELLETS EACH

**TOTAL 240 PELLETS** 

**MELTAWAY PELLETS** 

No Known Drug Interactions

Non-Drowsy

Turn tube upside down

Twist until 5 pellets are dispensed

Remove cap and pour pellets under the tongue

Post-Nasal Drip Relief\*

Excess Mucus Scratchy Throat\*

Do not use if pellet dispenser seal is broken.

Contains approx. 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.


\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073





# cánadensis

Post-nasal drip\*



### HOMEOPATHIC MEDICINE

Made in France

HPUS NDC 0220-2551-41

Less than 10 <sup>-12</sup> mg hydrastine, berberine alkaloids per pellet Do not use if pellet dispenser seal is broken



LOT:

EXP:

3 06960

37208 0

Contains approx. 80 pellets. US Peel for Drugs Facts and instructions for use.



**Active ingredient**\*\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions:** Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information:** ■ Do not use if pellet dispenser seal is broken.

EPTED MEDICAL EVIDENCE, NOT FDA EVALUATE

Hydrastis canadensis 6 c

## **Drug Facts** (continued) Inactive ingredients: lactose, sucrose

### **Questions or comments?**

BoironUSA.com Info@Boiron.com 1-800-B0IRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc. Newtown Square, PA 19073







Turn tube upside down.

are dispensed into cap.

Twist until 5 pellets Carefully remove cap and use it to pour pellets under the tongue.



Lot: Exp:

3 06960 37208

Contains approx. 80 pellets. US

Peel for Drugs Facts and instructions for use.

ENCE. NOT FDA EVALUATED.

## **Drug Facts**

**Active ingredient**\*\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information:** ■ Do not use if pellet dispenser seal is broken.

**Drug Facts** (continued) **Inactive ingredients:** lactose, sucrose



### **HYDRASTIS CANDADENSIS**

goldenseal pellet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-2551
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	<b>Basis of Strength</b>	Strength
GOLDENSEAL (UNII: ZW3Z11D0JV) (GOLDENSEAL - UNII:ZW3Z11D0JV)	GOLDENSEAL	6 [hp_C] in 6 [hp_C]

Inactive Ingredients		
Ingredient Name	Strength	
SUCROSE (UNII: C151H8M554)		
LACTOSE, UNSPECIFIED FORM (UNII:  2B2A4N98G)		

Product Characteristics			
Color	white	Score	
Shape	ROUND	Size	4mm
Flavor		Imprint Code	

#### Contains

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-2551- 43	3 in 1 BOX	05/03/2022	
1	NDC:0220-2551- 41	6 [hp_C] in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:0220-2551- 41	6 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983	

Marketing Start Date	Marketing End Date
03/03/1983	
	Date

### **Labeler -** Boiron (282560473)

### Registrant - Boiron, Inc. (014892269)

<b>Establishment</b>			
Name	Address	ID/FEI	<b>Business Operations</b>
Reed Lane, Inc.		001819879	pack(0220-2551)

Establishment				
Name	Address	ID/FEI	Business Operations	
Boiron		282560473	manufacture(0220-2551)	

Revised: 1/2023 Boiron